COMPANY SURGEONS

*Dr. Dance C. Walk Chief Common Minneaudic Minn
*Dr. Roscoe C. Webb, Chief SurgeonMinneapolis, Minn.
*Dr. Ernest R. Anderson, Asst. Chf. Surg., Minneapolis, Minn.
*Dr. P. E. Kane Butte, Montana
*Dr. E. M. Farr Billings, Montana
Dr. Robert H. Leeds
Dr. H. W. BatemanChoteau, Montana
*Dr. John A. MarchShelby, Montana
Dr. Porter S. CannonConrad, Montana
Dr. R. F. MillerChester, Montana
Dr. R. W. JensenCulbertson, Montana
Dr. K. HamiltonDodson, Montana
Dr. Gordon MerriamFairview, Montana
Dr. Evon L. AndersonFort Benton, Montana
*Dr. R. B. RichardsonGreat Falls, Montana
Dr. J. C. WolgamotGreat Falls, Montana
Dr. L. L. HowardGreat Falls, Montana
Dr. David GregoryGlasgow, Montana
Dr. Philip A. SmithGlasgow, Montana
*Dr. A. N. SmithGlasgow, Montana
Dr. D. S. MacKenzie, Sr
*Dr. D. S. MacKenzie, Jr
Dr. D. J. Almas
Dr. C. W. Lawson
Dr. R. Wynne MorrisHelena, Montana
*Dr. Thos. L. Hawkins
Dr. E. M. GansJudith Gap, Montana
Dr. E. C. HallLaurel, Montana
*Dr. Robt. H. DionLewistown, Montana
Dr. Paul GansLewistown, Montana
*Dr. G. W. SetzerMalta, Montana
*Dr. T. W. CollisonScobey, Montana
Dr. R. D. HarperSidney, Montana
Dr. P. O. C. JohnsonWatford City, North Dakota
*Dr. J. P. CravenWilliston, North Dakota
Dr. Edward J. HaganWilliston, North Dakota
Dr. R. D. KnappWolf Point, Montana
*Designates also Examining Surgeon.

OPHTHALMIC SURGEONS (Eye Doctors)

Dr. B. E. Reasoner	Great Falls, Montana
Dr. W. L. Forster	Havre, Montana
Dr. H. L. Casebeer .	Butte, Montana

J. R. McLELLAN, Chief Dispatcher

C. E. EUDY, Chief Dispatcher

M. J. SOMMERS, Trainmaster

W. H. LITTLE, Trainmaster

G. W. NOFFSINGER, Trainmaster

A. E. CARR, Trainmaster

W. L. DORCY, Trainmaster

Scanned from the Dean Ogle Collection

GREAT NORTHERN RAILWAY COMPANY

BUTTE DIVISION

TIME TABLE 76

EFFECTIVE 12:01 A. M. MOUNTAIN TIME

Tuesday, March 1, 1955

H. J. SURLES, Superintendent.

C. M. RASMUSSEN, Assistant General Manager.

T. A. JERROW, General Manager.

A. W. CAMPBELL, General Superintendent Transportation.

2	W	EST	WARD)			I	FIRST	SUBDI	VISIO	N					
25		ar acity			SEC	CLASS			Time Table							
Station Numbers	-			473	289	371	285	461	613	:	3	27	1	ce from on	No. 76	aph Call
Statio	Sidings	Other Tracks		Daily	Daily Ex. Sun.	Daily Ex. Sun.	Daily Ex. Sun.	Daily	Daily Ex. Sun.		Daily	Daily	Daily	Distance Williston	March 1, 1955 STATIONS	Telegraph
647	 	Yard		L II.IOPm		L 4-285 L 7.00 Am	L 6.45Am	L 6.30Am	L 5.00Am		L 10.10pm	L 9.25Pm	L 4-285		WILLISTON.★	WN
659	 	29		11.25	f 8.15	f 7.25	f 7.00	6.50	5.20		10.23	9.38	6.34	11.99	TRENTON	ON
668	ļ	36		11.37	f 8.25	f 7.40	f 7.10	7.05	5.35		10.31	9.47	6.44	20.56		
676	130	91		11.44	f 8.32	s 7.50	A 7.20Am	⁴⁻²⁸ 7.20	A 5.50Am		10.41	9.53	6.50 28	25.92	FT. BUFORD 5.37 SNOWDEN★	SN
681	130	8		11.51	f 8.40	f 8.00		7.30			10.48	9.59	6.56	31.68	LAKESIDE	••••
685	E115 W174	164		11.59	A 8.50Am	A 8.15Am		7.40			10.56	10.06	7.03	38.10	BAINVILLE.*	8
692	109	4		12.08Am				7. 50			11.04	10.13	7.10	44.93	LANARK	
699	120	58		12.18				8.05			s 11.12	10.21	7.18	52.36	CULBERTSON	CU
705	107	.5		12.26				8.12			11.18	10.27	7.24	57.86	S.50 BLAIR	••••
714	72 E130	5		12.38				8.30			11.28	10.37	7.34	66.80	S BLAIR 8.94 CALAIS 4.77	
722	W118			12.44			• • • • • • • • • • • • • • • • • • • •	8. 36	• • • • • • • • •		11.33	10.42	7.39	71.57	YBROCKTON.★ 7.47SPROLE 6.52	BR
729	127	40		12.54				8.50	• • • • • • • • • • • • • • • • • • • •		11.40	10.50	7.47			•••••
733	130	83		1.02		[8.59			s 11.49	10.57	7.54	85.56	6.80	PO
741	130	17		1.11	· · · · · · · · · · · · · · · · · · ·			9.07			11.57	11.04	8.01	92.36	CHELSEA	••••
748	138 E135	24 327		1.21				9.20			12.05Am	11.12	8.08	1	7.97 MACON	••••
753 759	W135	327		1.29				9.28			s 12.14	s 11.20	8.14	106,75	WOLF POINT★	wo
765	108	37		1.44	• • • • • • • • • • • • • • • • • • • •			9.36			12.22	11.27	8.20	112.73	LOHMILLER	•••••
772	E 90			1.54	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • •	9.42 9.55			12.28	11.33	8.26	118.03	OSWEGO	GO
	1, 70				*********			9.55			12.37	11.42	8.35	125.72	FRAZER.★	FR
777	130 W 71	11		2.01				10.02			12.43	11.48	8.40	130.76	KINTYRE	
783	E 89	• • • • • •		2.08				10.10			12.49	11.55	8.46	136.41	5.65 WIOTA 5.40	••••
789	129	82		2.15				10.17			12.55	12.01 A m	8. 52	141.81	NASHUA	· NA
797	130	13	· · · · · · · · · · · · · · ·	2.26				10.33			1.03	12.10	9.01	149.59	WHATELY	•••••
803	Yard	740		A 2.35Am				A 10.45Am			A 1.15Am	A 12.20Am	A 9.10Am	156.32	GLAŠĞOW★.	GW
				3.25 45.7	.50 45.9	1.15 30.5	.35 44.7	4.15 36.8	.50 31.2		3.05 50.8	2.55 53.5	2.50 55.2		Time Over Subdivision Average Speed Per Hour	

Westward trains are superior to eastward trains of the same class.

CONDITIONAL STOPS

No. 1 stops at Glasgow to discharge revenue passengers from Minot and East and to receive revenue passengers for Spokane and West where No. 1 is scheduled to stop.

	Time Table			FIR	ST CLAS	S				SEC	OND CL	ASS			
	No. 76 Effective March 1, 1955	Distance from Glasgow	4	28	2			470	614	462	372	286	290		SIGNS
	STATIONS	Dista	Daily	Daily	Daily			Daily	Daily Ex. Sun.	Daily	Daily Ex. Sun.	Daily Ex. Sun.	Daily Ex. Sun.		
٠ (WILLISTON .★	156.32	1-285 A 6.40 Am	289 A 7.55A m	а 6.00 р п) 		a 7.00 a m	A 1.00pm	а 1.40 р т	а 5.15 р т	а 5.30 р m	A 5.35Pm		BCDNK OPRWX
	11.99 TRENTON	144.33	6.25	7.35	5.45			6.35	12.35	1.22	f 4.50	f 5.11	f 5.19		ÐΡ
	FT. BUFORD }을	135.77	6.16	7.20	5.36			6.20	12.20	1.10	f 4.35	f 4.58	f 5.06		Р
	5.37 \$NOWDEN★	130.40	461-613 6.10	285-461 7.10	5.30			1-461 6.11	ь 12.10 Р т	1.02	f 4.25	ь 4.50 р m	1		DNJR PXYI
	LAKËSIDE	124.64	6.02	6.56	5.24			6.03		12.53	f 4.10	· · · · · · · · · · · · · · · · · · ·	f 4.49	· <u>· · · · · · · · · · · · · · · · · · </u>	P
	6.42 BAINVILLE.★ 6.83	118.22	470 5.55	f 6.47	5.17			5.55		12.43	ь 4.00 Р т		ь 4.40 _{Рт}		DNJK PXY
1	LANARK	111.39	5.48	6.39	5.10			5.42		12.33					P
	7,43 CULBERTSON 5,50	103.96	s 5.40	s 6.30	5.02	····		5.27		12.23					DNP
	BLAIR	98.46	5,34	6.23	4.56			5.20		12.15					P
	8.94 CALAIS	89.52	5.25	6.13	4.48			5.03		12.02 p m	<i>.</i>				Р
	BROCKTON.★	84.15	5 . 20	6.08	4.43			4.57	ļ	11.56					DNP
ł	SPROLE 6.52	77.28	5.10	5.58	4.36			4.42		11.45					P
	POPLAR	70.76	s 5.03	5.51	4.30			4.30		11.35					DNPW
	CHELSEA	63.96	4.55	5.44	4.24			4.13		11.25					P
	7.97 MACON 6.42	55.99	4.47	5.34	4.17			3,58		11.14					P
۱.	WOLF POINT.★.	49.57	s 4.40	s 5.27	4.11			3.48		11.05					DNP
ı	LOHMILLER	43.59	4.31	5.17	4.05			3.39		10.57					P
-	OSWEGO	38,29	4.25	5.12	4.00			3.32		10.50		<i>.</i>			DP
ŀ	7.69 FRAZER ★	30.60	4.18	5.05	3.52			3.17		10.40					DPN
	5.04 KINTYRE 5.65	25.58	4.12	5.00	3.47	ļ		3.10		10.33					P
	WIOTA	19.91	4.06	4.55	3.41			3.02		10.25		<i></i>			P
	NASHUA 7.78	14.51	4.00	4.50	3.35			2.55		10.17					DNP
	WHATELY	6.73	3 . 52	4.40	3.27			2.43 473		9.55					P BDNKC
_	GLASGOW.*	•••••	L 3.45Am	ь 4.30Am	ь 3.20 р т			L 2.35 _{Am}		ъ 9.45 A m					PRWX
	Time Over Subdivision Average Speed Per Hour		2.55 53.6	3.1 <i>5</i> 45. <i>7</i>	2.40 58.6			4.30 34.7	.50 31.1	3.55 39.9	1.1 <i>5</i> 30.5	.40 39.0	.55 41.5		

Westward trains are superior to eastward trains of the same class.

CONDITIONAL STOPS

No. 2 stops at Glasgow to discharge revenue passengers from Spokane and West and to receive revenue passengers for Minot and East where No. 2 is scheduled to stop.

No. 28 stops at Snowden daily except Sunday to make transfer unless otherwise instructed.

4 WESTWARD

SECOND SUBDIVISION

EASTWARD

	Cat	ar pacity	SECC		FI	RST CLA	ASS		Time Table	_ <u> </u>		FII	RST CL	\ss		OND ASS	
Station Numbers	5	L 20	461	473	1	3	27	nce from gow	No. 76 Effective March 1, 1955	Telegraph Calls	nce from	4	28	2	462	470	SIGNS
Stafi	Sidings	Other Tracks	Daily	Daily	Doily	Daily	Daily	Distance f Glasgow	STATIONS	Teleg	Distance Havre	Daily	Daily	Daily	Doily	Daily	
803	Yard	740	L 10.55Am	470 L 2.40 Am	L 9.10Am	L 1.20Am	L 12.25An	ļ	GLASGOW.★.)	GW	152.95	A 3.40Am	A 4.25An	A 3.20Pm	A 9.40Am	A 2.10Am	BDNKO PRWXY
808	70	- 70	11.05	2.46	9.15	1.26	12.32	4.71	PAISLEY		148.24	3.35	4.18	3.10	9.32	2.00	Р
815	125	27	11.15	2.54	9.22	1.34	12.40	11.74	TAMPICO	MA	141.21	3.27	4.10	3.01	9.22	1.50	DPN
820	71	26	11.22	3.00	9.28	1 . 40	12.46	17.03	VANDALIA	ļ	135.97	3.21	4.03	2.55	9.12	1.40	Р
828	E137 W114	85	11.35	3.10	9.38	f 1.51	12.59	25.81	HINSDALE.★.	HD	127.14	f 3.10	3.48	2.45	8.58	1.27	DNP
837	71 W 93	15	11.45	3.19	9.45	2.01	1.07	34.02	BEAVERTON 4.55		118.93	3.00	3.34	2.37	8.46	1.18	P DNJK
842	E166		11.51	3.24	9.50	f 2.06	1.12	38.57	SACO.★	SF	114.38	f 2.55	s 3.24	2.32	8.41	1.12	PXY
852	71 W166	3	12.01 P m		9.57	2.13	1.19	45.44	ASHFIELD		107.51	2.48	3.12	2.25	8.33	12.58	P
860	E 89		12.10	3.43	10.04	2.21	1.27	52.97	7.53 BOWDOIN	ВО	99.98	2.40	3.01	2.18	8.23	12.48	DPYN
863	70	16	12.20	3.51	10.10	2.31	1.34	59.76	STRATER		93.19	2.31	2.53	2.11	8.14	12.39	P
869	133	145	12.32	3.58	10.16	s 2.37	1.40	65.58	5.82 MALTA.★ \$	MF MF	87.37	-,	s 2.47	2.05	8 . 06	12.31	DNPW
874	71 E142	14	12.40	4.04	10.22	Ž.42	1.45	70.36	4.79 EXETER 2 4.78		82.59	2.13	2.42	2.00	8.00	12.24	P
880	W130	1 1	12.50	4.10	10.27	2.47	1.50	75.15	WAGNER 2	S WA	77.80	2.08	2.33	1.55	7.54	12.17	DP
886	123	55	1.06	4.20	10.35	2.55	1.58	83.02			69.93	1.58	2,25	1.46	7.45	12.05Am	DNP
892	124	5	1.15	4.27	10.42	3.02	2.04	88.71	SURVANT	<u> </u>	64.24	1.52	2.18	1.40	7.38	11.56	P
896	130 E 92	32	1.34	4.33	10.48	3.08	2.10	93.13	SURVANT 4.42 COBURG 5.21 SAVOY	<u> </u>	59.82	1.44	2. 10	1.34	7.32	11.48	P
901	W130	ı	1.42	4.40	10.53	3.14	2.15	98.34	6.27	₹ S	54.61	1.38	2.03	1.28	7.24	11.38	DPN
907	76 E126		1.50	4.47	11.01	3.21	2.22	104.61	MATADOR		48.34	1.32	1.55	1.21	7.15	11.27	P
913	W 70		1.59	4.54	80.11	f 3.28	2.28	110.16	HARLEM.*	нм	43.79	f 1.27	s 1.48	1.15	7.07	11.18	DNP
919	76	45	2.08	5.02	11.14	3.35	2.35	116.49	FORT BELKNAP.	••••	36.46	1.20	1.40	1.09	6.58	11.07	Р
925	125	32	2.15.	5.09	11.19	3.41	2.41	122.02	ZURICH	z	30.93	1.15	1.33	1.03	6.50	10.59	DP
929	70	21	2.20	5.14	11.23	3.46	2.45	125.61	NORTH FORK		27.27	1.12	1.29	12.59	6.45	10.54	P
935	E121 W 74	342	2.30	5.21	11.29	s 3.53	2.51	131.27	CHINOOK.★.	ск	21.68	s 1.08	s 1.23	12.54	6.36	10.45	DNPY
943		19	2.45	5.31	11.37	4.02	3.00	139.29	LOHMAN)		13.66	1.00	1.10	12.46	6.25	10.30	IP
949			2.55	5.40	11.45	4.09	3.09	145,94	6.65 TOLEDO		7.01	12.53	1.03	12.38	6.13	10.15	
956	Yard	2132	а 3.10 р m	A 5.50Am	A 11.59Am	A 4.20Am	а 3.20 A m	152.95	HAVRE.★	н∨		L 12.45Am	L 12.55Am		L 6.00Am	L 10.00 P m	BDNK OPRWX
		-	4.15 35.9	3.10 48.3	2.49 54.5	3.00 50.9	2.55 52.5		Time Over Subdivision Average Speed Per Hour			2.55 52.5	3.30 43.7	2.50 53.9	3.40 41.7	4.10 36.7	
		l				777		J		_!	f also			<u> </u>			<u> </u>

Westward trains are superior to eastward trains of the same class.

CONDITIONAL STOPS

No. 1 stops at Glasgow to discharge revenue passengers from Minot and East and to receive revenue passengers for Spokane and West where No. 1 is scheduled to stop.

No. 2 stops at Glasgow to discharge revenue passengers from Spokane and West and to receive revenue passengers for Minot and East where No. 2 is scheduled to stop.

EASTWARD	5
	-

THIRD SUBDIVISION

WESTWARD

l										,								
2	Capa			FIRST	CLASS			Time Table	<u></u>		FIR	ST CL	ASS		SECONI	CLAS	S	
on Numbers	- S	- S	,	1	3	27	Distance from Havre	No. 76 Effective March 1, 1955	graph Calls	Distance from Shelby	2	4	28	490	492	494		SIGNS
Station	Sidings	Other Tracks		Daily	Daily	Daily	Disto	STATIONS	Tele	Disto Shell	Daily	Daily	Daily	Daily	Daily	Daily		
956	Yard	2132		L 12.10Pm	ь 4.40 л т	L 3.40Am		Double HAVRE	ну	104.64	A 12,20 P m	A 12.30Am	A .50 P m	A 5.55 A m	A 2.59Pm	A 0.05 Pm		8PRKD NWOX
961		29		12.18	A 4.47Am	3,45	4.03	Track PACIFIC JCT		100.61	12.12	12.19Am	11.40	5.40	2.42	9.47		JIPY
967	130	7		12.22		3,53	9.92	BURNHAM		94.72	12.06		11.32	5.31	2.33	9.37		P
971	61	14		12.28		3.58	14.62	FRESNO		90.02	12.01 P m		11.25	5.24	2.26	9.30		P
976	130	44		12.34		f 4.04	19.35	4.73 KREMLIN	KN	85.29	11.55		f11.19	5.17	2.19	9.22		DNP
986	126	33		12.44		f 4.15	29.47	10.12 GILDFORD 93	GR	75.17	11.44		f11.05	4.59	1.51	9.03		DP
992	61	30		12.50		f 4.22	35,37	HINGHAM Z 5.97 RUDYARD	HG	69.27	11.37		f10.54	4.52	1.44	8.53		DP
998	142	35		12.56		f 4.28	41.43		RU	63.30	11.31		f10.42	4.44 27	1.36	8.43		DP
1004	128	29		1.03		f 4.36	47.58	INVERNESS 5	RN	57.06	11.25		f10.31	4.36	1.28	8.37		DP
1008		32		1.07		f 4.40	51,42		10	53.22	11.21		f10.20	4.24	1.16	8.32		DP
1013	E 99 W125 E 89			1.10		4.43	54.39	2.97 BUELOW Y CHESTER OL 5.54 TIRED		50.25	11.17		10.14	4.18	1.10	8.28		Р
1018	w 66	93		1.18		s 4.54	61.47	5,54	СН	43.15	11.10		s 10.05	4.01	12.45	8.11		DNP
1024	140	33	.	1.24	. 	5.01	67.03	7.53		37.61	11.03		9.52	3.50	12.37	8.01		·P
1031	129	20		1.33		f 5.10	74.56	LOTHAIR 5.98	AR	30.08	10.56		f 9.44	3.32	12.25	7.43		DP
1037	60	42		1.40		f 5.19	80.54	GALATA	GA	24.10	10.49		f 9.34	3.14	12.09Pm	7.25		DP ·
1043	141	24		1.46		f 5.28	86.56	6.02 DEVON 8,75	CD	18.08	10.42		f 9.24	3.04	11.59	7.15		DNP
1052	E125	74		1.55 As		f 5.38	95.31	DUNKIRK 9.33		9.33	10.32 Ls		9.12 Ls	2.50	11.45 L	7.01		P BRKDNP
1061	W241	382		2.10 Pm		5.55Am	104.64	SHELBY	\$J		10.20Am		9.00pm	L 2.35Am	11.30Am	L 6.50Pm	<u></u>	MOIXXI
				2.00 52.3	.07 34.5	2.15 46.5		Time Over Subdivision Average Speed Per Hour			2.00 52.3	.11 22.0	2.50 36.9	3.20 31.4	3.29 30.0	3.1 <i>5</i> 32.2		v

Westward trains are superior to eastward trains of the same class.

CONDITIONAL STOPS

No. 1 Chester to discharge revenue passengers from Williston and east, and to pick up passengers for Spokane and west where No. 1 is scheduled to stop.

No. 2 Chester to discharge revenue passengers from Spokane and west and to pick up passengers for Williston and east where No. 2 is scheduled to stop.

6 1	VES'	TW	ARI)			FC	OURTH SUBDIVIS	ION					EA	STWAE	RD
	1 ,	Cap	ar seitu	Fil	RST CLA	ss	1	Time Table		Ī.	FII	RST CLA	SS			
SIGNS	Station Numbers	Cup	delly			3	from	No. 76	from IIIs	h Calls	4					
	P P	Sidings	돌양				Distance 1 Hovre	Effective March 1, 1955	Distance from Great Falls	Telegraph	<u> </u>					
	Sta	Pis	Other Tracks			Daily	문송	STATIONS	E Š	Ĕ	Daily					<u> </u>
BDNK OPRWX	956	Yard	2391			L 4.40Am		Double Track Track Buck Block Signals	123.25	н٧	A 12.30Am					
			TR/	AINS BE	TWEEN	PACIFIC	CJCT	AND HAVRE WILL	BE GO	OVEF	RNED BY	THIRD	SUBDIV	ISION		
IJŖY	961					L 4.47	4.03		119.22		A 12.19					
P	Z11	50	10			5.03	14.91	LAREDO	108.34		12.05 A m					
DP	Z20	51	22			5.15	24.73	BOX ELDER	98.52	8X	11.53			· · · · • • · · · · ·		
DNP	Z31	76	98			s 5.29	35.55	10.82 BIG SANDY 5.29	87.70	BS	s 11.40					
P	Z37	50	14			5.37	40.84	VERONA	82.41	 	11.29	. 				
Р	Z45	90	25			5.48	49.44	VIRGELLE	73.81		11.16					
P	Z56	56	13			6.04	60.29	LiPPARD	62.96	••••	11.02					····
DP	Z62	90	18			6.13	66.24	CHAPPELL	57.01	ca	10.54					
Р	Z67	50				6.19	70.79	TETON	52,46		1.0.48					
DNP	Z75	94	72			s 6.39	78.74	7.95 FORT BENTON 5.03	44,51	BN	s 10.32					
P	Z80	• • • • •	36			6.48	83 <i>.77</i>	KER\$HAW	39.48		10.22	• • • • • • • • • • • • • • • • • • • •				
P	Z85	41	8			6.54	88,52	TUNIS	34.73	<u></u>	10.16					
DP	Z91	78	36			7.01	94.43	5.91 CARTER	28.82	CA	10.09					
P	Z96	32	20			7.08	99.43	5.00 FLOWEREE	23.82		10.03					
DP	Z103	89	29			7.18	107.01	PORTAGE 5.59	16.24	RE	9.54			······		
Р	Z108	103	19			7.26	112.60	SHEFFELS	10.65	·····	9.47					
P	Z113	••••	46			7.33	117.49	RAINBOW	5.76		9.40					
BDNJK PRX	Z119	Yard	4082			A 7.45Am	123.25	GREAT FALLS		PD	ъ 9.30 _{Рт}				<u></u>	
						2.58 40.2		Time Over Subdivision Average Speed Per Hour			2.49 42.3					

Westward trains are superior to eastward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

	WEST	WARI)			F	IFT	H SUBDIVISION	ON					EAS	STW	/AR	D 7
		SECONI	CLASS		FIRST	CLASS		Time Table			FIRST	CLASS	SECONI	D CLASS	Cap	ar acity	
Station Numbers	495	373	403 C. M. St. P.	365	235	3	Distance from Great Falls	No. 76	iph Calls	e from	4	236	366	374			SIGNS
Station	Daily	Daily Ex. Sun.	& P. R. R. Mon., Wed., Fri.	Daily Ex. Sun.	Daily	Daily	Distanc Great	Effective March 1, 1955	Telegraph	Distance Shelby	Daily	Daily	Daily Ex. Sun.	Daily Ex. Sun.	Sidings	Other Tracks	
		L 10.10Am		L 3-235 L 8.15 Am			ļ	GREAT FALLS	PD	98.68	A 9.15 P m			1	Yard	4082	BDNJK PRX BDNJKO
Z119	L 8.45Am	10.13		8.17	A 8.33Am	8.03	.63	WEST SIDE JCT	GF	98.05	9.09	L 8.35pm	1.30	5.51		•••••	PRWXY
 	8.55	10.19	L 9.10Am			8.08	3.73		·····	94.95	,,,,		1.25	5.45		•••••	JP
ZB 8		f 10.28	9.20	f 8.30		8.15	7.82	MANCHESTER	····	90.86			f 1.17	f 5.35	32	6	P
ZB12		s 10.37	A 9.30Am	A 8.40Am		8.22	12.10	6.63	BY	86.58			L 1.07Pm		54	19	DNJPX
ZB19		f 10.51				8.32	18.78	GORDON 7.33	 	79. 90	0,10			f 5.14	51	6	P
ZB27	9.44	A 11.09Am				8.44	26.11	POWER	PO	72.57	8,29	• • • • • • • • • • • • • • • • • • • •		L 5.00pm	126	26	DNJPXY
ZB37	10.05					s 9.02	36.67	10.56 DUTTON	יטם	62.01	s 8.12				51	43.	DP
ZB40	10.13					9.08	39.71	ACME	 -	58.97	8.07				61	13	P
ZB45	10.22					9.15	44.07	COLLINS	ОИ	54.61	10.8				60	28	DP
ZB55	10.41					9.30	54.03	BRADY 6,09	BA	44.65	7.46				99	32	DP
ZB61	10.53					9.37	60.12	WITHEY	<u></u>	38.56	7.39	••••••			51	•••••	P
ZB69	11.17					s 9.55	67.43	7.31 conrad 3.02	RD	31.25	s 7.30				164	265	DNP WXYB
	11.25	• • • • • • • • •				10.01	70.65	Montana Western Jct. 7.64		28.03	7. 20				[· · · · · ·]	•••••	•••••
ZB79	11.40					10.14	78.29	LEDGER	FA	20.39	,	• • • • • • • • • • • • • • • • • • • •			60	20	DP
ZB84	11.50					10.23	82.93	FOWLER	 -	15.75	7.03				50	14	P
ZB91	12.03Pm					10.36	89.46	NAISMITH		9.22	6.54				125	6	P
ZB95	12.13					10.45	94.09	4.63 ANDALE 4.59	 .	4.59	6.47				- 60	6	P PBDNJY
1061	A 12.25Pm					A 10.55Am	98.68	SHËLBY	SJ		ь 6.40 Р m				Yard	382	KOPRW
	3.40 26.9	.59 26.6	.20 25.4	.25 28.8	.03 13.6	2.55 33.8		Time Over Subdivision Average Speed Per Hour			2.3 <i>5</i> 38.2	.05 7.9	.25 28.8	.53 29.7			

Westward trains are superior to eastward trains of the same class.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

8	WE	ST	WARD				5	SIXTH SUBDIVISION					EA	STWAR	D
975	Co	., 1	SECOND	CLASSI	FIRST	CLASS I	E		Call	_		FIRST	CLASS	SECONE	CLASS
Numbers	Capo		239	495	1	43	i fro	Time Table No. 76		fron		42		240	496
Station N	Sidings	Other Tracks	Daily	Daily		Daily	Distance from Mossmain	Effective March 1, 1955 STATIONS	Telegroph	Distance from Great Falls	SIGNS	Daily		Daily Ex. Sun.	Daily
S	Sig	<u>o</u> F	Ex. Sun.	Daily		———		SIATIONS	_ <u>-</u>		BCDNKO				
ZD 237		Yard	<u></u>			ւ 11.45 Pm		BILLINGS	BG		RWXY	A 6.30Am			
TRA	INS	BET	WEEN M	OSSMAII	N AND B	ILLINGS	AND	LAUREL BE GOVERNED BY	NOI	RTHEF	RN PACI	FIC RY.	TIME T	ABLE &	RULES.
ZD 222		12		ь 10.00 р m		L 12.07Am		12.08 MOSSMAIN		222.72	JPXY	A 6.02Am			A 5.00Am
							3.94			218.78	J			,	
ZD 218	50	25		10.10	,	f 12.17	4.03	HESPER	нѕ	218.69	DNPX	f 5.54			4.40
ZD 213	125	24		10.22		f 12.26	9.30	RIMROCK		213.42	P	f 5.45	<u></u>		4.30
ZD 201	50	19		10.42		f 12.46	21.40	12.18 ACTON	ļ	201.24	P	f 5.25			4.00
ZD 194	50	27		10.55		f 12.54	27.81			194.91	Р	f 5.17			3.50
ZD 186	125	57	,	11.15		s 1.04	36.36	BROADVIEW	ВW	186.36	DNP	s 5.07			3.38
ZD 180	49			11.27		f 1.14	42.37	PAINTED ROBE		180.35	Р.	f 4.57			3.24
ZD 174	50	18		11.39		s 1.23	48.41	BELMONT	<u></u>	174.31	Р	s 4.50	<u> </u>	<u></u>	3.12
ZD 166	125	24		11.54		s 1.33	55.97	7.56 CUSHMAN	CN	166.75	P	s 4.40		.	3.01
				11.57		s 1.39	57.37	SLAYTON		165.25	Р	s 4.34			2.55
ZD 153	49	14		12.20Am		t 1.59	69.05	11.53 FRANKLIN		153.67	P	f 4.16			2.37
ZD 148				12.32		f 2.07	74.68	5,63 WALLUM		148.04	P	f 4.08			2.29
ZD 141	125	28		12.45		s 496 s 2.17	81.66	6.98 HEDGESVILLE	DG	141.06	DNP	s 3.57			2.17
ZD 133		20		12.58		2.27	88.72	7.06 NIHILL	100	134.00	P	f 3.46			2.03
ZD 133	49			12.56		f 2.36	95.12	6.40 OXFORD		1		f 3.37			1.50
11				1.36		s 2.47		JUDITH GAP	טנ	127.60	P BDKP	s 3.27			1.36 1.36
ZD 120		122		1.51		s 2.47 f 2.57	101.97	6.66 BARROWS	100	120.75	WY	s 3.27			1.10
ZD 114	-	18				42	108.63	5.66		114.09	P	43			
ZD 108	1	34		2.03		s 3.05	114.29	BUFFALO	ВО	108.43	DNP	s 3.05			12.57
ZD 102	1	3		2.15		f 3.15	120.15	MENDON	·····	102.57	P	f 2.56			12.47
ZD 97	1 ;			2.27		f 3.23	124.70	HAUCK		98.02	Р .	f 2.50			12.38
ZD 92	i	76		2.40		s 3.32	129.66	HOBSON	но	93.06	DP	s 2 .40			12.29
ZD 87	50	83	L 8.50An			s 3.44	134.97	5.45	MC	87.75	DNJPXY	s 2.30		A 3.23Am	12.20
ZD 82	125	49	s 9.00	3. 13		s 3.54	140.42	BENCHLAND	BD	82.30	DP	s 2.17		f 3.13	12.01Am
ZD 76	68	46	s 9.10	3.23		s 4.04	146.53	WINDHAM	WD	76.19	DP	s 2.09		f 3.03	11.50
ZD 68	60	98	s 9.23	3.35		s 4.14	153.69	STANFORD	SD	69.03	DNPW	s 1.59		s 2,50	11.40
ZD 63	50	15	f 9.31	3.44		f 4.24	159.05	DÖVER	ļ	63.67	P	f 1.50		f 2.40	11.30
ZD 58	50	<u></u>	s 9.41	3.53		f 4.34	164.81	MERINO		58.30	Р	f 1.43		f 2.3.1	11.20
ZD 52	50	35	s 9.53	4.03		s 4.44	170.57		GY	52.15	DNP	f 1.35		s 2.20	11.10
ZD 45	50	25	f 10.04	4.15		f 4.54	176.75	SPION KOP		45.97	P	f 1.27		f 2.09	10.55
ZD 39	50	18	s 10.15	4.30		s 5.05	182.96	RAYNESFORD	RF	39.78	DP	f 1.18		f 1.58	10.40
ZD 34	51	1	f 10.25	4.41		f 5.13	188.26	5.30 BLYTHE		34.46	P	f 1.10		f 1.48	10.25
ZA 28	132	40	f 10.35	4.53		f 5.20	194.21	5.98 ARMINGTON	ļ	28.51	P	f 1.01		f 1.38	10.10
ZA 26		-	s 10.39	4.56		s 5.24	196.19	1.98 BELT	В	26.53	DNP	s 12.58		s 1.33	10.05
ZA 22		f	f 10.48	5.07		f 5.32	201.12	4.93 WAYNE		21.60	P	f 12.48		f 1.24	9.55
ZA 19	i	1	f 10.54	5.12		f 5.37	204.25	3.13 FIFE		18.47		f 12.43		f 1.18	9.42
ZA 14	1		f 11.00	5.19		f 5.42	207.47	3.22 SWIFT		15.25	Р	f 12.38		f 1.12	9.35
ZA 10	4	1	f 11.09	5.30		f 5.52	212.64	5.17 GERBER		10.08	,	f 12.30		f 1.03	9.25
								3.50 FIELDS	1			f 12.25			9.18
ZA 6	1	1	f 11.16 A 11.30 A n	5.37 n A 5.55Am		f 6.00 A 6.15An	216.22	6.50 GREAT FALLS	PD	6.50	BDNJKP RX	12.25 L 12.15An		. f 12.56 . L 12.45 A n	1 1
	-	-	2.40	7.55		6.30		Time Over Subdivision	=			6.15		2.38	8.00
	1		32.9	28.2	<u> </u>	36.1	1	Average Speed Per Hour	1		<u> </u>	37.6		33.3	27.8

Westward trains are superior to eastward trains of the same class.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

Car Capacity FIRST CLASS 235 236	STWARD 9	EAS	E				N	ENTH SUBDIVISION	SEV:				ARD	TWA	WES	
TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. TRAINS BETWEEN WEST SIDE JCT. GF	CLASS	ST (FIRST					Time Table No. 76			CLASS	FIRST		pacity	Car C	s:
TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. Varid				236	SIGNS	8	yd p	Effective March 1, 1955	ce Falls	235			2		<u>"</u>	N C
TRAINS BETWEEN WEST SIDE JCT. AND GREAT FALLS BE GOVERNED BY FIFTH SUBDIVISION. Yerd				Daily		Distan from Butte	Teleg	STATIONS	Distan from Great	Daily				Other	Siding	Statio
New York L 8,33km 0.63 WEST SIDE CT. GF 170.27 BDNIKOP A 8,35km 2120 40 8,42 4.95 FLOOD 165.95 P 8.25 8.25 8.21 8.21 8.21 8.22 8.22 8.21 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.22 8.23 8.22 8.		.		A 8.40Pm	BDNJKPRX	170.90	PD	GREAT FALLS		L 8.30Am				4082	Yard	Z 119
Z 120 40		ON.	IVISIO	H SUBD	Y FIFT	NED E	OVER	ND GREAT FALLS BE GO	CT. AP	SIDE J	N WEST	BETWEE	TRAINS	7		
Z 120 40	3 A			A 8.35Pm	BDNJKOP RWXY	170.27	GF	WEST SIDE JCT	0.63	L 8.33Am				Yard		
Z 130 42 38						165.95		4.32 FLOOD							40	Z 120
Z 145				8.11	DP	156.82	W	ULM	14.08					38	42	Z 130
Z145 43 58		.		8.02	Р	150.01		RIVERDALE	20.89	9.06					42	Z 137
Z 153 42				- 751	DNIP	142 22		7.69 CASCADE	20.50	- 0.15				50	42	7 145
Z 160 42						1	W	8.21	1							
Z 167 43 39 S 9.50 51.51 CRAIG. 119.39 P \$ 7.10 Z 175 47 28 S 10.04 59.39 WOLF 68 WOLF 68 WC 111.51 DP S 6.56 Z 184 43 9 F 10.24 68.59 SIEBEN 102.31 P F 6.36 Z 197 43 18 S 10.44 81.12 SILVEN CITY MN 89.78 DPY S 6.18								7.60								
Z 175 47 28 S 10,04 59,39 WOLF CREEK WC 111.51 DP S 6.56									1 1					30		l
Z 184 43 9 F 10.24 68.59 SIEBEN 102.31 P F 6.36							wc	7.88 WOLF CREEK								
Z 197 43 18								9.20								
								12.53					. ,		, -	
	·,·····		,	s 6.18			WN	14.08		s 10.44				18	43	Z 197
Z 214 Yard 289 S 1.20 97.79		•••• •						0.72								
Z 223 15 106.60 MONTANA CITY 64.30 P Z 229 45 43 \$ 11.42 112.35 CLANCY 58.55 P \$ 5.17 Z 235 f 11.54 117.91 JEFFERSON 52.99 f 5.06 1.159 Z 236 60 12 f 11.58 119.50 CORBIN 51.40 P f 5.03 Z 244 50 7 f 12.14pm 125.91 AMAZON 44.99 P f 4.47 Z 250 50 34 \$ 12.25 132.22 BOULDER RO 38.68 DP \$ 4.35 Z 257 44 28 \$ 12.40 139.93 BASIN \$ 1 30.97 DP \$ 4.20 Z 261 36 33 12.47 143.82 BERNICE 27.08 P 4.13 Z 269 42 f i.05 151.94 ELK PARK 18.96 P f 3.55 Z 279 45 16 1.16 160.38 WOODVILLE 10.52 PX 3.46					BDNKP	1		1.87								
Z 223 15 106.60 MONTANA CITY 64.30 P	• • • • • • • • • • • • • • • • • • • •	• • • • •		s 5.50	XY	73.11	HN	HELENA	97.79	s 11.20				289	Yard	Z 214
Z 229 45 43 S 1,42 112,35 5,95 58,55 P s 5,17 Z 235 f 1,54 117,91 JEFFERSON 52,99 f 5,06 Z 236 60 12 f 1,58 119,50 CORBIN 51,40 P f 5,03 Z 244 50 7 f 2,14pm 125,91 AMAZON 44,99 P f 4,47 Z 250 50 34 s 2,25 132,22 BOULDER RO 38,68 DP s 4,35 Z 257 44 28 s 2,40 139,93 BASIN SI 30,97 DP s 4,20 Z 261 36 33 12,47 143,82 BERNICE 27.08 P 4,13 Z 269 42 f .05 151,94 ELK PARK 18,96 P f 3,55 Z 279 45 16 1,16 160,38 WOODVILLE 10,52 PX 3,46						4420		8.81	10440					7,5		
Z 235 f 1.54 117.91 JEFFERSON 52.99 f 5.06 Z 236 60 12 f 1.58 119.50 51.40 P f 5.03 Z 244 50 7 f 2.4pm 125.91 AMAZON 44.99 P f 4.47 Z 250 50 34 s 2.25 132.22 BOULDER RO 38.68 DP s 4.35 Z 257 44 28 s 2.40 139.93 BASIN SI 30.97 DP s 4.20 Z 261 36 33 12.47 143.82 BERNICE 27.08 P 4.13 Z 269 42 f .05 151.94 ELK PARK 18.96 P f 3.55 Z 279 45 16 1.16 160.38 WOODVILLE 10.52 PX 3.46						l .		5.95	1	- 11.42						
Z 236 60 12 f 1.58 119.50 CORBIN 51.40 P f 5.03 Z 244 50 7 f 2.14pm 125.91 AMAZON 44.99 P f 4.47 Z 250 50 34 s 2.25 132.22 BOULDER RO 38.68 DP s 4.35 Z 257 44 28 s 2.40 139.93 BASIN SI 30.97 DP s 4.20 Z 261 36 33 12.47 143.82 BERNICE 27.08 P 4.13 Z 269 42 f .05 151.94 ELK PARK 18.96 P f 3.55 Z 279 45 16 1.16 160.38 WOODVILLE 10.52 PX 3.46								5.56 IFFFERSON		1				43	43	
Z 244 50 7 f 2 4pm 125.91 AMAZON					р			1.59					l	12	40	
Z 250 50 34 .s 2.25 132.22 BOULDER. RO 38.68 DP s 4.35 Z 257 44 28 .s 2.40 139.93 BASIN. 51 30.97 DP s 4.20 Z 261 36 33 12.47 143.82 BERNICE 27.08 P 4.13 Z 269 42 .s 12.47 143.82 BERNICE 18.96 P f 3.55 Z 279 45 16 1.16 160.38 WOODVILLE 10.52 PX 3.46								6.41	1					•		
Z 257 44 28 s 2.40 139.93 3.89 3.89 3.89 2.47 43.82 3.89 27.08						44.77				1 12.17[:					
Z 257 44 28 s 2.40 139.93 BASIN SI 30.97 DP s 4.20 Z 261 36 33 12.47 143.82 BERNICE 27.08 P 4.13 Z 269 42 f .05 151.94 ELK PARK 18.96 P f 3.55 Z 279 45 16 1.16 160.38 WOODVILLE 10.52 PX 3.46							1	7.71								1
Z 261 36 33		• • • •			1		SI	BASIN							l	[
Z 279 45 16 1. [6 160.38 WOODVILLE 10.52 PX 3.46		••••						8,12		,			<i>.</i>	33	1	
9.02		. , . , .														1
134 16940 N. P. P.Y. CPASSING 150				3.46	PX	10.52			160.38	1.16				16	45	Z 279
1.24 107.44					1	1.50		N. P. RY. CROSSING	169.40	1.34						
Z 288 Yard 722 A 1.40Pm 170.90 BUTTE DU BDNJKO PRWXY L 3.20Pm				ь 3.20Pm	PRWXY		DU	BUTTE	170.90	A 1.40Pm			<u> </u>	722	Yard	Z 288

Westward trains are superior to eastward trains of the same class.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

Time Over Subdivision Average Speed Per Hour

5.10 33.1 5.20 32.1

WESTWARD EIGHTH SUBDIVISION **EASTWARD** 10 SECOND CLASS FIRST CLASS FIRST CLASS SECOND CLASS Time Table No. 76 Capacity Salls Effective March 1, 1955 611 613 291 285 292 286 610 614 Distance fi Snowden **Felegraph** SIGNS Distance Richey Other Sidin **STATIONS** Daily Ex. Sun Daily Daily Ex. Sun. Tue. and Thur. Daily Daily Tue. and Thur. Daily Ex. Sun. BDNJP 676 130 91 5.50A 7.20A SNOWDEN. SN 74.15 XYR 4.50pr 12.05p NÓHLE 14 6.00 7.30 2.55 71.60 4.38 11.40 VF 9 6.20 7.40 9.13 D 65.02 4.28 11.20 DP BDJKPR 6.50 L 11.59Am 8.00 14.29 FAIRVIEW 8.50An 4.18 11.00 VF 14 59.86 XY 7.00 RIDGELAWN **VF 18** 12.07Pm 8.10 18.40 P 8.40 4.10 9.45 12 55.75 285-292 A **12.21**Pm 8.20A 291-610-613-292-285-292 **7.30**A 6.38 285-613 **8.25** ²⁹¹ **12.25**P 611-614 **DJPRW** 8.10Am 12.21P SIDNEY SY **VF 25** 49.37 9.30A TRAINS BETWEEN SIDNEY AND NEWLON JCT. BE GOVERNED BY NORTHERN PACIFIC RY. TIME TABLE AND RULES. NEWLON JCT. 8.20An L 12.27P **VF 29** 29.07 45,08 3.48Pm 12.15Pm **VF 30** 8,23 12.33 30.27 43.88 3.44 12.13Pm 12,44 35.72 **EPWÖRTH** VF 36 5 8,36 38.43 3.34 11.58 VF 43 3.19 27 8.55 12.59 43.15 31.00 11.39 LAMBERT RT 37 9.14 50.75 3.04 VF 51 35 1.14 23.40 . D 11.20 7.46 ENID

Westward trains are superior to eastward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

4.43 LANE

RICHEY

Time Over Subdivision

Average Speed Per Hour

15.94

11,54

DRXY

WESTWARD

42

10

54 34

VF 58

VF 63

VF 74

9.33

9.44

1.40 14.9

.22 28.3

10.15_A

1.29

1.38

2.03p

2,42 27,5

58.21

62.64

74.15

NINTH SUBDIVISION

EASTWARD

11.01

10.50

10.20A

2.05 23.7

2.35 9.6

2.49

2.40

2.15Pr

2.35 28.7

.25 25.0

2	Cope	or ocity	SECOND	CLASS	FIRST	CLASS		Time Table No. 76	<u></u>	·		FIRST	CLASS	SECOND	CLASS
Numbe				615		287	e from rd City	Effective March 1, 1955	aph Calls	se from w	SIGNS	288		616	
Station	Sidings	Other		Mon., Wed. and Fri.		Daily Ex. Sun.	Distance 1 Watford	STATIONS	Telegr	Distance Fairview		Daily Ex. Sun.	-	Mon., Wed. and Fri.	
VG 37	48	70		L 616 1.30Pm		L 10.29 Am		WATFORD CITY	WF	37.02	DRXY	A 10.20Am		A 12.50pm	
VG 29		40		1.50		s 10.47	7.40	7.40 ARNEGARD	NE	29.62	D	s 10.01		12.30	
VG 24		30		2.05		s 11.01	12.66	RAWSON	RA	24.36	. р	s 9.48		12.15Pm	
VG 19		39		2.20		s [].]4	17.54	ALEXANDER	A	19.48	D	s 9.36		11.59	
VG 13		33		2.38		s 11 .30	23.45	CHARBÓNNEAU	AU	13.57	D	s 9.21		11.30	
VG 6		30		2.59		s 11.47	31.31	7.86 CARTWRIGHT	cG	5.71	D	s 9.02		11.05	
VF 14	<u></u>	72		A 3.20Pm		A 11.59Am	37.02	FAIRVIEW	FA		BDJPR XY	L 8.50Am		L 10.50Am	
				1.50 20.02		1.30 24.7		Time Over Subdivision Average Speed Per Hour				1.30 24.7		2.00 18.5	

Eastward trains are superior to westward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

•	WEST	WARD
	_	1

TENTH SUBDIVISION

EASTWARD 11

l	W 120	T 44	AKD		· · ·			ETTIL BODDITION							
S,	Car Capa	r city	SECOND	CLASS	FIRST	CLASS		Time Table No. 76	<u>.</u>			FIRST	CLASS	SECOND	CLASS
Numbe				371		289	e from	Effective March 1, 1955	aph Calls	e from	SIGNS	290		372	
Station Numbers	Sidings	Other Tracks		Daily Ex. Sunday		Daily Ex. Sunday	Distance Bainville	STATIONS	Telegra	Distance Opheim		Daily Ex. Sunday		Daily Ex. Sunday	
685	E175 W115	164		L 8.20Am		ъ 9.10 A m		BAINVILLE	В	146.60	BDNJK PRWXY	A 4.40 _{Pm}		A 4.00pm	
VC 11	41	22		s 8.55		s 9.31	10.64	10.64 McCABE	МC	135.96	DP	s 4.16		s 3.25	
VC 19		30		s 9.22		s 9.49	19.30	FROID	FD	127.30	DP	s 3.58		s 2.55	
VC 26		36		s 9.42		s 10.02	25.66	6.36 HOMESTEAD 5.96	но	120.94	DP	s 3.45		s 2.35	
VC 32		31		s 10.00		s 10.14	31.62	MEDICINE LAKE	MK	114.98	- DP	s 3.30		s 2.20	
VC 39		22		s 10.23		s 10.30	39.12	RESERVE	RS	107.48	DP	s 3.15		s 1.55	
VC 45		22		s 10.43		s 10.43	45.40	ANTELOPE	AN	101.20	DP DP	s 3.02		s 1.40	
VC 53	40	60		s 1.10	·	s 11.01	53.40	PLENTYWOOD	NY	93.20	ΧΫ́	s 2.50		s 1.15	
VC 61		15		f 11.29		f . 4	59.82			86.78		f 2.38		f 12.52	
VC 66		21		s 11.50		s 11.28	66.56	6,74 ARCHER	 	80.04	P	s 2.24		s 2.3 289-371	
VC 71		31		s 12.10 Pm		s 11 .42	73.42	REDSTONE	RD	73.18	DP	s 2.10		s 12.10 Pm	
VC 78		15	 	s 12.30		s 11.58	79.93	NAVAJO 5.45		66.67	P	s 1.57		s 11.17	
VC 85		35		s 1.00		s 12.17Pm	85.38	FLAXVILLE	. FX	61.22	DP	s 1.46		s 10.59	
VC 91		25		s 2 90 1.35		s 12.27	90.54	5.16 MADOC		56.06	P DP	s 1.35		s 10.43	
VC 98	37	114		s 2.00		A 12.45Pm	97.97	SCOBEY 8.53	sc	48.63	ΧŸ	ь 1.20 р m		s 10.20	
VC106		24		s 2.35			106.50	FOUR BUTTES	FO	40.10	DP			s 9.40	
VC112		23		s 2.55			112.47	GLÜTEN	ļ	34.13	• • • • • • • • • • • • • • • • • • • •			s 9.17	
VC118		35		s 3.15			118.01	PEERLESS	PR	28.59	DP			s 8.55	
VC129		30		s 3.50			129.51	11.50 RICHLAND	CA	17.09	DP			s 8.10	
VC139		34	[s 4.25			139.38	7.22	G	7.22	DP DPR	· · · · · · · · · · · · · · · · · · ·		s 7.30	
VC147	42	75		A 5.00Pm			146.60	OPHEIM	OM	<u></u>	XY	·····		L 7.00Am	
				8.40 16.9		3.35 27.3		Time Over Subdivision Average Speed Per Hou				3.20 29.4		9.00 16.3	
					1	27.3		Average Speed Per Hou	£ 41 -		alaa				

Westward trains are superior to eastward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

**	F 13 C	$\neg \pi$	TX7	A 1	σ	

ELEVENTH SUBDIVISION

EASTWARD

	WES	T AA	AND				ייייי	VENTII SOBDIVISIO					LAO	IWAK	
ers.	Ca Capa					SECOND CLASS	-	Time Table No. 76	Calls	e		SECOND CLASS			
Amon				,		333	e fror	Effective March 1, 1955	aph C	se from	SIGNS	334			
Station Numbers	Sidings	Other Tracks				Mon., Wed. and Fri.	Distanc Saco	STATIONS	Telegr	Distance Hogeland		Tues., Thur, and Sat.			
842	W93	287				L 8.50Am		saco. *	SF	78.72	BDNJK PRXY	A 12.45Pm			
SH 9	40	51				s 9.55	8.73	8.73 COLE	 	69.92	P	s 11.30			
SH15		24			,	f 10.25	15.31	TATTNALL	 	63.41	P	f 10.30			
SH26		34				s 11.25	25.87	WHITEWATER	w	52.85	DP	s 9.40			
SH39		35				s 12.25Pm	38.82	15.30	N	39.90	DP	s 9.05			
SH54		27				f 1.45	54.12			24.60	P	f 7.45			· · · · · · · · · · · · · · · · · · ·
SH67		44				s 2.40	67.14	TÜRNER	R	11.58	DP	s 7.13			
SH79		74				A 3.20pm	78.72	HOGELAND	x		DPRXY	L 6.45Am	<u></u>		<u></u>
		_				6.30 12.1		Time Over Subdivision Average Speed Per Hour				6.00 13.1			

Westward trains are superior to eastward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.

12	WE:	STV	VARD			4	T	WELFTH SUBDIVISION	1				EAS	STWAI	SD
٤	Capa			SECON	CLASS			Time Table No. 76	s .				SECONE	CLASS	· · · · · · · · · · · · · · · · · · ·
Station Numbers						239	e from	Effective March 1, 1955	Telegraph Calls	Distance from Moccasin	SIGNS	240			
Station	Sidings	Other Tracks				Daily Ex. Sunday	Distance from Lewistown	STATIONS	Telegre	Distanc		Daily Ex. Sunday			
ZF30		Yard				L 7.10Am		LEWISTOWN	WN	30.73	BDJKP RXY	A 5.25Am			
TRA	INS	BET	WEEN LE	WISTON	VN AND	PRING	CREE	K JUNCTION BE GOVERNED 9.22	BYC	. M. S	T. P. & P	. R. R. TI	ME TAB	LE AND	RULES.
		• • • • •				L 7.35Am	9.22	SPRING CREEK JCT		21.51	JPR	A 4.57Am			
ZF20 ZF14	••••	25 34				f 7.39 s 7.58	10.41	KINGSTON		20.32 14.23	Р	f 4.45 s 4.34		:	
ZF14	••••	34						6.71			<u> </u>				
ZF 8	••••	34				s 8.19	23.21	KOLIN	ко	7.52	DP	s 4.13			
ZD87		94		<u></u>	<u></u>	A 8.42Am	30.73	Time Over Subdivision	MC		RXY	L 3.50Am			
				<u> </u>	<u> </u>	20.1	MTTT	Average Speed Per Hour	OBT		<u> </u>	19.4	73.4	COTTLA	
	WE	STV	VARD	 			THI	RTEENTH SUBDIVISION	NI				EA	STWAI	אַ
	·c	ar		SECONI	CLASS			Time Table No. 76		:			SECOND	CLASS	
bers		acity			403	365	Ę		1	Ę		366	404		
Station Numbers					C. M. St. P. & P. R. R.	303	e from	Effective March 1, 1955	Telegraph Calls	e from	SIGNS		C. M. St. P. & P. R. R.		
ation	Sidings	Other			Mon.,	Daily	Distance Vavghn	STATIONS	elegr	Distance Augusta	-	Daily			
- 5 	i5	0=	<u> </u>		Wed., Fri.	Ex. Sunday	(0>		F	. △∢		Ex. Sunday	Mon., Wed., Fri.	<u> </u>	
ZB12	54	19			L 9.30Am	L 8.43Am	[.	VAUGHN	BY	41.70	DJPRX	A 1.06Pm			
ļ	 	• • • • •			A 9.45Am	8.58	5.64	5.64 DRACUT JCT		36.06	JPR	12.47	L 3.05Pm		
ZE 9		22				f 9.08	8.83	SUN RIVER		32.87		f 12.35			
ZE14	·····	27				f 9.22 s 9.40	13.34 18.97	5.63 SIMMS	FS SM	28.36 22.73	DP DPW	f 2.2 s 2.09Pm			
ZE19 ZE25		26				s 9.40 f 9.51	22.90	3.93 LOWRY	J.	18.80	DFW	f 11.58			
								6.51 RIEBELING							
ZE30		14				f 10.09	29.41	12,29 AUGUSTA	CN	12.29	DBBWW	f 11.40			
ZE42		34	<u></u>		.15	A 10.49Am	41.70	Time Over Subdivision	GN		DPRWY	L .00Am 2.06	.15		
	****	COT	J		22.6	19.9	I FOII	Average Speed Per Hour	ONT	<u> </u>		19.9	22.6	COTTA	<u> </u>
<u> </u>	WE	ST	WARD		:	<u> </u>	<u> FOU</u>	RTEENTH SUBDIVISION	ON	·		<u> </u>	EA	STWAI	KD
٤		ar acity		SECONI	D CLASS			Time Table No. 76	<u></u>				SECONE	CLASS	
umbers		Τ				373	from	Effective March 1, 1955	h Calls	from	SIGNS	374			-
II Z	5	5.2				0.0	Distance Power		Telegrap	Distance Pendroy					: '
Station	Sidings	Other Tracks				Daily Ex. Sunday	Po y	STATIONS	Tele Per	P. S.	:	Daily Ex. Sunday			
	126	26	1	<u> </u>		L . OAn	<u> </u>	POWER	PO	51.11	DNJPR	A 4.45Pm			
ZG 6		10				f 11.25	5.72	5.72 cordova		45.39	XY	f 4.25			
ZG12		24				f 11.46	11.60		 	39.51		f 4.05			
ZG17		34				f 2.0 Pm	17.08	5.48 BOLE 4,14	ļ	34.03	P	f 3.40			
ZG22					<u></u>	A 12.12Pm	21.22	EASTHAM JCT	<u> </u>	29.89	JPR	L 3.20Pm	l <u>.,</u>	<u> </u>	<u> </u>
TR	AIN	S BE	TWEEN	EASTHA	M JCT.	1	1	U JCT. BE GOVERNED BY C	<u>. М.</u>	ST. P	. & P. R	í	E TABL	E AND F	ULES.
 	·····		[L 12.31Pm	1	CHOTEAU JCT		23.06	JPR	A 3.05Pm		,	
ZG29		55	[········			s 12.34	28.70	CHOTEAU	СО	22,41	DPW	s 3.03			
7007		c	 			f 12.58	29.55 36.57	C. M. St. P. & P. R. R. CROS'G 7.04 KOYL		21.56 14.54		f 2.39			
ZG37 ZG42		Spur 8 35	 			s 1.16	42.53	5.96 BYNUM	BU	8.58	DP	s 2.22			
ZG51	21	42	 			A 1.45Pm	51.11	8,58 PENDROY	RY		DPRY	L 1.55Pm			.[
	-					2.35		Time Over Subdivision			=	2.50 18,1			
<u> </u>	1	V.	l /estward	trains are	superior	19.8	ard to	Average Speed Per Hour ains of the same class on Twe	lfth.	Thirte	enth and	<u> </u>	th Subdi	visions.	1
	Westward trains are superior to eastward trains of the same class on Twelfth, Thirteenth and Fourteenth Subdivisions. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 13 THROUGH 20.														

SPECIAL INSTRUCTIONS

ALL SUBDIVISIONS

1. SPEED RESTRICTIONS GENERAL.

- (a) Where Automatic block and Interlocking Rules and Signal Indications require movement at RESTRICTED SPEED, such movements must be made prepared to stop short of train, obstruction, or switch not properly lined and on the lookout for broken rail or anything that may require the speed of a train to be reduced; but not exceeding 15 MPH or as much slower as necessary; and where conditions require the movement must be controlled so stop can be made in time to avoid accident.
- (b) Maximum permissible speed of passenger, freight and mixed trains will be designated by distinctive reflectorized roadway signs set in an upward angle of 45 degrees.

Except as directly affected by speed restrictions prescribed in Item 1—ALL SUBDIVISIONS—and other speed restrictions covered by Item 2 under individual Subdivisions, the 45 degree signs designate zone speed territories and the numerals thereon indicate in miles per hour the maximum permissible speed which will govern until the next zone sign is reached.

When the movement is from a higher to a lower speed zone, the zone sign is located approximately one mile from the point where the lower speed becomes effective. At the end of this one mile is located a reflectorized angular Restricting Sign, yellow background with black stripes, indicating the point where lower speed becomes effective. Lower speed to govern until entire train passes next zone sign.

When the movement is from a lower to a higher speed zone, the 45 degree sign is located at the point where speed may be increased.

When operating against the current of traffic in double track territory, trains must not exceed the maximum permissible speed prescribed by the 45 degree sign with the current of traffic. This does not modify Rule 93.

The 45 degree sign has two sets of figures. The numerals preceded with letter "P" apply to passenger trains and letter "F" to freight and mixed trains.

(c) When passenger trains are handled by Diesel or Electric engines, the train will not exceed the maximum speed authorized by Speed Limit Plate on engine, and will be governed by the 45 degree signs where a lower speed is prescribed.

When freight cars, except cars equipped with steel wheels, air signal and steam heat lines, are handled in passenger trains, the train will not exceed maximum permissible speed for freight trains in the territory operated.

- (d) Speed shown on Speed Limit Plate on engines must not be exceeded.

cabooses X-330 to X-749 50 MPH
Trains handling non-revenue Great Northern cars that
are equipped with "K" type air brake valves are to

speeds not exceeding 40 MPH
Trains handling, not in actual service, derricks, pile
drivers, ditchers, cranes, shovels, Jordan Spreaders, wedge plows, etc.
On Main Lines 30 MPH
Except on six degree curves or sharper and on
Branch Lines 15 MPH

Unless conditions require a further speed restriction, trains or engines moving against the current of traffic on double track through interlockings....... 15 MPH

Trains or engines moving on main routes actuating Trains or engines moving in facing point direction at spring switches without facing point lock...... 25 MPH Trains or engines through No. 20 turnouts at: 35 MPH End of double track at: Snowden, Lohman, Pacific Jct. Bainville, west switch westward siding. Blair, west siding switch. Brockton, east switch eastward siding, west switch westward siding. Saco, west switch eastward siding. Malta, east siding switch. Dodson, east and west siding switch. Survant, east and west siding switch. Havre, west lead switch. Pacific Jct. to and from Great Falls Line. Gildford, east and west siding switch. Dunkirk, east and west siding switch. Trains or engines through No. 15 turnouts at: 25 MPH Culbertson, east siding switch. Sprole, east and west siding switch. Wolf Point, east switch westward siding. Glasgow, east switch eastward siding. Hinsdale, east switch westward siding. west switch eastward siding. Tiber, east and west siding switch.

In double track territory, engineers on trains containing such cars must at all times use extreme care to avoid slack running in or out when passing or being passed by other trains.

On single track, trains containing such cars must be at stop when on siding or adjacent track when meeting or being passed by other trains, except when there are more cars than siding will hold, it is permissible for such train to pull by other train at restricted speed.

2. MOVEMENT OF ENGINES DEAD IN TRAINS.

Diesel and Gas-Electric engines 2302-2341 must be handled on rear of train.

Not more than four adjacent diesel units are to be towed dead in a train in a single grouping. Additional groups should be separated by not less than five cars.

Trains handling steam engines with side rods on both sides will not exceed speed designated by Superintendent; and without side rods will not exceed ten MPH. Engines that have any of the truck or driving wheels removed will not be moved in a train without authority of Superintendent.

Trains handling Electric, Diesel and Gas-Electric engines in tow dead in train will not exceed following speeds:

dead in train will not exceed following speeds:	
Engine Number Maximu	ım Speed
1 to 28, 75 to 170, 247 to 249, 253 to 259, 262, 263, 307 to 317, 400 to 474	50 MPH
175 to 232, 271 to 274, 276 to 279, 550 to 578, 600 to 678	65 MPH
250, 251, 260, 261, 266 to 270, 275, 280, 281, 350 to 365, 500 to 512, 679, 680	75 MPH
2302 to 2324	50 MPH
2325 to 2339	60 MPH
5000 to 5008	45 MPH
5010 to 5019	55 MPH

- Under Rule 24, engine number only will be displayed in indicators on engines so equipped. This will also apply when our engines are operating over Northern Pacific tracks. Between Klamath Falls and Chemult, Southern Pacific Rules will govern.
- 4. When two or more Diesel or Electric engine units are coupled together the numerals and suffix letter, where provided, of the leading unit will be illuminated at all times when in service. The numerals and suffix letter of trailing units must not be illuminated.

 The numerals and suffix letter of the leading unit only will be used in train orders as prescribed by Consolidated Code Rule 206
- Gas-Electric engines must not be fueled while occupied by passengers or coupled to cars occupied by passengers.
- 6. Air hose on Diesel and Electric engines must be hooked up in hose fastener when not in use.
- 7. EMPLOYES WILL BE GOVERNED AS FOLLOWS ON EN-GINES, PASSENGER AND FREIGHT CARS EQUIPPED WITH ROLLER BEARINGS:

Roller bearing failures on cars or engines equipped with roller bearing journal boxes may be due to lack of oil or grease. If the box is not blazing, the oil plug in the cover should be removed and engine or valve oil added. Oil must never be added to a box that is blazing. Grease lubricated roller bearing boxes have grease plugs locked with metal strap which must be cut off with chisel before plug can be removed. After the oil has been added and plug replaced, the train should proceed at reduced speed and care exercised until it is apparent that the box will run cool. If fire develops in roller bearing box on any equipment, it must be closely watched, train moved slowly, and Superintendent notified from first available point of communication, who will prescribe for the movement.

Some engines and cars equipped with roller bearings have heat indicators or stench bombs inserted in the housing of boxes which release a strong pungent odor in the event of excessive journal box temperatures. When this odor is detected, train must be stopped at once and box located. Compare the temperature of this box with the other boxes on the same engine or car, check the oil level, and if there is no evidence of overheating, train may proceed, but if the box is overheating proceed only as instructed in the preceding paragraph.

as instructed in the preceding paragraph.

Ore cars and covered hopper cars equipped with roller bearings have the lettering "TIMKEN ROLLER BEARING" stencilled beneath the lettering "GREAT NORTHERN" on each side of the car.

Cars and engines equipped with roller bearings must not be allowed to stand alone, even on level track, without brakes being adequately applied.

8. COOLING AND STEAM BOILER WATERING FACILITIES FOR DIESEL ENGINES ARE PROVIDED AT THE FOLLOWING INTERMEDIATE STATIONS:

FIRST SUBDIVISION

GLASGOW:Both at Depot. POPLAR:Cooling Water at Depot.

SECOND SUBDIVISION

GLASGOW:Both at Depot. MALTA:At Depot.

THIRD SUBDIVISION

CHESTER:Cooling Water only, at Depot. SHELBY:Both at East & West Service stations.

SIXTH SUBDIVISION

STANFORD:Both in Box at Water Tank.
JUDITH GAP:Both in Box near Standpipe.

SEVENTH SUBDIVISION

HELENA:Both at Yard Office.

ELEVENTH SUBDIVISION

HOGELAND:Both at Engine House.

- Under Rule 2, watches that have been examined and certified to by a designated inspector must be used by train dispatchers and yardmen.
- 10. Brakemen with less than one year of experience should not be used as flagman except in emergency, and then Superintendent will be notified by wire.
- 11. When operating snow machines in non-block signal territory, no train should be permitted to follow closer than a station apart; when that cannot be done, they will be blocked not less than thirty minutes apart.
- 12. After severe blizzard or dirt storm, employes on first train over road must exercise care to avoid accident caused by striking drift without first having drifts faced with hand shovels, cutting in far enough to get beyond the hard snow and giving a perpendicular wall to strike against instead of slope or wedgelike shape. When operating snow dozer, conductor in charge will ride in the dozer. On snow and dirt dozers every precaution must be taken to see that cage, flangers and wings clear all obstacles when in service and are properly secured when in through trains, and dozers properly turned. Hand screws must be tightened to raise flanger on dozers as high as possible before making a backup movement, and must not be released until the dozing work is actually to start. Hand screws holding the cage on dozers must be tightened or chains otherwise fastened except when dozer has air in cylinders and is attended by an employe.
- 13. Loaded dump cars should not be handled on double track after dark, but if necessary to do so, close watch must be kept by trainmen and if a car dumps its load, train must be stopped and protection afforded on the opposite track.
- 14. Unless otherwise provided, when passenger trains are operated against current of traffic on double track or through sidings, conductors shall notify Railway Postal Clerks, trains shall stop at points where U. S. Mail is usually picked up and conductors are responsible for delivery of mail to Postal car.
- 15. Conductors will report by wire all flat spots on wheels of passenger cars. Any cars having flat spots on wheels of more than two and one-half inches long must be set out.
- 16. Engineers finding flat spots on Diesel engines in excess of two and one-half inches will immediately notify Superintendent who will prescribe for their movement.
- 17. Due to limited overhead clearance at tunnels and structures, employes are warned to keep off top of cars of extreme height and width when handled in trains and yards, also such standing cars in electrified zone, except in emergency. In absence of previous advice on such cars, wire proper officer for instructions.
- 18. The Railway Company is responsible for proper handling of perishable freight on road and at points where Western Fruit Express Company do not maintain representatives. Conductors on trains handling perishable freight will ascertain from waybills class of service required and light or extinguish heaters and manipulate vents in accordance with current instructions provided for handling perishable freight issued by the National Perishable Freight Committee.
- 19. Placarded loaded tank cars handled in through freight trains shall not be nearer than 6th car from engine, occupied caboose or passenger car.

Cars placarded "Explosives", "Inflammable", "Corrosive Liquids", or "Poison Gas" handled in through freight trains, local and mixed trains, shall not be nearer than 16th car from engine, occupied caboose or passenger car.

When length of train will not permit handling of cars as prescribed above—ANY PLACARDED CAR, loaded with above commodities—shall be placed near middle of train, but not nearer than 2nd car from engine, occupied caboose or passenger car.

When switching such cars in terminal yards they must be separated from engine by at least one non-placarded car.

When placarded cars described above are handled in freight trains made up in "blocks" or classifications, placarded car or cars shall be placed near middle of the "block" or classification, but not nearer than 6th car from engines, occupied caboose or passenger car.

When such placarded cars are placed in trains they must not be placed next to each other, next to refrigerators equipped with gas-burning heaters, stoves or lanterns, or next to loaded flat cars, or gondola cars containing lading higher than ends of car that is liable to shift.

Carload express shipments of explosives, sealed and placarded, may be handled on passenger trains; LCL shipments may be made in so-called peddler car with messenger in charge when such car is assigned to the handling of express and baggage exclusively.

Terminal or pick-up points enroute must furnish conductor and engineer Form 250 showing consecutively location in train of all cars placarded "Explosives". At points other than terminals where crews change, notice will be transferred from crew to crew.

Employes will be guided by further instructions governing handling of loaded tank cars, Explosives, Inflammables, Corrosive Liquids, and Poison Gas found in I.C.C. Regulations and Consolidated Code Rules 726(C) and 808.

- 20. In Automatic Block Signal territory, the absence of the lunar light on a spring switch signal, Rule 501 E, page 114, of the Consolidated Code, will not be regarded as an imperfectly displayed signal, as prescribed by Rule 27, when the Automatic Block Signal governing movement over such switch indicates "Proceed". This does not modify Rule D-524.
- 21. The normal position of a spring switch with facing point lock is identified by a color light type signal displaying a "lunar white" light for train or engine movements in a trailing point direction and for movements in facing point direction when conditions require.

The normal position of a spring switch without facing point lock is identified by a triangular yellow target on switch stand with letter "S" in black, and "lunar white" light in switch lamp in place of green light displayed in both directions through or over the switch.

Trains departing from stations, either from siding or main track in trailing point movement actuating points of spring switches, a member of crew must observe indication of governing signal in opposite direction after rear end of train has passed through switch to ascertain if switch points return to normal position. If this signal indicates stop and no immediate train movement or other cause is evidence report the fact to Superintendent from first available point of communication.

During and immediately following snow storms or violent wind storms, spring switches must be operated by hand and relined to normal position before heading out through switch in trailing point movement, actuating switch points, to insure switch is in proper operating condition.

INDICATORS AT SPRING SWITCHES.

Spring switch indicators consisting of a red and yellow light unit or a single yellow light unit (all units normally dark) mounted on an iron mast is located at the clearance point of a siding. The switch-key-controller mounted on the mast must be operated by a member of the crew who, together with engineer, must observe and be governed by its indication before fouling main track or making movement from siding to main track through a spring switch in automatic signal territory, unless the movement is made immediately after an opposing train has passed the switch and Automatic Signal at leaving end of siding indicates "Proceed".

If Indicator displays a yellow light when switch-key-controller is operated, train or engine movement to main track may be made immediately in accordance with train rights and operating rules. Display of yellow light must continue until leading wheels have passed clearance point.

If Indicator does not display a yellow light when the switch-

key-controller is operated, train or engine movement to main track may be made in accordance with train rights and operating rules, after operating spring switch by hand; waiting three minutes and taking every precaution to provide proper protection.

To operate Switch Indicator, insert switch key in controller and turn clockwise toward "R", hold a few seconds and remove key. If yellow light is displayed and intended movement is not made, insert switch key in controller and turn counter-clockwise toward "N" to restore signal system to normal condition to avoid delay to trains on main track.

Switch-key-controller must never be operated toward "N" after having been operated toward "R" if intended movement to main track is to be made.

- 22. Facing point locks on hand operated switches are indicated by a six inch yellow stripe painted on target staff. Be positive locking device is restored to normal position after using. A running switch must not be made through this type switch.
- 23. DRAGGING EQUIPMENT DETECTOR INDICATOR consists of a single white light unit (normally dark) with circular background mounted on signal or other mast. When white light is displayed, train must be stopped and inspected for dragging equipment. Notify superintendent from first available point of communication.
- 24. Rule 204(A) prescribes that copies of train orders will be furnished the rear trainman, such orders will only be furnished on trains designated: Nos. 1, 2, 3, 4, 7, 8, 9, 10, 27, 28 and sections thereof; also extra passenger train whether operated as section of regular train or as a passenger extra.
- 25. OSCILLATING EMERGENCY RED HEADLIGHT will be immediately displayed by day or night when a train is disabled or stopped suddenly by an emergency application of air brakes or when engineer and conductor find it necessary to stop train due to some defect which might cause accident, over-running clearance point at meeting and waiting points, end of double track or junction.

Engineer of an approaching train observing display of emergency red headlight must stop before passing and be governed by conditions existing. If operating on adjacent track, ascertain and if safe for passage, then proceed at restricted speed until train is passed.

OSCILLATING EMERGENCY RED REAR END LIGHT is of two types—Automatic Control—Portable Manual Control—and except as otherwise provided, must be displayed by day or night each time train stops or is running at speed less than 18 MPH. Automatic Control type automatically functions in this manner. However, when train running at speed above 18 MPH and moving under circumstances in which it might be overtaken by another train or engine and during foggy and stormy weather, light may be operated manually with emergency switch and employes to afford other protection prescribed by rule.

ployes to afford other protection prescribed by rule.
THE USE OF EMERGENCY RED HEADLIGHT AND REAR
END LIGHT DOES NOT IN ANY WAY RELIEVE ENGINEMEN AND TRAINMEN FROM RESPONSIBILITY OF COMPLYING WITH RULES 99 AND 102.

Emergency red rear end light must be extinguished: when standing at origin and terminus stations of train run; when switching being performed from rear; when on siding to be passed by another train; and, when another train operating on adjacent track is approaching from rear, but not until it is known such train is not on same track.

Portable light must be removed before coupling to rear of such car.

Oscillating white light on engines will be displayed in addition to standard headlight governed by Rules 17 and 17B. In case of headlight failure it can be used as emergency headlight or as a focus light by push button control if desired.

Enginemen and trainmen on trains and engines equipped with oscillating emergency red lights must familiarize themselves with the operation of the lights.

26. Rule D-97 is in effect on this division.

FIRST SUBDIVISION

(Main Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Passenger Freight Williston and Glasgow 79 MPH 50 MPH

2. SPEED RESTRICTIONS.

3. TRAIN REGISTER EXCEPTIONS.

Glasgow, Nos. 1 and 2 will register by ticket. Register of regular trains at Williston will cover their arrival at Snowden.

4. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table: Westward—Between MP 125 and 127 approximately 3 miles west of Williston.
Eastward—Between MP 270 and 268 approximately one mile

east of Whately. 5. CROSSOVERS ON DOUBLE TRACK.

Facing point, Snowden.

Trailing point, Fort Buford. Trenton.

6. SPRING SWITCHES WITH FACING POINT LOCK.

Bainville, west switch westward siding.

Culbertson, east siding switch.

Blair, west siding switch.

Brockton, east switch westward siding and west switch eastward

Sprole, east and west siding switch. Poplar, east and west siding switch.

Macon, both ends of siding.

Wolf Point, east switch westward siding and west switch eastward siding.

Glasgow, east and west switch to north #1. Normal position is for main track.

7. DRAGGING EQUIPMENT DETECTOR INDICATORS.

Westward, on signal:

177.5, one mile east of east switch Blair. Westward, on Cable Post:

One-fourth mile east of Poplar depot.

Eastward, on signal:

208.4, one and one-fourth miles west of west switch Poplar.

Eastward, on signal: 179.8, at west switch Blair.

DUAL CONTROL 8. MANUAL INTERLOCKINGS WITH SWITCHES.

Snowden.....end of double track and east siding switch These switches are electrically controlled by operator at depot.

9. SWITCH INDICATORS.

Snowden, Wiota. Push buttons and instructions for their operation are in the iron box locked with a switch lock.

The member of the crew who is to line switches must first operate push button "R" for route desired and hold few seconds. Both trainman and engineer must observe and be governed by the indicator before lining switch or fouling main track.

10. Freight trains will make running inspection at Glasgow.

SECOND SUBDIVISION

(Main Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Passenger Freight Between Glasgow and Havre 79 MPH 50 MPH

2. SPEED RESTRICTIONS.

Havre, passenger trains over lead and crossover switches westward main track opposite freight house platform 8 MPH Zurich, Dodson and Hinsdale, No. 28 passing depot..... 25 MPH

3. TRAIN REGISTER EXCEPTIONS.

Glasgow, Nos. 1 and 2 will register by ticket.

Register of regular trains at Havre will cover their arrival at

4. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:

Westward-Between MP 283 and 285 approximately one mile west of Paisley.

Eastward-Between MP 412 and 411 approximately one mile east of Adams.

5. CROSSOVERS ON DOUBLE TRACK.

Facing point,

Lohman, 1 mile west of end of double track.

6. SPRING SWITCHES WITH FACING POINT LOCK.

Glasgow, east and west switch to north #1.

Hinsdale, east switch westward siding, west switch eastward siding.

Saco, west switch eastward siding.

Malta, east and west siding switch.

Dodson, east and west siding switch.

Survant, east and west siding switch.

Havre, west lead switch to westward main track. Normal position is for main track.

7. DRAGGING EQUIPMENT DETECTOR INDICATORS.

Westward, on signal:

309.7, one and one-half miles east of east switch Beaverton.

Westward, on Cable Post:

Three-fourths mile east of Malta depot.

Eastward, on Cable Post:

One and one-half miles west of west switch Malta.

Eastward, on signal:

311.8, at west switch Beaverton.

Eastward, on signal: 280.6, one and one-fourth miles east of east switch Paisley.

8. AUTOMATIC INTERLOCKINGS.

Lohmanend of double track Instructions for operating electric switch lock on industry track posted in box.

9. Freight trains will make running inspection at Glasgow.

THIRD SUBDIVISION

(Main Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

2. SPEED RESTRICTIONS.

Bridge No. 1042.3 to a point 1500 feet west, Galata......45 MPH

3. TRAIN REGISTER EXCEPTIONS.

Shelby, all trains register by ticket except third class trains and trains originating and terminating.

Register of regular trains at Havre will cover their arrival at Pacific Jct.

4. RESTRICTED CLEARANCES.

Shelby, turnouts are located so close together at end of double track and crossover east thereof, also turnout at east end south 3 track and west end industry track that engines cannot safely operate on both turnouts at same time and movements of this kind are prohibited.

- 5. Shelby, Nos. 3 and 4 must proceed at restricted speed between end of Butte Fifth Subdivision and passenger station and will use first track south of main track.
- 6. SPRING SWITCHES WITH FACING POINT LOCK.

Havre, west lead switch to westward main track.

Normal position is for main track.

Gildford, East and west siding switch. Buelow, East switch eastward siding. West switch westward siding. Tiber, East and west siding switch.

Tiber, East and west siding switch. Dunkirk, East and west siding switch. Shelby, East lead switch.

7. DRAGGING EQUIPMENT DETECTOR INDICATORS.

Eastward, on signal: 967.6, two miles east of Burnham.

8. SEMI-AUTOMATIC INTERLOCKINGS.

Pacific Junction
Interlocking operates automatically for all movements with the current of traffic and for westward Third Subdivision trains when running against the current of traffic, except for westward trains destined Great Falls with the current of traffic switches are controlled from depot, Havre. Switches must be operated by hand for other movements. See further instructions posted in hox

FOURTH SUBDIVISION

(Havre Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Detween		I godenger	
Pacific Jct. and MP 40 MP 40 and MP 70		50 MPH	35 MPH
MP 70 and Great Fall	S	55 MPH	35 MPH

2. TRAIN REGISTER EXCEPTIONS.

.

Great Falls, Register only for first class trains and passenger extras.

Register of regular trains at Havre will cover their arrival at Pacific Jct.

3. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

Pacific Jct., trains for which this point is the initial station may proceed on authority of clearance under which such trains arrive, eastward trains will proceed to Havre with the current of traffic when signals indicate proceed.

4. Great Falls, normal position of switch east end Missouri River

bridge No. 119.4, is for Fourth Subdivision.

5. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:

Westward—Between MP 4 and MP 6 approximately one mile west of Assinniboine.

Eastward—Between MP 107 and MP 105 approximately one mile east of Sheffels.

6. EMERGENCY TELEPHONES.

175 feet east MP 71	Watchman (Cabin
265 feet west MP 74	Watchman (Cabin
1000 feet west MP 118	I	Booth

7. SEMI-AUTOMATIC INTERLOCKINGS.

FIFTH SUBDIVISION

(Shelby Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

MI III		
Between	Passenger	Freight
West Side Jct. and Collins	45 MPH	40 MPH
Collins and Withey		
Withey and Shelby	45 MPH	40 MPH

2. TRAIN REGISTER EXCEPTIONS.

Great Falls, Register only for first class trains, passenger extras and second class trains to and from Fifth and Sixth Subdivisions, except Nos. 495 and 496.

First and second class trains register by ticket at West Side Junction except trains Nos. 235-236.

Emerson Jct., Vaughn, Power, Conrad register only for trains originating and terminating.

Shelby, trains Nos. 3 and 4 will register by ticket.

- 3. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).
 Great Falls, westward CMStP&P RR. trains departing from Milwaukee passenger station will obtain clearance from G. N. dispatcher.
- 4. Shelby, normal position of the switch at the end of the Fifth Subdivision will be for the Butte Division main track.
- 5. Shelby, Nos. 3 and 4 must proceed at restricted speed between end of Fifth Subdivision and passenger station and will use first track south of main track.
- 6. West Side Jct., normal position of junction switch is for Fifth Subdivision.
- 7. Emerson Jct., normal position of junction switch is for Great Northern.

8. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:

Westward—Between MP 9 and MP 11 approximately one mile west of Manchester. Eastward—Between MP 98 and MP 96 approximately one and

one-fourth miles east of Shelby.

SIXTH SUBDIVISION

(Billings Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Great Falls and West Switch Belmont	50 MPH	40 MPH
West Switch Belmont and East Switch Acton	EO MIDIT	EO MEDIT
East Switch Acton	ээ мгн	50 MPH
Mossmain	50 MPH	40 MPH

2. TRAIN REGISTER EXCEPTIONS.

Great Falls register only for first class trains, passenger extras and second class trains to and from Fifth and Sixth Sub-

Judith Gap, Moccasin, register only for trains originating and terminating.

Mossmain, register for trains originating and terminating at Billings.

3. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

Great Northern clearance received at Billings and Laurel will clear trains at Mossmain.

- Great Falls, normal position of switch east end Missouri River bridge No. 119.4, is for Fourth Subdivision.
- Moccasin, normal position of junction switch is for Sixth Subdivision.
- Tunnel Q-1, between Acton and Rimrock, automatic block signals govern movement of trains.

7. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:

Westward-Between MP 6 and MP 8 approximately two miles west of Hesper.

Eastward-Between MP 217 and MP 215 approximately onehalf mile east of Fields.

8. EMERGENCY TELEPHONES.

Tunnel Q-1, East End	 Watchman's Cabin.
Baseline Spur	 West End.
Cushman	
O MULLINGIA INTERNATIONAL	

9. MOSSMAIN, ELECTRIC SWITCH LOCKS.

Automatic signal 12.8 located 1000 feet west of west wye switch governs eastward train movements on east leg of wye. Normal position of junction switches at Mossmain is for Northern Pacific main track.

The following switches and derails are equipped with electric switch locks:

Derail near signal 118 on east leg of wye.

Derail near signal 123 on west leg of wye.

Both switches of crossover between main tracks leading to west leg of wye.

West switch of crossover from vard to eastward main track near signal 124.

East switch of crossover east of Laurel Yard office.

Trainmen will be governed as follows in the operation of these electric switch locks:

Open door of Electric switch lock and if indicator shows Proceed, move lock lever to the left which will unlock switch. If indicator shows Stop and no conflicting train movement is evident, open door of release box and operate push button. This will start operation of clockwork release. After time interval of three minutes indicator will show Proceed and switch can be unlocked by moving lock lever to the left. Westward trains making crossover movement at signal 121 to the yard and east-ward trains making crossover movement at signal 122 to west leg of wye must stop within 200 feet of the signal in order to

unlock electric lock at far end of crossover. If stop is made more than 200 feet from signal, electric locks cannot be operated without use of the clockwork release.

After movement is completed, restore switches and lock levers to normal position locking door of electric locks and release

SEVENTH SUBDIVISION

(Butte Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS. Passenger Freight Great Falls and Clancy 50 MPH 30 MPH Clancy and Butte 40 MPH 25 MPH

2. SPEED RESTRICTIONS.

Helena 15 MPH

3. TRAIN REGISTER EXCEPTIONS.

West Side Junction first and second class trains except trains Nos. 235-236 will register by ticket and passenger extras will not register.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

At West Side Jct., first and second class trains and passenger extras for which this point is initial station may proceed on authority of clearance under which such trains arrive.

- 5. Cars loaded with poles, pipe or similar lading that might shift must be handled second behind engine. Crews must closely observe such lading to see if safe before passing through tun-
- 6. Great Falls, normal position of switch east end Missouri River bridge 119.4 is for Fourth Subdivision.
- 7. West Side Jct., normal position of junction switch is for Fifth Subdivision.
- 8. Tunnel No. 6 between Amazon and Portal, when signal displays Stop-indication Rule 509(A) governs.
- 9. Butte, train and engine movements over Garden and Warren Avenues will be protected by assigned watchmen between the hours of 8:00 AM and 11:59 PM daily. All train and engine movements over these crossings must be protected by a member of the crew on the ground at the crossing in advance of movement outside of assigned hours of watchmen.

10. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:
Westward—Between MP 139 and MP 141 approximately three miles west of Riverdale.
Eastward—Between MP 276 and MP 274 approximately one

mile east of Woodville.

11. EMERGENCY TELEPHONES.

Hardy, 500 feet west tunnel No. 1	Watchman Cabin
Boulder, 3 mi. west of Tintinger Pit, 300 feet west main line switch	Watchman Cabin
Tintinger Pit, 300 feet west main line switch	Booth
Trask	Booth
Portal	Booth

12. AUTOMATIC INTERLOCKINGS.

Butte, 1.50 miles east ofButte Station

13. RAILROAD CROSSINGS PROTECTED BY GATES.

Normal position is clear for Great Northern.

EIGHTH SUBDIVISION

(Richey Line)

- Snowden, normal position of Eighth Subdivision switch is for east leg of wye.
- 3. MANUAL INTERLOCKINGS.

Snowden, 2 miles west of ______drawbridge 12.1 Interlocking signals at east and west approach govern train movements over bridge.

NINTH SUBDIVISION

(Watford City Line)

2. MANUAL INTERLOCKINGS.

Fairview, 3 miles east of ________drawbridge 3.2 Interlocking signals at east end of tunnel and west approach govern train movements over bridge. Electric gates operated by tollman from cabin control vehicular traffic over bridge. Telephones located near interlocking signals are connected with tollman cabin.

TENTH SUBDIVISION

(Opheim Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between Passenger Freight

Bainville and Redstone 35 MPH 25 MPH

Redstone and Scobey 35 MPH 20 MPH

Scobey and Opheim 25 MPH 20 MPH

ELEVENTH SUBDIVISION

(Hogeland Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between Passenger Freight
Saco and Loring 30 MPH 25 MPH
Loring and Chapman 12 MPH 12 MPH
Chapman and Hogeland 30 MPH 25 MPH

TWELFTH SUBDIVISION

(Lewistown Line)

- CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).
 Spring Creek Jct., Trains for which this point is initial station may proceed on authority of clearance under which such trains arrive.

 Lewistown, westward Great Northern trains departing from Great

Lewistown, westward Great Northern trains departing from Great Northern passenger station will obtain clearance from G. N. and CMStP&P dispatchers.

- 3. Moccasin, normal position of junction switch is for Sixth Subdivision.
- Spring Creek Jct., normal position of junction switch is for CMStP&P RR.
- 5. Lewistown, transfer track will be used as a main track by Great Northern trains moving to and from CMStP&P main track and must be kept clear.
- 6. Lewistown and Moccasin, CMStP&P RR. bulletin boards located in depot.

THIRTEENTH SUBDIVISION

(Augusta Line)

- 2. Vaughn, normal position of junction switch is for Fifth Subdivision.
- 3. Dracut Jct., normal position of junction switch is for Great Northern.

FOURTEENTH SUBDIVISION

(Pendroy Line)

- CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).
 At Eastham Jct., Choteau Jct., trains for which these points are initial stations may proceed on authority of clearance under which such trains arrive.
- 3. Power, normal position of junction switch is for Fifth Subdivision.
- 4. Eastham Jct., Choteau Jct., normal position of junction switch is for CMStP&P RR.
- 5. Power and Pendroy, CMStP&P RR. bulletin boards located in depot.

WATCH INSPECTORS


Butte	S & S Jewelers.
Conrad	Harold Pyle.
Cut Bank	M. S. Bush.
Fairview	Agent—Comparison only.
Glasgow	Bowles Jewelry. R. E. St. Clair.
Great Falls	Jim Kovich. Sutherland Jewelry. Russell's Jewelry.
Havre	Blacks' Jewelry.
Helena	S. & M Jewelers.
Judith Gap	Agent—Comparison only.
Laurel	Dudis Jewelry.
Lewistown	Scheldt Jewelers.
Plentywood	Catherine C. Lynch.
Saco	Agent—Comparison only.
Shelby	Stulls Jewelry.
Sidney	Lisle Hawkins.
Whitefish	Burr's Jewelry.
Williston	R. M. Gross.


SPEED TABLE

Time Min.	Per Mile Sec.	Miles Per Hour	, 	Time Min.	Per Mile Sec.	Miles Per Hour
Min. 1 1 1 1 1 1 1	Sec. 40 41 42 43 44 45 46 47 48 49 50 51 52 54 56 57 59 0 1 2 3 4 56	Per Hour 90.0 87.8 85.7 83.7 81.8 80.0 78.8 76.6 75.0 70.6 69.2 67.9 66.7 65.5 64.3 63.2 62.1 61.0 60.0 59.0 58.1 57.1 56.3 554.5		Fime Min. 111111111111111111111111111111111111	Sec. 12 14 16 18 20 22 24 26 28 30 33 36 39 42 45 50 10 20 30 40 0 30 0 0	Per Hour 50.0 48.6 47.4 46.2 45.0 43.9 40.9 40.9 40.0 38.7 37.5 36.4 35.3 34.3 32.7 25.7 24.0 22.5 20.0 17.1 15.0 12.0 10.0
1 1 1 1 1	5 6 7 8 9 10	55.4		5 6 7 8 9 10	0	12.0

Business Tracks not Shown as Stations on Time Table.

NAME	LOCATION	Capac- ity Cars	SWITCH OPENS
First Subdivision Marley Beet Track	4.50 miles east of Ft. Buford	34	East end
Malta Stock Yards Harlem Stock Yards	1.70 miles west of Saco	47 30	Both ends Both ends Both ends Both ends
Fourth Subdivision Stranahan	5.83 miles west of Virgelle	12	East end
Fifth Subdivision Pondera Pipe Line Spur	2.97 miles east of Conrad	37	East end
Sixth Subdivision Baseline Spur Lavin Spur	1.90 miles east of Rimrock At Gerber	25 Yard	West end West end
Tintinger Spur No. 2 Hardy Pit Car-Con Spur Four Range Lahev Spur	0.50 miles east of Cascade 2.72 miles east of Hardy 1 mile east of Hardy 3.03 miles west of Helena 4.79 miles west of Helena 5 miles west of Corbin 3.77 miles west of Corbin 4.9 miles west of Elk Park	$egin{array}{c c} 73 \\ 118 \\ 30 \\ 12 \\ 9 \\ 9 \end{array}$	Both ends East end West end East end East end Both ends West end West end
Ludington Beet Track	3.87 miles east of Dore	19	Both ends Both ends Both ends Both ends
Ninth Subdivision Hardy Beet Track	1.51 miles east of Fairview	61	Both ends
Tenth Subdivision Plentywood Pit Track	4.6 miles west of Plentywood	32	Both ends
Thirteenth Subdivision Beet Track	0.70 miles west of Vaughn	44	Both ends
Fourteenth Subdivision Flume Spur Hobson Elevator Spur Koyle Spur	4.08 miles west of Bole	 14 16 8	East end West end East end





Pages 23 and 24 are blank.