

DIVISION OFFICERS

T. E. Griswold	Superintendent	Ft. Worth, Tex.
T. E. Albright	Asst. Superintendent	Fort Worth, Tex.
E. E. Long	Master Mechanic	Ft. Worth, Tex.
J. H. Webb	Asst. Master Mechanic	Marshall, Tex.
R. L. Riggs	Terminal Trainmaster	Ft. Worth and Lancaster Yards
G. A. Alford	Terminal Trainmaster	Texarkana, Tex.
K. D. Hestes	Trainmaster	Mineola, Tex.
W. R. Swaidner	Trainmaster	Marshall, Tex.
C. T. Barrett	Road Foreman of Engines	Mineola, Tex.
K. R. Woodford	Chief Dispatcher	Ft. Worth, Tex.
W. H. Robinson	Asst. Chief Dispatcher	Ft. Worth, Tex.
A. C. Ogg	Asst. Chief Dispatcher	Ft. Worth, Tex.
J. G. Brannon	Asst. Chief Dispatcher	Ft. Worth, Tex.
D. Flanigan	Dispatcher	Ft. Worth, Tex.
D. Handy	Dispatcher	Ft. Worth, Tex.
J. A. Lowe	Dispatcher	Ft. Worth, Tex.
I. S. McIntosh	Dispatcher	Ft. Worth, Tex.
R. N. Page	Dispatcher	Ft. Worth, Tex.
R. L. Rice	Dispatcher	Ft. Worth, Tex.
R. Tucker	Dispatcher	Ft. Worth, Tex.
A. M. Underwood	Dispatcher	Ft. Worth, Tex.

SPEED TABLE

This table is for information in determining speed per mile and in no way affects rules or special instructions governing speed of trains.

Miles per Hour	1 Mile in		Miles per Hour	1 Mile in		Miles per Hour	1 Mile in	
	Mins.	Sec.		Mins.	Sec.		Mins.	Sec.
6	10	0	32	1	52	53	1	7
8	7	30	33	1	49	54	1	6
10	6	0	34	1	45	55	1	5
12	5	0	35	1	42	56	1	4
15	4	0	36	1	40	57	1	3
16	3	45	37	1	37	58	1	2
17	3	31	38	1	34	59	1	1
18	3	20	39	1	33	60	1	0
19	3	9	40	1	30	61	0	59
20	3	0	41	1	27	62	0	58
21	2	51	42	1	25	63	0	57
22	2	43	43	1	23	64	0	56
23	2	36	44	1	21	65	0	55
24	2	30	45	1	20	67	0	54
25	2	24	46	1	18	68	0	53
26	2	18	47	1	16	69	0	52
27	2	13	48	1	15	70	0	51
28	2	8	49	1	13	72	0	50
29	2	4	50	1	12	73	0	49
30	2	0	51	1	10	75	0	48
31	1	56	52	1	9			



The Texas and Pacific Railway Company

EASTERN DIVISION

TIME TABLE NO. 37

Effective 12:01 a. m., Sunday, JUNE 19, 1949

CENTRAL TIME

SUPERSEDING PREVIOUS TIME TABLES

FOR THE INFORMATION AND GOVERNMENT
OF EMPLOYEES ONLY

The Railway Company Reserves the Right to Vary Therefrom as
Circumstances May Require

L. C. PORTER, Vice-President—Operation,
R. C. PARKER, Assistant Vice-President—Operation,
W. T. LONG, JR., General Sup't Transportation
C. F. ADAMS, Superintendent of Rules

DALLAS SUB-DIVISION--Westward

Station Numbers	Car Capacity Passing Station	Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949	FIRST CLASS							SECOND CLASS		
			15	221	1	21	231	7	501	237		
		STATIONS	The Texan Passenger Daily	South Texas Eagle Passenger Daily	West Texas Eagle Passenger Daily	Louisiana Eagle Passenger Daily	Sunshine Special Passenger Daily	The Westerner Passenger Daily	Santa Fe Passenger Daily	Passenger Daily		
0	Yard	N... TEXARKANA.....	L 1 50AM	L 3 10AM	L 3 25AM		L 5 05AM	L 2 55 ⁶⁰ PM		L 4 00PM		
2	104 NATIONAL.....	1 54	3 14	3 29 ⁴		5 09	2 59		4 05		
8	123 SULPHUR.....	2 01	3 20 ⁴	3 35		5 16	3 06		4 13		
15	104 SPRINGDALE.....	2 08	3 26	3 41		5 23	3 13		4 21		
21	98 QUEEN CITY.....	2 15	3 32	3 47 ⁵⁶		5 30	3 20 ⁶⁷		4 31		
24	100	D... ATLANTA.....	2 19	3 35 ⁵⁶	3 50		5 34	s 3 24		s 4 40		
81	104 BIVINS.....	2 26	3 42	3 57		5 41	3 33		f 4 52		
37	108 KILDARE.....	2 35 ⁴	3 49	4 04		5 48	3 40		f 5 03		
44	105 PAYNE.....	2 43 ⁵⁶	3 55	4 10		5 55	3 48		5 13		
51	112 JEFFERSON.....	s 2 52	4 03	4 18		6 03	s 3 58		s 5 28		
58	102 WOODLAWN.....	3 01	4 10	4 25		6 11	4 06		f 5 38		
67	141	N... MARSHALL.....	s { 3 10 3 20	s 4 19	s 4 35	L 6 10AM	s 6 25	s { 4 20 4 35		s { 5 50 6 10 ²³²		
70	100 QUINCY.....	3 26	4 24	4 40		6 16	4 40		6 17		
75	99 KEOKUK.....	3 31	4 28	4 44		6 21	4 45		6 23		
80	100 HALLSVILLE.....	3 36	4 32	4 48		6 26	4 50		f 6 30		
89	100 LANSING.....	3 40	4 35	4 51		6 29	4 53		6 35		
90	Yard	N... LONGVIEW.....	s 3 55	A 4 45AM	s 5 01	s 6 45	A 7 00AM	s 5 08		A 6 50PM		
94	128 GREGGTON.....	4 02		5 08	6 52		5 15				
103	106 GLADEWATER.....	s 4 11		s 5 16	s 7 01		s 5 24				
107	100 WILKINS.....	4 22		5 23	7 09		5 32				
113	104	N... BIG SANDY.....	4 28		5 29	7 15		s 5 39				
119	29	D... HAWKINS.....	4 35		5 34	7 20		s 5 47				
124	103 FADA.....	4 41		5 40	7 25		5 54				
130	101 HOARD.....	4 47		5 45	7 30		5 59				
136	Yard MINEOLA.....	s 5 00		5 55	s 7 40		s 6 10				
138	Yard	N... MINEOLA YARD.....	5 03		5 58	7 43		6 13				
143	100 SILVER LAKE.....	5 08		6 02	7 47		6 17				
149	89	N... GRAND SALINE.....	5 18		6 09	7 55 ⁶⁰		s 6 28				
155	100 FRUITVALE.....	5 25		6 14	8 01		6 35				
160	107	D... EDGEWOOD.....	5 32		6 19	8 06		s 6 40				
163	74 RUSSELL.....	5 36		6 22	8 09		6 46				
167	104	N... WILLS POINT.....	s 5 47		f 6 27	s 8 23 ⁸		s 6 53				
172	70 COBBS.....	5 55		6 33	8 31		7 09 ²				
176	100 ELMO.....	6 00		6 37	8 35		7 19				
183	97	N... TERRELL.....	s 6 08		6 43	f 8 41		s 7 32 ²²				
187	100 LAWRENCE.....	6 20 ⁶⁰		6 48 ⁶⁰	8 48		7 41				
194	74	D... FORNEY.....	6 28		6 55	8 55		7 48				
199	100 MARITH.....	6 35		7 01	9 01		7 55				
202	27	D... MESQUITE.....	6 39		7 04	9 04		7 58				
207	100 SCOTSDALE.....	6 43		7 09	9 09		8 04				
210	64	N... T. & P. JCT.....	A 6 55AM		A 7 13AM	A 9 13AM		A 8 10PM				
215	 DALLAS Union Terminal	s { 7 15 7 30		s { 7 30 7 55	s { 9 30 9 45		s { 8 30 9 15		L 9 30PM		
	NS U. T. JOT.....	L 7 31AM		L 7 56AM	L 9 46AM		L 9 16PM		L 9 31PM		
216	108 BROWDER.....	7 34		7 58	9 49		9 19		9 34		
220	NS EAGLE FORD.....	7 38		8 01	9 53		9 23		9 38		
227	94 GRAND PRAIRIE.....	7 46		8 07	10 01		9 31		9 46		
233	97 ARLINGTON.....	7 53		8 13	10 08		9 38		9 53		
239	NS HANDLEY.....	8 00		8 20	10 15		9 45		10 00		
246	YARD	N... FORT WORTH... (Passenger Station)	A 8 15AM		A 8 30AM L 9 00AM	A 10 30AM		A 10 00PM L 10 30PM		A 10 15PM		
251	YARD LANCASTER YARD.....			A 9 10AM			A 10 40PM				
		248.1	15 Daily	221 Daily	1 Daily	21 Daily	231 Daily	7 Daily	501 Daily	237 Daily		
		Time Over Sub-Division	6.25	1.35	5.05	4.20	1.55	7.05	.45	2.50		

See Page 4 for
Second Class
Train
Schedules
Dallas
Sub-Division

See Page 15
For Dallas
Sub-Division
Special
Instructions

Eastward trains are superior to trains of the same class in opposite direction; except Nos. 1 and 21 are superior to No. 8.

DALLAS SUB-DIVISION--Eastward

Location—Water, Fuel, Turn-table, Wye, etc.		Miles from Texarkana		FIRST CLASS									SECOND CLASS	
				STATIONS										
				238	8	502	232	2	222	22	4			
Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949				Passenger Daily	The Westerner Passenger Daily	Santa Fe Passenger Daily	Sunshine Special Passenger Daily	West Texas Eagle Passenger Daily	South Texas Eagle Passenger Daily	Louisiana Eagle Passenger Daily	Passenger Daily			
FWTY	0	N	TEXARKANA	A 11 30AM	A 11 45AM		A 7 35PM	A 10 30PM	A 10 40 ²⁶⁵ PM		A 3 40AM			
	1.8		NATIONAL	11 15	11 41		7 28	10 24	10 36		3 29	1		
	8.4		SULPHUR	11 02	11 34		7 20	10 17	10 30		3 20	221		
	15.0		SPRINGDALE	10 49	11 27		7 12	10 10	10 24		3 07			
	21.2		QUEEN CITY	10 37	11 21		7 05	10 03 ⁶⁵	10 18		3 00			
	23.8	D	ATLANTA	10 30	11 18		7 01	9 58	10 15 ⁶⁵		2 55			
W	30.7		BIVINS	10 12	11 10		6 53	9 51	10 08		2 43			
MP 32.7	36.9		KILDARE	10 01	11 03		6 46	9 44	10 01		2 35	15		
	43.8		PAYNE	9 48	10 56		6 38	9 37	9 54		2 24			
W	51.2		JEFFERSON	9 37	10 48		6 29	9 29	9 46		2 15			
	58.3		WOODLAWN	9 21	10 40		6 20	9 22	9 39		2 05			
FWTY	66.7	N	MARSHALL	9 10	10 30		6 10 ²³⁷	9 12	9 30	A 10 00 ⁵⁵ PM	1 55			
	70.5		QUINCY	8 53	10 15		5 58	9 03	9 25	9 51	1 30			
	75.5		KEOKUK	8 48	10 11		5 53	8 59	9 21	9 47	1 19			
	80.3		HALLSVILLE	8 43	10 07 ²⁶⁶		5 48	8 55	9 17	9 42	1 14 ²⁶⁵			
	83.2		LANSING	8 40	10 04		5 43 ²⁶⁷	8 52	9 14	9 39	1 10			
FWT	89.7	N	LONGVIEW	L 8 30AM	s 9 55		L 5 30PM	s 8 43	L 9 05PM	s 9 30	s 1 00			
	93.8		GREGGTON		9 44			8 33		9 18	12 35 ⁶⁵			
	102.8		GLADEWATER		s 9 34			s 8 23		s 9 08	s 12 25			
	107.0		WILKINS		9 28			8 18		9 03	12 12			
W	113.0	N	BIG SANDY		9 22			8 13		8 57	s 12 04AM			
	118.6	D	HAWKINS		9 16			8 07		8 51	11 58			
	124.4		FADA		9 11			8 02		8 45	11 52 ⁵⁵			
	129.8		HOARD		9 05			7 56		8 40	11 46			
	136.3		MINEOLA		8 57			7 48		s 8 32	s 11 38			
FWY	138.1	N	MINEOLA YARD		8 53 ⁶⁰			7 44 ⁶⁷		8 28	11 30 ⁵⁶ ₅₄			
	142.2		SILVER LAKE		8 49			7 40		8 24	11 25			
	149.3	N	GRAND SALINE		8 42			7 33		8 16 ⁶⁷	s 11 16			
	154.7		FRUITVALE		8 36			7 27		8 08	11 05			
	159.6	D	EDGEWOOD		8 31			7 23		8 03	10 59			
	163.0		RUSSELL		8 28			7 20		7 59	10 55			
W	166.9	N	WILLS POINT		8 23 ²¹			t 7 15		s 7 54	s 10 50			
	171.8		COBBS		8 17			7 09 ⁷		7 44	10 39			
	176.3		ELMO		8 13			7 05		7 40	10 34			
W	182.4	N	TERRELL		8 06			6 59		s 7 32 ⁷	s 10 25 ⁶⁷			
	186.5		LAWRENCE		8 01			6 54		7 27	10 16			
	193.6	D	FORNEY		7 54			6 47		7 19	s 10 08			
W	199.3		MARYH		7 48			6 42		7 13	10 00			
MP 203	202.2	D	MESQUITE		7 45			6 39		7 10	9 56			
	207.0		SCOTTDALE		7 40			6 35		7 05	9 51			
FTY	209.9	N	T. & JCT.	L 7 35AM				L 6 30PM		L 7 00PM	L 9 45PM			
			DALLAS Union Terminal	s 7 20	A 8 00AM			s 6 15		s 6 45	s 9 30			
				s 7 05				s 6 00		s 6 30	s 8 50			
	215.0		U. T. JCT.	A 6 52AM	A 7 55AM			A 5 54PM		A 6 24PM	A 8 45PM			
W	216.3		BROWDER	6 49	7 52			5 51		6 21	8 39			
	219.6		EAGLE FORD	6 45	7 49			5 46		6 16	8 33			
	226.6		GRAND PRAIRIE	6 39	7 41			5 39		6 09	8 26			
	232.8		ARLINGTON	6 32	7 33			5 32		6 02	s 8 18			
	239.4		HANDLEY	6 25	7 25			5 25		5 55	8 10			
WY	245.7	N	FORT WORTH (Passenger Station)	L 6 15AM	L 7 15AM			L 5 15PM		L 5 45PM	L 8 00PM			
				A 5 40AM				A 4 30PM						
FWT	251.0		LANCASTER YARD	L 5 25AM				L 4 15PM						
	248.1			238 Daily	8 Daily	502 Daily	232 Daily	2 Daily	222 Daily	22 Daily	4 Daily			
			Time Over Sub-Division	3.00	5.30	.46	2.05	5.15	1.35	4.15	7.40			

See Page 4 for
Second Class
Train
Schedules
Dallas
Sub-Division

See Page 15
For Dallas
Sub-Division
Special
Instructions

Eastward Trains are superior to trains of the same class in opposite direction; except Nos. 1 and 21 are superior to No. 8.

Westward

DALLAS SUB-DIVISION

Eastward

SECOND CLASS					Location—Water, Fuel, Turn-table, Wye, etc.	Miles from Texarkana	Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949			Car Capacity Passing Siding	Station Number	SECOND CLASS					
265	267	65	55	67			STATIONS					266	60	56	54		
Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily			Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily			Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily	Red Ball Freight Daily
L 10 40 ²²² PM	L 3 00 ^{PM}	L 9 30 ^{PM}		L 2 30 ^{PM}			N... TEXARKANA	Yard	0			A 1 30 ^{PM}	A 2 55 ^{PM}	A 4 40 ^{AM}			
10 50	3 08	9 35		2 40 ⁶⁰	1.8		104	1 20	2 40 ⁶⁷	4 20							
11 10	3 20	9 43		2 50	8.4		123	1 00	2 20	4 10							
11 28	3 32	9 51		3 00	15.0		104	12 45	2 00	4 00							
11 38	3 43	10 03 ²		3 20 ⁷	21.2		98	12 29	1 45	3 47 ¹							
11 43	3 47	10 15 ²²²		3 30	23.8		100	12 22	1 35	3 35 ²²¹							
11 53	3 58	10 30		3 40	30.7		104	12 08 ^{PM}	1 15	3 10							
12 02 ^{AM}	4 08	10 40		3 50	36.9		108	11 50	12 55	2 55							
12 11	4 20	10 50		4 00	43.8		105	11 30	12 35	2 43 ¹⁵							
12 22	4 33	11 05		4 15	51.2		112	11 10	12 15 ^{PM}	2 23							
12 32	4 45	11 15		4 25	58.3		102	10 55	11 55	2 11							
12 50	5 00	11 35	L 10 00 ²²	4 40	66.7		141	10 40	11 35	2 00	A 2 10 ^{AM}						
12 57	5 07	11 47	10 09	4 48	70.5		100	10 25	11 13	1 36	1 57						
1 03	5 16	11 53	10 15	4 55	75.5		99	10 18	11 05	1 30	1 51						
1 14 ⁴	5 24	11 59	10 21	5 02	80.3		100	10 07 ⁸	10 58	1 24 ²⁶⁵	1 45 ²⁶⁵						
1 45 ⁵⁴	5 43 ²³²	12 03 ^{AM}	10 25	5 07	83.2		100	9 50	10 53	1 20	1 40						
A 2 30 ^{AM}	A 6 00 ^{PM}	12 15	10 35	5 20	89.7		90	9 30 ^{AM}	10 40	1 10	1 27						
		12 35 ⁴	10 45	5 30	93.8		126	10 27	10 27	12 54 ⁶⁵	1 12 ⁶⁵						
		1 12 ⁵⁴	11 00	5 45	102.8		108	10 12	10 12	12 43	1 00						
		1 25	11 07	5 55	107.0		100	10 02	10 02	12 36	12 53						
		1 32	11 17	6 05	113.0		104	9 54	9 54	12 28	12 45						
		1 42	11 27	6 15	118.6		29	9 44	9 44	12 18	12 35						
		1 50	11 52 ⁴	6 25	124.4		103	9 37	9 37	12 10 ⁵⁵	12 27 ⁵⁵						
		1 58	12 27 ³⁴	6 35	129.8		101	9 30	9 30	12 01 ^{AM}	12 17						
		2 05	12 48	6 45	136.3		136	9 20	9 20	11 46	12 06						
		2 15	1 00	7 00 ²	138.1		138	8 15 ⁸	8 15 ⁸	11 40 ⁴	12 01 ⁴						
		2 25	1 15	7 45 ²	142.2		100	8 30 ¹⁸	8 30 ¹⁸	11 15 ⁴	11 25 ⁴						
		2 55	1 45	7 55	149.3		89	8 15	8 15	11 01	11 11						
		3 03	1 57	8 16 ²²	154.7		100	7 55 ²¹	7 55 ²¹	10 52	11 02						
		3 13	2 13	8 30	159.6		107	10 54	10 54	10 44	10 54						
		3 20	2 25	8 45	163.0		74	10 48	10 48	10 38	10 48						
		3 27	2 35	8 55	166.9		104	10 43	10 43	10 33	10 43						
		3 32	2 42	9 15	171.8		70	10 36	10 36	10 26	10 36						
		3 44	2 55	9 25	178.3		100	10 29	10 29	10 19	10 29						
		3 51	3 03	9 35	182.4		97	10 23	10 23	10 13	10 23						
		3 57	3 11	10 05 ⁵⁶	186.5		100	10 15 ⁶⁷	10 15 ⁶⁷	10 05 ⁶⁷	10 15 ⁶⁷						
		4 10	3 25	10 25 ⁵⁴	193.6		74	10 06	10 06	9 56	10 06						
		4 17	3 35	10 40	199.3		100	9 57	9 57	9 47	9 57						
		4 27	3 50	11 15	202.2		27	9 50	9 50	9 40	9 50						
		4 37	4 03	11 30	207.0		100	9 46	9 46	9 36	9 46						
		4 42	4 09	11 40	209.9		64	9 40	9 40	9 30	9 40						
		4 50	4 20	11 55	215.0		215	9 30	9 30	9 30	9 40						
		A 5 00 ^{AM}	A 4 30 ^{AM}	A 12 30 ^{AM}	216.3		108	9 20	9 20	9 20	9 30						
					219.6		NS	9 15	9 15	9 15	9 20						
		L 5 40 ^{AM}	L 5 00 ^{AM}	L 1 15 ^{AM}	226.6		94	9 10	9 10	9 10	9 20						
		5 48	5 10	1 30	232.8		97	9 05	9 05	9 05	9 15						
		5 55	5 17	1 38	239.4		NS	9 00	9 00	9 00	9 10						
		6 10	5 30	1 55	245.7		NS	8 55	8 55	8 55	9 00						
		6 25	5 44	2 10	251.0		YARD	8 50	8 50	8 50	9 00						
		6 40	6 00	2 30			246	8 45	8 45	8 45	8 55						
		A 7 00 ^{AM}	A 6 30 ^{AM}	A 3 00 ^{AM}			251	8 40	8 40	8 40	8 50						
								8 36	8 36	8 36	8 46						
								8 30	8 30	8 30	8 40						
								8 28	8 28	8 28	8 38						
								8 20	8 20	8 20	8 30						
								8 15	8 15	8 15	8 25						
								8 10	8 10	8 10	8 20						
								8 05	8 05	8 05	8 15						
								8 00	8 00	8 00	8 10						
								7 55	7 55	7 55	8 05						
								7 50	7 50	7 50	8 00						
								7 45	7 45	7 45	8 00						
								7 40	7 40	7 40	8 00						
								7 35	7 35	7 35	8 00						
								7 30	7 30	7 30	8 00						
								7 25	7 25	7 25	8 00						
								7 20	7 20	7 20	8 00						
								7 15	7 15	7 15	8 00						
								7 10	7 10	7 10	8 00						
								7 05	7 05	7 05	8 00						
								7 00	7 00	7 00	8 00						
								6 55	6 55	6 55	8 00						
								6 50	6 50	6 50	8 00						
								6 45	6 45	6 45	8 00						
								6 40	6 40	6 40	8 00						
								6 35	6 35	6 35	8 00						
								6 30	6 30	6 30	8 00						
								6 25	6 25	6 25	8 00						
								6 20	6 20	6 20	8 00						
								6 15	6 15	6 15	8 00						
								6 10	6 10	6 10	8 00						
								6 05	6 05	6 05	8 00						
								6 00	6 00	6 00	8 00						
								5 55	5 55	5 55	8 00						
								5 50	5 50	5 50	8 00						
								5 45	5 45	5 45	8 00						
								5 40	5 40	5 40	8 00						
								5 35	5 35	5 35	8 00						
								5 30	5 30	5 30	8 00						
								5 25	5 25	5 25	8 00						
								5 20	5 20	5 20	8 00						
								5 15	5 15	5 15	8 00						
								5 10	5 10	5 10	8 00						
								5 05	5 05	5 05	8 00						
								5 00	5 00	5 00	8 00						
								4 55	4 55	4 55	8 00						
								4 50	4 50	4 50	8 00						
								4 45	4 45	4 45	8 00						
								4 40	4 40	4 40	8 00						
								4 35	4 35	4 35	8 00						
								4 30	4 30	4 30	8 00						
								4 25	4 25	4 25	8 00						

Westward

BONHAM SUB-DIVISION

Eastward

5

SECOND CLASS		FIRST CLASS		Station Numbers	Car Capacity Passing Sidings	Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949		Miles from Texarkana	Location, Water, Fuel, Turn-table, Wye, etc.	FIRST CLASS		SECOND CLASS	
57		31				STATIONS				32		50	
Red Ball Freight Daily Except Sunday		Passenger Daily								Passenger Daily		Red Ball Freight Daily Except Sunday	
L 4 00AM		L 2 50PM	0	YARD	N	TEXARKANA	0	FWTY	A 1 20PM		A 1 00PM		
4 30		f 2 58	A 5	87		NASH	5.1		f 1 05		12 40		
		3 07	A 12	NS		LONE STAR	11.8		12 55				
5 05		s 3 11	A 15	86	D	HOOKS	14.8		s 12 50		12 20PM		
		f 3 16	A 17	NS		RED RIVER	16.9		f 12 45				
5 40		s 3 25	A 22	86	D	NEW BOSTON	22.0	W	s 12 35		11 55		
6 35		s 3 43	A 84	86	D	DE KALB	34.2		s 12 10PM		11 20		
		s 3 58	A 44	86	D	AVERY	44.4		s 11 55		10 50		
7 05		s 4 08	A 53	96	D	ANNOA	52.5	W	s 11 44		10 20		
7 35		s 4 22	A 61	108	D	CLARKSVILLE	61.0		s 11 33		10 00		
8 05		f 4 32	A 68	NS		BAGWELLS	68.1	W	f 11 23		9 35		
		s 4 43	A 74	86	D	DETROIT	74.2		s 11 15		9 22 57		
9 22 50		s 4 53	A 81	86		BLOSSOM	81.0		s 11 05		8 40		
9 45		s 5 25	A 91	YARD	D	PARIS	91.0	FW	s 10 50 57		7 55		
10 50 32		s 5 40	A 100	86	D	BROOKSTON	99.7	WMP94	s 10 22		7 00		
11 20		f 5 50	A 106	NS		PETTY	106.1		f 10 13		6 35		
		s 6 03	A 112	86	D	HONEY GROVE	112.0		s 10 05		6 15		
11 35		f 6 12	A 117	NS		WINDOM	117.2		f 9 56		5 55		
12 15PM		f 6 19	A 122	86		DODDS	121.8		f 9 49		5 40		
12 30		A 6 30PM	A 128	YARD	D	BONHAM	128.1	FWT	L 9 40AM		L 5 20AM		
12 45													
A 1 00PM													
57 Daily Except Sunday		31 Daily				128.1			32 Daily		50 Daily Except Sunday		
9.00		3.40				Time Over Sub-Division			3.40		7.40		

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION

Between St. L.-S. W. Ry. crossing, Bonham Sub-Division connection with K. C. S. Ry near Compress, and Texarkana Passenger Station, ALL TRAINS AND ENGINES will move at reduced speed and will not exceed a maximum speed of ten (10) miles per hour.

All trains and engines must approach St. L.-S. W. Ry. and Bonham Sub-Division connections, Texarkana, prepared to stop unless switches and signals are right and the track is clear.

Employees of the St. L.-S. W. Ry. and K. C. S. Ry. are subject to the Rules, Time Table and Special Instructions of the Texas and Pacific Railway while occupying its tracks.

STANDARD CLOCKS:

Texarkana
Bonham

No. 31 and 32 will stop on flag at Leary, East Gate Red River, Malta, Oak Grove and High.
No. 31 will stop at West Gate to Red River Ordnance Training Center, approximately M.P. A-19 on request from passengers to detrain at that point.

Southward THE DENISON & PACIFIC SUBURBAN RAILROAD Northward

SECOND CLASS		Station Numbers	Car Capacity Passing Sidings	Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949		Location, Water, Fuel, Turn-table, Wye, etc.	SECOND CLASS	
167	175			STATIONS			170	176
Red Ball Freight Daily	Red Ball Freight Daily							
L 1 30PM	L 4 30AM	F 7	YARD	N	DENISON	WY	A 4 00AM	A 2 30PM
A 2 00 PM	A 5 00AM	A 151	108		SHERMAN JOT	Y	L 3 30AM	L 2 00 PM
					7.3			
167 Daily	175 Daily						170 Daily	176 Daily
0.30	0.30				Time Over Sub-Division		0.30	0.30

Northward trains are superior to trains of the same class in opposite direction.

Nos. 170 and 175 will handle passengers.

Employees of the Texas and Pacific Railway will be governed by the Rules, Time Table and Special Instructions of the K. O. and G. Ry. while operating within yard limits, Denison.

STANDARD CLOCK:

Denison

WHITESBORO SUB-DIVISION--Southward

Station Numbers Car Capacity Passing Sidings		Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949	FIRST CLASS				SECOND CLASS						
			327	323	325	31	371	175	375	167	381		
			M-K-T Bluebonnet Passenger Daily	M-K-T Limited Passenger Daily	M-K-T Flyer Passenger Daily	Passenger Daily	M-K-T Bullet Freight Daily	Red Ball Freight Daily	M-K-T Klipper Freight Daily	Red Ball Freight Daily	M-K-T Komet Freight Daily		
STATIONS													
A 128	YARD	D.....	BONHAM.....				L 6 35PM			L 11 00PM			
A 134	NS	EOTOR.....				f 6 45			11 20			
A 139	NS	SAVOY.....				f 6 52			11 37			
A 140	86	ANTILERS.....				6 54			11 42			
A 142	NS	N.....	BELLS.....				s 6 59			11 47			
A 151	102	SHERMAN JOT.....				7 12			12 30 AM		L 2 15PM	
A 155	NS	N.....	SHERMAN.....				s 7 30			5 10 170		2 25	
A 160	103	GRACO.....				7 38			5 20		2 40	
A 165	20	SOUTHMAYDE.....				f 7 45			5 32		2 53	
A 166	103	THORNE.....				7 47			5 45		2 57	
A 173	YARD	N.....	WHITESBORO.....	L 7 05AM	L 11 55AM	L 7 50 ³¹² PM	s 8 00		L 6 00AM	6 15	L 12 25 ¹⁷⁶ PM	3 25	L 4 00PM
A 179	87	D.....	COLLINSVILLE.....	7 12	f 12 04 ¹⁷⁶ PM	7 59	f 8 08		6 15	6 30	12 40	3 40	4 13
A 186	87	D.....	TIOGA.....	7 19	f 12 11	8 06	f 8 15		6 26	6 41	12 52	3 52	4 22
A 191	85	N.....	PILOT POINT.....	s 7 26	s 12 19	8 14	s 8 23		6 35	6 50	1 00	4 00	4 30
A 198	72	AUBREY.....	7 33 ³²	f 12 27	8 22	f 8 31		6 47	7 00	1 12	4 12	4 45
A 204	85	MINGO.....	7 40 ¹⁷⁵	12 34	8 29 ³⁷⁴	8 37 ³⁷⁴		6 57	7 22 ³²	1 22	4 23	5 00
A 209	N-86 S-50	N.....	DENTON.....	s 7 50	s 12 45	s 8 40 ³⁷⁶	s 8 50 ³⁷⁶		7 15 ³²	8 00	1 35	4 36	5 15
A 216	86	ARGYLE.....	7 59	12 55	8 50	f 9 00		7 30	8 13	1 48	4 50	5 25
A 220	65	SMOOTS.....	8 04	1 01	8 56	9 05		7 37	8 20	1 55	4 58	5 31
A 225	87	D.....	ROANOKE.....	8 10	f 1 08	9 03	f 9 13		7 44	8 38 ³²⁶	2 03	5 08	5 38
A 230	104	KELLER.....	8 15	f 1 14	9 09	f 9 26 ³²⁸		7 51	8 48	2 11	5 18	5 45
A 235	54	WATAUGA.....	8 23 ³²⁶	1 20	9 20 ³²⁸	9 35		7 58	8 55	2 20	5 28	5 52
A 240	114	N.....	HODGE.....	8 30	1 28	9 30	9 40		8 15 ³²⁶	9 03	2 30	5 40	6 00
A 241	YARD	BELT JCT.....	8 33	1 31	9 33	9 42		8 20	9 06	2 35	5 45	6 03
		FORT WORTH Peach Street	8 38	1 36	9 37	9 46		A 8 30AM	9 11	A 2 45PM	6 00	A 6 13 ³¹² PM
A 244		N.....	FORT WORTH Passenger Station	A 8 45AM	A 1 50PM	A 9 45PM	A 9 50PM		A 9 30 ¹⁷⁶ AM		A 6 30PM		
		116.3		327 Daily	323 Daily	325 Daily	31 Daily		371 Daily	175 Daily	375 Daily	167 Daily	381 Daily
		Time Over Sub-Division		1.40	1.55	1.55	3.15		2.30	10.30	2.20	4.15	2.13

NORTHWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION

Employees of Missouri Kansas & Texas Railroad are subject to the Rules, Time Table and special Instructions of the Texas and Pacific Railway while occupying its tracks.

Two main tracks in service between 17th Street and Peach Street, Fort Worth.

South switch at end of Whitesboro Sub-Division two main tracks 17th Street, Fort Worth located 200 feet north of Interlocking Tower and switch controlled by Towerman.

Hand-throw switches 17th Street, Fort Worth will be handled by member of crew using them and left in normal position as indicated by targets and lights.

Trains or engines moving to or from 17th Street, Fort Worth from any route will approach prepared to stop unless switches are right and track clear.

Two tracks west of wye, in service between Passenger Station tracks and Whitesboro Sub-Division main track south of 17th Street, Fort Worth and Passenger trains and Engines entering and leaving Passenger Station will use the right hand track in direction moving unless otherwise directed by Interlocking signals; switches controlled by the Towerman.

Freight trains and engines moving between 17th Street and Lancaster Yard through the route to Passenger Station will use the outbound track from Passenger Station from the connection with Whitesboro Sub-Division main track south of 17th Street to the connection with Dallas Sub-Division main track just west of South Main Street Subway.

Southward trains or engines enroute to the West Yard and Lancaster Yard will use the crossover from southward to northward main track just south of 17th Street Crossing, thence Outbound track from Passenger Station to the connection with Dallas Sub-Division main track just west of South Main Street Subway.

First Class trains will run at REDUCED SPEED between 17th Street and Peach Street, Fort Worth.

Second Class and Inferior trains and engines may run ahead of overdue first class trains between Fort Worth (Passenger Station) and Fort Worth (Peach Street) without train order authority, but will not occupy the main tracks within these limits when it is known a first class train will be delayed.

WHITESBORO SUB-DIVISION--Northward

7

Location Water, Fuel, Turn-table, Wye, etc.	Miles from Texasiana	Time Table No. 37		FIRST CLASS				SECOND CLASS				
		EFFECTIVE 12:01 A. M.		32	326	312	328	176	374	376	170	372
		JUNE 19, 1949										
STATIONS												
FWT	128.1	D	BONHAM	A 9 30AM							A 4 20AM	
	133.6		ECOTR	f 9 22							3 59	
	139.2		SAVOY	f 9 15							3 46	
	140.4		ANTLEES	9 12							3 43	
	141.6	N	BELLS	s 9 10							3 39	
Y	151.2		SHERMAN JOT	8 55				A 1 45PM			3 15 ¹⁷⁵	
	154.6	N	SHERMAN	s 8 50				1 30			2 55	
	159.6		GRACO	8 29				1 10			2 40	
	165.0		SOUTH MAYDE	f 8 22				12 54			2 25	
	166.3		THEORNE	8 20				12 50			2 22	
FWY	173.1	N	WHITESBORO	s 8 10	A 10 01AM	A 7 50 ³²⁵ PM	A 10 45PM	12 25 ³⁷⁵ PM	A 10 30PM	A 11 00PM	2 05	A 2 30AM
	179.5	D	COLLINSVILLE	f 7 58	f 9 45	7 38	10 33 ³⁷⁶	12 04 ³²⁵ PM	10 00	10 33 ³²⁸	1 45	2 09
	186.1	D	TIOGA	f 7 50	f 9 35	7 29	10 24	11 40	9 40	10 05	1 29	1 45
W	191.5	N	PILOT POINT	s 7 42	s 9 28	f 7 22	f 10 17	11 25	9 25	9 53	1 15	1 34
	198.4		AUBREY	f 7 33 ³²⁷	f 9 19	7 14	10 09	11 10	9 10	9 35	1 00	1 22
W	204.5		MINGO	7 22 ¹⁷⁵	9 11	7 08	10 01	10 55	8 37 ³¹ 8 29 ³²⁵	9 10	12 45	1 10
Y	209.1	N	DENTON	s 7 15 ³⁷¹	s 9 05	s 7 00	s 9 55	10 45	8 14	8 50 ³¹ 8 40 ³²⁵	12 33	1 01
	216.3		ARGYLE	f 7 01	8 50	6 48	9 42	10 23	8 00	8 18	12 15	12 42
	220.4		SMOOTS	6 56	8 45	6 43	9 37	10 16	7 54	8 11	12 05AM	12 34
W	225.4	D	ROANOK	f 6 49	f 8 38 ¹⁷⁵	6 37	9 31	10 08	7 46	8 03	11 54	12 24
	230.3		KELLER	f 6 42	f 8 30	6 31	9 26 ³¹	10 00	7 39	7 55	11 38	12 14
	235.5		WATAUGA	6 35	8 23 ³²⁷	6 25	9 20 ³²⁵	9 52	7 32	7 47	11 25	12 04 AM
	240.0	N	HODGE	6 30	8 15 ³⁷¹	6 20	9 15	9 45	7 25	7 40	11 16	11 55
	241.2		BELT JOT	6 27	8 12	6 17	9 12	9 40	7 21	7 37	11 12	11 51
	243.2		FORT WORTH Peach Street	6 23	8 08	6 13 ³⁸¹	9 08	9 35	L 7 15PM	L 7 30PM	11 05	L 11 45 PM
WY	244.4	N	FORT WORTH Passenger Station	L 6 20AM	L 8 05AM	L 6 10PM	L 9 05PM	L 9 30 ¹⁷⁵ AM			L 11 00PM	
			116.3	32	326	312	328	176	374	376	170	372
				Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
			Time Over Sub-Division	3.10	1.56	1.40	1.40	4.15	3.15	3.30	5.20	2.45

NORTHWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION

Exception to Rule 97: Between Fort Worth and Hodge trains may run extra without train order authority.

Fort Worth (Passenger Station) is train order office for first class trains only. All trains will register at Hodge by register ticket.

M-K-T Nos. 312, 327 and 328 will register at Whitesboro by register ticket.

Hand-throw crossover switches, M.P. 240.6, just south depot Hodge, are electrically locked, release of which controlled by Operator Hodge.

Both switches crossover between two main tracks north 9th Street crossing Ft. Worth electrically locked.

North switch No. 4 track, just north 9th Street crossing Ft. Worth electrically locked, and derrals opposite each other on No. 4 and North Lead tracks, located approximately 160 feet south of switch, are pipe connected and are operated by switch lever.

STANDARD CLOCKS:

Bonham Ft. Worth (Passenger Station)
Whitesboro
Hodge

OTHER PASSENGER TRAIN FLAG STOPS

Train **Stations**
No. 325.....Collinsville, Tioga and Aubrey to discharge passengers from north of Denison and to receive passengers for regular stops of Nos. 5 and 26 south of Ft. Worth.
Pilot Point: to discharge passengers from Whitesboro and beyond and receive passengers for Denton, Ft. Worth and beyond.
Any station: to discharge passengers from north of Denison.

Train **Stations**
No. 326.....Any station to receive revenue passengers for Kansas City or stations St. Louis to South Mound, inclusive.
Any station to load and unload parcel post.

8

Westward

MARSHALL SUB-DIVISION

Eastward

SECOND CLASS	FIRST CLASS				Station Numbers	Car Capacity Passing Stings	Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949	Location Wren, Reid, Furr-shale, Wye, etc.	Miles from New Orleans	FIRST CLASS				SECOND CLASS
55	43	27	21	25						24	42	28	22	54
Red Ball Freight Daily	Passenger Daily	Louisiana Daylight Passenger Daily	Louisiana Eagle Passenger Daily	Passenger Daily						Passenger Daily	Passenger Daily	Louisiana Daylight Passenger Daily	Louisiana Eagle Passenger Daily	Red Ball Freight Daily
		L 3 10PM	L 5 00AM	L 11 50PM	S 327	YARD	SHREVEPORT Passenger Station	326.6	A 5 30AM		A 11 50AM	A 11 16PM		
		3 17	5 06	11 57	S 324	YARD	SHREVEPORT JCT.	324.4	5 10		11 36	11 00		
L 8 30PM		3 21	5 10	f 12 01AM	S 322	YARD	HOLLYWOOD YARD	321.9	f 5 05		11 32	10 56	A 4 00AM	
L 8 32PM	L 5 44PM	L 3 23PM	L 5 13AM	L 12 05AM	S 320	YARD	N... CUT OFF JCT.	320.8	A 5 01AM	A 10 16AM	A 11 30AM	A 10 56PM	A 3 45AM	
8 37	A 5 49PM	3 28	5 17	12 10	B 317		REISOR	318.0	4 56	L 10 12AM	11 26	10 51	3 35	
8 42		3 32	5 21	12 15	B 321	86	LAKE HAYES	321.3	f 4 50		11 22	10 47	3 25	
8 50		3 37	5 26	f 12 20	B 325	83	GREENWOOD	325.5	f 4 43		11 16	10 43	3 15	
9 00		f 3 44	5 31	f 12 27	B 331	113	WASKOM	331.1	f 4 34		f 11 09	10 37	3 05	
9 05		3 49	5 35	f 12 32	B 334	56	JONESVILLE	334.5	f 4 27		11 04	10 33	2 55	
9 20		f 3 59	5 43	f 12 42	B 342	80	SCOTTSVILLE	342.5	f 4 15		f 10 55	10 25	2 45	
A 9 45PM	A 4 15PM	A 5 55AM	A 1 00AM		67	YARD	N... MARSHALL	350.3	L 4 00AM		L 10 45AM	L 10 15PM	L 2 30AM	
55 Daily	43 Daily	27 Daily	21 Daily	25 Daily			36.1		24 Daily	42 Daily	28 Daily	22 Daily	54 Daily	
1.12	.05	.52	.42	.55			Time Over Sub-Division		1.01	.04	.45	.40	1.15	

Eastward trains are superior to trains of the same class in opposite direction; except:

No. 21 is superior to all trains;

No. 25 is superior to No. 24.

Time at Hollywood Yard, Shreveport Jct. and Shreveport (Passenger Station) for information only.

Exception to Rule S-83: Eastward trains departing Reisor on Marshall Sub-Division may leave Reisor without ascertaining whether all trains due, which are superior or of the same class, have arrived or left.

No. 41 arriving Reisor on Louisiana Division may assume schedule of No. 42 and leave Reisor without clearance card, and an Eastward Extra train originating at Reisor may leave Reisor without clearance card.

Exception to Rule 97: Between Reisor and Cut Off Jct. trains may run extra without train order authority.

All trains will register at Cut Off Jct. by register ticket, except those originating and terminating at that point.

L&A main track switches breaking out of T&P main track, Mile Post B-330.6 electrically locked. Operating instructions inside of electric lock case.

Employees of the Texas and Pacific Railway performing service on L&A track in Lorraine yard limits, east of Waskom, will be governed by the Rules, Time Table and Special Instructions of the L&A. Ry. while occupying its tracks, protecting movement as required by rules.

Standard Clocks: Marshall, Cut Off Jct. Hollywood Yard.

SECOND CLASS		Station Numbers	Car Capacity Passing Staging	Time Table No. 37 EFFECTIVE 12:01 A. M. JUNE 19, 1949		Miles From T. S. & N. Jct.	Location Water, Fuel, Turn-table, Wye, etc.	SECOND CLASS	
	49				STATIONS				48
	Mixed Monday Wednesday Friday							Mixed Tuesday Thursday Saturday	
	L 8 00AM	0	YARD	N.....	TEXARKANA.....	71.8	FWTY	A 1 30PM	
	f 8 30	T 62	11	BOYD.....	61.9	f 1 00	
	f 9 00	T 55	34	D.....	FOUKE.....	55.4	f12 35PM	
	f 9 40	T 43	38	D.....	DODDRIDGE.....	42.8	f11 55	
	f10 00	T 37	28	IDA.....	36.8	f11 35	
	f10 20	T 32	NS	MIRA.....	32.3	W	f11 15	
	f10 45	T 28	28	D.....	HOSSTON.....	28.0	f10 50	
	f11 05	T 23	40	D.....	GILLIAM.....	23.3	f10 25	
	f11 30	T 18	20	D.....	BELCHEE.....	18.1	f10 00	
	f11 50	T 14	15	D.....	DIXIE.....	14.0	f 9 40	
	f12 15PM	T 7	12	CASH POINT.....	7.3	f 9 15	
	A 1 00PM	YARD	T. S. & N. JOT.....	Y	L 8 30AM	
	1 15	S 324	YARD	SHREVEPORT JOT.....	8 15	
	A 1 30PM	S 322	YARD	HOLLYWOOD YARD.....	FWT	L 8 00AM	
	49				76.4			48	
	Monday Wednesday Friday							Tuesday Thursday Saturday	
	5.30				Time Over Sub-Division			5.30	

Between St. L.-S. W. Ry. crossing, Bonham Sub-Division connection with K. C. S. Ry. near Compress, and Texarkana Passenger Station, ALL TRAINS AND ENGINES will move at reduced speed and will not exceed a maximum speed of ten (10) miles per hour.

All trains and engines must approach St. L.-S. W. Ry. and Bonham Sub-Division connections, Texarkana, prepared to stop unless switches and signals are right and the track is clear.

Employees of the St. L.-S. W. Ry. and K. C. S. Ry. are subject to the Rules, Time Table and Special Instructions of the Texas and Pacific Railway while occupying its tracks.

Time shown at Shreveport Junction and Hollywood Yard for information only.

Nos. 48 and 49 will register at Hollywood Yard.

STANDARD CLOCKS:
Texarkana
Hollywood Yard

Northward trains are superior to trains of the same class in opposite direction.

HOSPITAL

DR. CARL McCURDY, Chief Surgeon

Marshall, Texas

LOCAL SURGEONS

NAME	LOCATION	NAME	LOCATION
Dr. A. A. Herold	Shreveport	Dr. O. W. Gibbons	Dallas
Dr. A. A. Herold, Jr. (Assoc.)	"	Dr. R. A. Trumbull	Dallas
Dr. J. E. Heard (Assoc.)	"	Dr. S. M. Hill	Dallas
Dr. N. Judson Bender (Assoc.)	"	Dr. H. V. Copeland	Grand Prairie
Dr. Paul D. Abramson (Assoc.)	"	Dr. F. L. Harvey	Arlington
Dr. I. R. Fowler	Waskom	Dr. W. C. Foster	Handley
Dr. H. H. Murry	Texarkana	Dr. Alden Coffey	Fort Worth
Dr. L. J. Kosminsky	Texarkana	Dr. J. F. McVeigh	Fort Worth
Dr. Charles A. Smith	Texarkana	Dr. A. D. Ladd	Fort Worth
Dr. J. D. Nichols	Atlanta	Dr. W. D. Marrs	Fort Worth
Dr. E. W. Grumbles	Atlanta	Dr. R. C. Stow	Fort Worth
Dr. Wm. S. Terry	Jefferson	Dr. H. B. Snyder	Fort Worth
Dr. J. T. McRee	Longview	Dr. J. W. Shoemaker	(Associate) North Fort Worth
Dr. L. N. Markham	Longview	Dr. E. B. McGee	New Boston
Dr. J. C. McKean	Gladewater	Dr. C. S. Crew	DeKalb
Dr. Carl Nichols (Assoc.)	Gladewater	Dr. R. W. Payne	Clarksville
Dr. E. R. Moser (Assoc.)	Gladewater	Dr. B. J. Farnell	Detroit
Dr. J. C. McKean	Hawkins	Dr. M. A. Walker	Paris
Dr. Carl Nichols (Associate)	Hawkins	Dr. J. J. Cappleman	Honey Grove
Dr. A. P. Buchanan	Mineola	Dr. J. M. Donaldson	Bonham
Dr. E. P. Tottenham (Assoc.)	Mineola	Dr. Jack Saunders	Bonham
Dr. V. B. Cozby	Grand Saline	Dr. E. I. Stoutt	Sherman
Dr. R. W. Cozby	(Associate) Grand Saline	Dr. D. C. Enloe (Assoc.)	Sherman
Dr. E. B. Brandon	Edgewood	Dr. Paul Pierce	Denison
Dr. H. T. Fry	Wills Point	Dr. G. W. Greer	Whitasboro
Dr. W. F. Alexander	Terrell	Dr. J. D. Harvey	Tioga
Dr. G. H. Alexander	(Associate) Terrell	Dr. W. C. Kimbrough	Denton
Dr. D. H. Hudgins	Forney	Dr. A. H. Bugg	Belcher
Dr. P. C. Shands	Mesquite	Dr. T. B. Tooke	Belcher
Dr. A. R. Thomasson	Dallas	Dr. S. S. Williams	Ida

OCULISTS

Dr. J. A. Wilkinson	Shreveport
Dr. A. W. Roberts	Texarkana
Dr. V. R. Hurst	Longview
Dr. O. M. Marchman, Jr. (Assoc.)	Longview
Dr. S. F. Harrington	Dallas
Dr. W. M. Knowles	Dallas
Dr. J. W. Eschenbrenner	Fort Worth
Dr. I. C. Bates (Associate)	Sherman
Dr. Henry R. Scates	Bonham
Dr. Thomas E. Hunt	Paris

TIME SERVICE

NATIONAL RAILWAY TIME SERVICE COMPANY

Chicago, Ill.

LOCAL WATCH INSPECTORS

NAME	HEADQUARTERS	TERRITORY
G. W. Haltom	Ft. Worth	Ft. Worth to Relsor and to Texarkana.
G. W. Haltom	Ft. Worth	Ft. Worth to Sherman.
J. B. Rockwell	Denison	Sherman to Texarkana.
Parks Credit Jewelers	Texarkana	Local.
J. F. Lenta	Marshall	Marshall.
McCarley's Jewelry Store	Longview	Longview.
A. C. Flynt	Mineola	Mineola.
Dallas Watch Co.	Dallas	Local.
Johnny Clingingsmith	Dallas	Local.
Ed Garrison	Denton	Denton.
Starnes Jewelry Co.	Bonham	Bonham.
Bryan's Jewelry	Shreveport	Texarkana Sub-Division.
Youngblood Jewelry Co.	Shreveport	Local.

EASTERN DIVISION

Special Instructions

ALL SUB-DIVISIONS

Road Foreman of Engines has the authority of Trainmaster.

Where flag stops are shown train will stop for revenue passengers only.

Air brakes must be coupled and working on pile drivers, derricks, or other such machines and locomotives while being handled in trains, or by yard engines, and must not be switched with when it can be avoided.

When necessary to handle such machines or locomotives while switching, kick or drop must not be made, and they must otherwise be handled carefully to avoid damage.

Train and yardmen must not switch with locomotives without first ascertaining that air brakes are released, reverse lever in proper position and cylinder cocks open.

Outfit and wooden underframe cars, loaded or empty, must be handled in rear of all trains.

Water and fuel oil cranes equipped with switch locks must be kept locked when not in use.

Freight Trains and yard engines with freight cars will not use passenger track Marshall and No. 1 Passenger track Longview.

AUTOMATIC BLOCK

1. Automatic Block Signal Rules effective:

Marshall Sub-Division,
Dallas Sub-Division.

Whitesboro Sub-Division between Whitesboro and Ft. Worth Interlocking.

2. Certain color light Block Signals, with or without Number Plates, in addition to displaying aspects, provided by Rules, may display the following aspects and indications:

ASPECTS

Yellow over Yellow.

Red over Lunar White, or
Red over Red over Lunar White.

INDICATION

Proceed preparing to stop at
second signal.

Proceed at Restricted Speed
without stopping expecting to
find route occupied and pre-
pared to stop short of obstruc-
tion.

3. Certain color light Block Signals, equipped with Number Plates, which govern the approach to a Block Signal located at a diverging route power-operated switch may display the following aspect and indication:

ASPECT.

Red over Yellow.

INDICATION

Proceed preparing to enter di-
verging route at next signal.

4. A train or engine entering the main track, or passing from two main tracks to single track at a spring switch not protected by block signals or block indicator signals must, when necessary, protect the movement.

SPECIAL INSTRUCTIONS GOVERNING POWER-OPERATED

SWITCHES

Dallas Sub-Division

Spring switch at west end National; power-operated switch at east end National; switch and signals east end National controlled by towerman Texarkana; signals at west end National controlled by Operator Marshall.

Power-operated switches at each end passing sidings Sulphur to Lansing, inclusive, and Greggton to Wilkins inclusive and signals in connection therewith controlled by Operator Marshall.

All power-operated switches Longview and the signals in connection therewith controlled by Operator Longview.

Power-operated switch at west end siding Big Sandy and the signals in connection therewith controlled by Operator Big Sandy.

Power-operated switch west end siding Scottsdale and signals in connection therewith controlled by Towerman, T&P Jct.

Power-operated switch east and siding T&P Jct., and signals in connection therewith are a part of and are included in the Interlocking T&P Jct.

Power-operated switches between Browder and Dallas Union Terminal and the signals in connection therewith are controlled by Signalman at North Tower, Dallas Union Terminal, and form a part of the Dallas Union Terminal Interlocking.

Power-Operated switches at east end siding Fort Worth and at each end of sidings, Arlington Grand Prairie and Browder and east end drill track Browder and the signals in connection therewith controlled by Train Dispatcher Fort Worth.

SPECIAL INSTRUCTIONS GOVERNING POWER-OPERATED

SWITCHES—Continued

Whitesboro Sub-Division

Power-operated switch and deraill south end Drill Track Belt Jet, and at south end siding Hodge; Switches, deraill and signals in connection therewith controlled by operator, Hodge.

Power-operated switch at Junction of the T&P and MK&T main tracks at Whitesboro and signals in connection therewith controlled by operator Whitesboro.

1. Should a train or engine approach a power-operated switch and find it not lined for the movement to be made, a member of crew must communicate with train dispatcher or operator.

2. If permission is given to proceed, all power-operated switches located in the block governed by that signal must be examined and points known to fit properly before proceeding over such switches.

3. When a signal governing a movement over a power-operated switch indicates "STOP," except as authorized by Authority Card, Form 157 and Rule 663, movements must not be made over switch until switch is placed in hand throw position and engineman notified.

SPRING SWITCHES

Station	Mile Post	Track	Facing Point Direction	Normal Position
---------	-----------	-------	------------------------	-----------------

Texarkana Sub-Division

TS&N Jct.	326.5	West Wye	Eastward	For movement to Texarkana Sub-Division Main track.
-----------	-------	----------	----------	--

TS&N Jct.	T-0.5	North Wye	Southward	Must be lined as necessary for facing point movements. May be left as used and tralled through from either leg of wye.
-----------	-------	-----------	-----------	--

Marshall Sub-Division

Reisor	313.0	Junction switch	Westward	Main track
Scottsville	341.9	East End Siding	Westward	Main Track
Scottsville	342.7	West End Siding	Eastward	Main Track

Dallas Sub-Division

National	1.8	West End Siding	Eastward	Main track
Marshall	66.2	East End Crossover	Westward	Main track
Hoard	130.6	West End Siding	Eastward	Main track
Mineola Yard	137.5	Cross-over East End Yard	Westward	Main track

Mineola Yard	138.9	West End Pull-out	Eastward	Main track
Silver Lake	141.7	East End Siding	Westward	Main track
Grand Saline	143.9	East End Siding	Westward	Main track
Grand Saline	149.3	West End Siding	Eastward	Main track
Edgewood	159.6	West End Siding	Eastward	Main track
Wills Point	166.7	East End Siding	Westward	Main track
Wills Point	167.3	West End Siding	Eastward	Main track
Elmo	175.7	East End Siding	Westward	Main track
Elmo	176.7	West End Siding	Eastward	Main track
Terrell	181.3	East End Siding	Westward	Main track
Forney	193.3	East End Siding	Westward	Main track
Marth	199.3	West End Siding	Eastward	Main track
Scottsdale	206.5	East End Siding	Westward	Main track

Whitesboro Sub-Division

Fort Worth	A-243.2	End of two main tracks, Peach Street	Southward	Southward Main track
Hodge	239.3	North End Siding	Southward	Main track
Denton	209.5	South end Sou. Siding	Northward	Main track

Maximum speed trains or engines moving in the trailing point direction through a spring switch 30 Miles Per Hour unless otherwise restricted.

STREET AND HIGHWAY CROSSING SIGNALS

Flashing-light and wig-wag signals located at street and highway crossings protect main track movements only. Before permitting train, engine or cars to pass over such crossings on auxiliary tracks, movements must be protected by flagman. Reverse movements, or forward movements after making reverse movements must be protected by flagman on both main and auxiliary tracks.

Special Instructions

ALL SUB-DIVISIONS

TRANSPORTATION RULES

Rule 2. Amended to read: Watches that have been examined and certified to by a designated Inspector must be used by:

Road Foremen of Engines	Trainmasters	Brakemen
Signal Supervisors	Chief Dispatchers	Train Baggage-men
Asst. Signal Supervisors	Train Dispatchers	Yard Foremen
Signal Maintainers	Yardmasters	Switchmen
Telephone Maintainers	Asst. Yardmasters	Agent-Operators
Roundhouse Foremen	Conductors	Operators
Extra Gang Foremen	Enginemen	Towermen
B&B Gang Foremen	Firemen	Roadmasters
Motor Car Operators	Hostlers	Section Foremen
		Linemen

The certificate in prescribed form must be renewed and filed with the Superintendent during the month of July each year.

Rule 2 (a). Amended to read: Watches of train dispatchers and employes in train, engine and yard service, with that portion of the certificate retained by them, must be presented to a designated inspector for comparison and registration each calendar month of the year with not more than forty days between comparisons. All employes required to use certified watches must have this portion of the certificate in their possession while on duty and present it for examination when called for by an officer. When watches of employes subject to time service rules are found at any time to be thirty seconds or more from standard time, they must be set to correct time.

Rule 73. Exception to: Within automatic block system limits, extra trains may run ahead of second class trains without train order authority until overtaken and will then, unless otherwise provided, arrange for the second class train to pass promptly.

When so instructed by proper authority an extra train will clear the time of a following second class train as required by Rule 87 (b).

Rule 87. Clearance of Trains within Automatic Block System Limits. Exception to: At meeting points, second class and inferior trains must clear the main track not less than five minutes before the leaving time of a first class train. At meeting points between other trains, the inferior train must clear the main track before the leaving time of the superior train.

Rule 92. Exception to: Within automatic block system limits a train may arrive at a station in advance of its schedule arriving time.

Rule 99. Exception to: When within the limits of Automatic Block System and a following passenger train is due, the flagman may return to his train when recalled if there is no train seen or heard approaching, but must leave at the point from which he returns two torpedoes on the rail on the engineman's side not less than two rail lengths apart; between sunset and sunrise and/or when conditions require additional safety for his train, he will leave a burning red fuse in addition. If when recalled, a train is seen or heard approaching the flagman must remain displaying stop signals until the approaching train arrives.

Rule 104. Supplement to: All crossover switches must be left lined against a crossover movement when not in use, except as follows:

- (a). When a crossover enters the main track and the main track switch of the crossover is a spring switch or power-operated switch, the other switch of the crossover will be left lined and locked for the crossover.
- (b). When the crossover is one end of a siding designated for meeting or passing of trains, the inside switch of the crossover will be left lined for movement to or from the siding to the main track.

Rule 104 (e). Supplement to: A running switch must not be made with cars containing inflammables, explosives or other dangerous articles.

Passenger cars and occupied outfit cars must not be "kicked" or "dropped" against other cars. Other cars must not be "kicked" or "dropped" into a track on which occupied passenger or outfit cars are standing.

Rule 104 (g). Amended to read: Rail sand must not be used or water allowed to run from any locomotive between signals governing movement over spring or power-operated switches.

Rule 287. Exception to: When a color light Block Signal displays:

Red light with letter "S", or
Red light over a Red light with letter "S",
Indication is: "Stop and throw switch." After switch has been thrown be governed by indication displayed by the signal.

Rule 509 (b). Amended to read: A train or engine may pass at Restricted Speed not exceeding ten miles per hour, without stopping, a Block Signal indicating "Stop, then Proceed at Restricted Speed", when designated as a "Grade" signal, expecting to find a train in the block, broken rail, obstruction or switch not properly set. (See Rule 286-A).

Rule 520. Amended to read: When a signal governing a movement in the facing point direction of a spring switch indicates "Stop" or "Stop, then Proceed at Restricted Speed", switch must be tested by hand and switch points examined and known to fit properly before proceeding.

Rule 814. Supplement to: Conductors will require a brakeman to remain on the rear of train at all times except:

- (a). When required to protect train under Rules of the Transportation Department.
- (b). When a competent employe qualified to protect train under Rules of Transportation Department takes his place.
- (c). When train is clear of main track.
- (d). When train is within yard limits unless circumstances require protection under Rules of Transportation Department.

In Louisiana. To meet requirements of Flagging Rules, a brakeman shall remain on the rear of all passenger trains at all times, except in yard limits, and in yard limits when circumstances require the protection of the train under the conditions as set forth in the Texas and Pacific Operating Rules.

Train Order, Form "S-E". Supplement to: The following form is authorized:

"No 2 Eng 900 wait at C until eight thirty 8 30 am
for Extra 600 West
No 2 take siding C for Extra 600 West"

Special Rules covering its use:

When a train is directed by train order Form S-E, (wait order) to take siding for another train, such instructions unless annulled by a subsequent train order, are in effect after the time stated in the order has expired and the superior train must approach the designated point at REDUCED SPEED prepared to stop expecting to find the inferior train on the main track between the siding switches without flag protection and must take the siding if the inferior train is at the designated point.

If the superior train arrives at the designated point after the time stated in the order has expired, and the expected train has not arrived, and the main track can be seen to be clear to the other end of the siding, the superior train may proceed without entering and using the siding.

This form of train order will not be combined with other forms of train orders.

Special Instructions

ALL SUB-DIVISIONS

SPECIAL INSTRUCTIONS GOVERNING THE MOVEMENT OF TRAINS AND ENGINES BY BLOCK SIGNALS

1. In the following designated territory trains and engines will be governed by block signals whose indications will supersede the superiority of trains as provided for in Rules 261 to 269 inclusive:

Between Cut Off Jct. Interlocking and junction switch, Reisor.

Between Texarkana and West End Siding Big Sandy.

Between East and West end siding Terrell.

Between T&P Jct. and east end siding Scottdale.

Between U. T. Jct. and East Interlocking limits Fort Worth Mile Post 245.6.

Between North switch siding Hodge and end two main tracks Peach Street, Fort Worth.

2. When permission to proceed is given as provided in Rule 265, all power-operated switches located in the block governed by that signal must be examined and points known to fit properly before proceeding over such switches.

3. When permission is given to a conductor or engine foreman by telephone under Rule 267, the conductor or engine foreman must repeat to the train dispatcher or operator the track or tracks to be used, working limit on such track or tracks and the time limit and receive the response "OK" and the time before such permission is acted on.

4. Exception to Rules 266, 266 (a) and 266 (b):

(a). Yard engines may use the main track between Texarkana and the west end siding National; between U. T. Jct. and the west end siding Browder, and yard engines and engines in charge of Hostlers may use the main track between west end Water Track and west end Longview, M. P. 90.1, without securing permission from the Train Dispatcher, but must clear first-class trains sufficiently in advance to avoid delay by block or interlocking signals, and must give way to other trains as promptly as possible.

(b). Yard engines leaving the main track at M&ET yard and Darco Plant, Marshall must report themselves clear of main track and secure permission before again occupying main track.

(c). The two main tracks may be used between East Interlocking limits Fort Worth Mile Post 245.6 and crossovers just east of the interlocking limits, without securing permission from the Train Dispatcher, but delay to passenger trains by block and interlocking signal indications must be avoided. Yard engines must give way to road freight trains as promptly as possible.

(d). These exceptions to rule do not modify observance of Rules 104, 511 and 513.

5. Exception to Rule 97: Extra trains may be run without train orders between Texarkana and Big Sandy and between U. T. Jct. and Fort Worth (Passenger station); clearance card at initial station as prescribed by Rule 83 (a) will authorize the movement and identify the train as an extra. An extra train originating at a station not an open train order office may leave without a clearance card.

A westward train authorized to run extra from a Marshall Sub-Division station to a Dallas Sub-Division station west of Marshall may leave Marshall without a clearance card when westward train order signal Marshall indicates proceed.

6. Annunciator system, of the miniature semaphore type, governing trains leaving Texarkana located on train shed post immediately west of stairway tracks 4, 5, and 6 for Passenger Trains and on post at extreme west end Passenger Track 6 for freight trains. Conductor will push button located on miniature signal case which will indicate to Towerman Texarkana that train is ready to depart; and the train must wait until miniature semaphore signal clears. If miniature signal does not clear promptly, notify Towerman Texarkana and be governed by his instructions.

7. When a train announces ready to leave Texarkana, the Towerman will notify Train Dispatcher and be governed by his instructions.

8. The signalman at North Tower, Dallas Union Terminal, will report to the train dispatcher Fort Worth the departure of westward trains, also the westward movement of yard engines when such movements are to Browder or beyond.

9. When necessary to use train order in connection with movements between U. T. Jct. and Fort Worth the following station names will refer to crossovers located as follows:

<u>Station</u>	<u>Location</u>
Handley	M.P. 239.1
Cloudy	M.P. 222.0
Eagle Ford	M.P. 220.0
Harrys	M.P. 217.5
Harrys	M.P. 217.3

10. Yard Engines moving between Fort Worth and Belt Jct. or Hodge will not leave Peach Street, Belt Jct. or Hodge until operator has been notified by foreman of the move to be made and proper signal indication displayed.

11. Yard engines doing work at Belt Jct., Hodge or at Compress track north of Peach Street Fort Worth must not occupy main track until permission is obtained from operator and proper signal indication displayed. Telephones for communicating with operator Hodge are located at Second Street Fort Worth, south end of Drill track Belt Jct. and at north and south crossover at Hodge.

Special Instructions

ALL SUB-DIVISIONS

MAXIMUM SPEEDS Marshall Sub-Division

Between Cut Off Jct.—Marshall	Miles per hour	
	Passenger	Freight
.....	70	60
Except:		
D-5 and D-9 Engines	30	30
D-10 Engines	50	50
G-1-B and G-1-C Engines	35	35
H-2, I-1 and I-2 Engines	60	

Dallas Sub-Division

Texarkana-Fort Worth	70	60
Except:		
Over Shreveport Sub-Division junction switch and on main track around curve Marshall passenger station	15	15
Around curve on siding Marshall passenger station	30	30
Diesel Passenger Engines (See Note)	75	
D-5 and D-9 Engines	30	30
D-10 Engines	50	50
G-1-B and G-1-C Engines	35	35
H-2, I-1 and I-2 Engines	60	
Mo. Pac Engines 1101 to 1125, inclusive	45	45
Po. Pac. 1200 class engines	45	45
Mo. Pac. 1400 and 1500 engines	40	40

Note: Passenger trains handling box cars converted for passenger service, either system or foreign lines, equipped with freight trucks and steel wheels must not exceed a maximum speed of 70 Miles per Hour.

Bonham Sub-Division

Texarkana—M. P. A-83	55	40
Except:		
D-5 and D-9 Engines	30	30
D-10 Engines	50	
G-1-B and G-1-C Engines	35	35
M. P. A-83-Bonham	50	30
Except:		
D-5 and D-9 Engines	30	
G-1-B and G-1-C Engines	35	

Whitesboro Sub-Division

Bonham—M. P. A-173	50	25
Except:		
D-5 and D-9 Engines	30	
G-1-B and G-1-C Engines	35	
Mile Post A-173—Ft. Worth	65	55
Except:		
D-5 and D-9 Engines	30	30
D-10 Engines	50	50
G-1-B and G-1-C Engines	35	35
H-2, I-1 and I-2 Engines	60	
MKT freight Diesel Engines		55
MKT 700, 800 and 900 Engines	35	35
Other MKT Engines		35

Texarkana Sub-Division

T. S. & N. Jct.—Texarkana	35	25
---------------------------	----	----

D. & P. S. R. R.

Sherman Jct.—Denison	40	40
Except:		
Around and through turnouts		
Sherman Jct. wye	15	15

RAILROAD GRADE CROSSINGS

Dallas Sub-Division

Location	Intersection Railroad	Miles per hour	
		Passenger	Freight
Texarkana Yard	St. L.-S. W. Ry. (Interlocked)		
M.P. 2.4	K. C. S. Ry.—I. C. C. Co. (Automatic Interlocked)	30	30
M.P. 51.2	L. & A. Ry. (Interlocked) (All signals controlled by Operator, Marshall)		
Big Sandy	St. L.-S. W. Ry. (Interlocked)		
M.P. 136.9	M. K. T. R. R. (Interlocked)		
Terrell	T. & N. O. R. R. (Interlocked)	35	35
M.P. 209.9	T. & N. O. R. R. (Interlocked)		
M.P. 212.1	G. C. & S. F. Ry. (Automatic Interlocked)	20	20
West Dallas	{ M. K. T. R. R. } { St. L.-S. W. Ry. } (Interlocked)		
Fort Worth	{ C. R. I. & G. Ry. } { M. K. & T. R. R. } (Interlocked)		
Yard	{ G. C. & S. F. Ry. } { T. & N. O. R. R. } (Interlocked)	10	10

Marshall Sub-Division

M.P. B-323.3	L. & A. Ry. (Automatic Interlocked)		
--------------	-------------------------------------	--	--

RAILROAD GRADE CROSSINGS—Continued

Location	Intersection Railroad	Miles per hour	
		Passenger	Freight
Bonham Sub-Division			
Texarkana	St. L.-S. W. Ry. South End Yd. (Interlocked)		
Texarkana	St. L.-S. W. Ry. (Gate)		
Texarkana	K. C. S. Ry. (Interlocked)		
M.P. A-91.7	{ G. C. & S. F. Ry. } { T. & N. O. Ry. } (Automatic Interlocked)	30	30
Whitesboro Sub-Division			
Bells	M. K. T. R. R. (Interlocked)		
Sherman	T. & N. O. R. R. (Interlocked)		
Sherman	M. K. T. R. R. (Not Protected)		
M.P. A-238.1	St. L.-S. W. Ry. (Automatic Interlocked)	30	30
Fort Worth	{ M. K. T. R. R. } { G. C. & S. F. Ry. } (Interlocked)	10	10
Yard	{ T. & N. O. R. R. }		

LOCATIONS DESIGNATED BY MILE POST NUMBERS AND PROTECTED BY PERMANENT SLOW SIGNALS

The maximum speed on track protected by permanent slow signals will be shown on face thereof; where two sets of figures are shown, the higher figures indicate speed of passenger trains and the lower figures the speed of all other trains.

Where a higher speed than the maximum speed defined by time-table or other special instructions for a train is shown on a permanent slow signal, the maximum speed prescribed by time-table or other special instructions will govern.

Note: The designation "Mile Post—Poles" refer to Mile Post location and number of poles beyond in the direction of next higher Mile Post.

Miles per Hour	Psg. Trains	Other Trains	Restriction Begins		Restriction Ends	
			Mile Post	Poles	Mile Post	Poles
Dallas Sub-Division						
50	50		30	28	31	13
45	45		36	15	38	0
50	50		42	30	43	9
30	30		50	8	51	17
65			59	0	59	9
60			112	32	113	0
55	55		193	8	193	23
50	50		194	23	196	13
65			198	36	199	4
45	45		244	3	244	19
Bonham Sub-Division						
40	30		88	11	88	19
30	30		90	16	90	18
Whitesboro Sub-Division						
30	30		173	8	173	24
50	50		186	8	186	17
50	50		188	22	189	2
45	35		203	10	203	20
20	20		207	33	210	4
55			221	8	222	3
55			228	20	228	30
D. & P. S. R.R.						
15	15		1	11	1	15

STEAM WRECKING DERRICKS WITH BOOM IN TRAILING POSITION

Cut Off Jct. to Marshall	Miles per hour	
	Straight Track	Curves
Texarkana to Ft. Worth, Dallas Sub-division	40	30
Texarkana to M.P. A-83, Bonham Sub-division	40	30
Mile Post A-83, to Whitesboro, Bonham-Whitesboro Sub-Division	25	25
Whitesboro to Ft. Worth, Whitesboro Sub-Division	40	30
Other sub-divisions and branch lines	15	12

EASTERN DIVISION

Special Instructions

ALL SUB-DIVISIONS

No. 16 TURN OUTS**Maximum Speed 30 Miles Per Hour**

Station	Mile Post	Number of Turn-Outs	Description
Dallas Sub-Division			
National	0.7	1	East End Siding
National	1.8	1	West End Siding
Sulphur	7.4	1	East End Siding
Sulphur	8.8	1	West End Siding
Springdale	14.3	1	East End Siding
Springdale	15.3	1	West End Siding
Queen City	20.3	1	East End Siding
Queen City	21.3	1	West End Siding
Atlanta	22.1	1	East End Siding
Atlanta	23.1	1	West End Siding
Bivins	30.4	1	East End Siding
Bivins	31.4	1	West End Siding
Kildare	36.9	1	East End Siding
Kildare	38.0	1	West End Siding
Payne	43.2	1	East End Siding
Payne	44.3	1	West End Siding
Jefferson	50.1	1	East End Siding
Jefferson	51.2	1	West End Siding
Woodlawn	57.9	1	East End Siding
Woodlawn	58.9	1	West End Siding
Marshall	65.6	1	East End Siding
Marshall	66.9	1	West End Siding
Quincy	70.0	1	East End Siding
Quincy	71.0	1	West End Siding
Keokuk	75.1	1	East End Siding
Keokuk	76.1	1	West End Siding
Hallsville	80.1	1	East End Siding
Hallsville	82.6	1	West End Siding
Lansing	82.6	1	East End Siding
Lansing	83.6	1	West End Siding
Longview	88.4	1	East End Water Track
Greggton	93.2	1	East End Siding
Greggton	94.6	1	West End Siding
Gladewater	101.7	1	East End Siding
Wilkins	106.3	1	West End Siding
Wilkins	107.3	1	East End Siding
Big Sandy	114.0	1	West End Siding
Scottdale	206.5	1	East End Siding
Scottdale	207.5	1	West End Siding
T. & P. Jct.	209.2	1	East End Siding
T. & P. Jct.	209.9	1	Belt Line Connections
Browder	215.6	2	East End Siding
Browder	216.8	4	West End Siding
Grand Prairie	224.6	2	East End Siding
Grand Prairie	225.5	2	West End Siding
Arlington	233.1	2	East End Siding
Arlington	234.1	2	West End Siding
Ft. Worth	244.2	1	East End Siding Westward Main

Marshall Sub-Division

Cut Off Jct. B-320.8 1 West Entrance to Interlocker
Hollywood yard

15 miles per hour must not be exceeded entering or leaving other turn-outs.

Trains of mixed freight and passenger equipment will not exceed maximum freight train speed; cabooses are considered freight equipment. Trains of deadhead passenger equipment will not exceed maximum freight train speed unless authorized.

Trains handling scale test cars will not exceed a maximum speed of 45 miles per hour. Conductor keep engineer advised when scale test cars in train.

Trains handling cars equipped with arch bar trucks or wooden underframes (except cabooses) will not exceed maximum speed of 45 miles per hour, but all speed restrictions of less than 45 miles per hour must be complied with.

Trains handling Steam Wrecking Derricks with boom in forward position, self-propelled pile drivers, liggerwoods, Brown Hoists and other machinery of similar description, also steam pile drivers moving under their own power, must not exceed a maximum speed of 30 miles per hour on straight track and 18 miles per hour on curves.

Light engines in road movement, either freight or passenger, and engines handling cabooses or rider cars only, not otherwise restricted by time-table or special instructions, will not exceed a maximum speed of 40 miles per hour.

Yard and/or road engines showing cars ahead of engine must not exceed a maximum speed of 20 miles per hour, except on Texarkana Sub-division and D.&P.S. R.R. 15 miles per hour.

Maximum speed of yard engines, running forward or backwards, and/or road engines running backwards, where not otherwise restricted, as follows:

	Miles per hour	
	Main track.	All other tracks.
Steam yard engines, with or without cars.....	20	20
Diesel yard engines, with or without cars.....	40	20
Steam road engines, with or without cars.....	20	20
Except:		
Texarkana Sub-division and D.&P.S. R.R.....	15	15

CITY SPEED ORDINANCES**Dallas Sub-Division**

Station	Miles per hour	Station	Miles per hour
Atlanta	35	Terrell	40
Longview to Court St.	40	Dallas	12
Gladewater	40	Arlington	40
Mineola	40	Grand Prairie	20
Grand Saline	40	Ft. Worth	40
Wills Point	35		

Whitesboro-Bonham-Texarkana Sub-Divisions

Clarksville	30	Pilot Point	20
Honey Grove	25	Denton	20
Bonham	25	Ft. Worth	40
Sherman	20		

Do not exceed speed of 10 miles per hour over Church Street Crossing, Paris. Passenger trains moving over Church Street Crossing, Paris, between hours 7:00 a.m. and 8:45 p.m. will come to a stop and protect movement over this crossing when not protected by flagman.

INTERLOCKING WHISTLE SIGNAL CODE**Cut Off Jct.**

Route to inbound main track and to Marshall	0000
Route to main track towards Natchitoches	00 --
Route to Yard	0 --

Texarkana

Dallas Sub-Division, Main Track	00 --
Bonham Sub-Division	{ East.....0 -- 00 West.....0 -- 00
Texarkana Sub-Division	{ North.....0 -- -- South.....0 -- --

Big Sandy

Main Track	00 --
Passing Siding	0 -- 0
Transfer Track	0 -- 0

Terrell

Main Track	00 --
Passing Siding	0 -- 0

T. & P. Junction

T. & P. Main track, either direction, eastward or westward	00 --
Wye track entering or leaving T. & P.	
Yard west of T. & N. O. crossing	0 -- 0
Crossover from old T. & P. main track to Passing siding in either direction	00 -- 0
Storage Track	0 -- 0
T. & P. Track B-1	0 -- 0
T. & P. Track B-2	0 -- 0
T. & P. Track B-3	0 -- 0
T. & P. Track B-4	0 -- 0

Bells

M. K. T. Crossing	00 --
-------------------	-------

Sherman

T. & N. O. crossing from main track	00 --
T. & N. O. crossing for passing siding	0 -- 0

YARD LIMITS**Dallas Sub-Division**

Texarkana } One Yard	Mineola	Mineola Yard } One Yard	T.&P. Jct.
National } One Yard			Dallas
Marshall } One Yard			U. T. Jct.
Longview } One Yard	Grand Saline		Browder
Greggton } One Yard			Eagle Ford
Camps } One Yard	Terrell		
	Fort Worth	Lancaster Yard } One Yard	

Whitesboro-Bonham-Texarkana Sub-Divisions

Texarkana } One Yard	Whitesboro
Argo } One Yard	Denton
Paris	Hodge
Bonham	Belt Jct.
Denison	Fort Worth
Sherman Jct. } One Yard	Lancaster Yard } One Yard
Sherman	

Special Instructions

DALLAS SUB-DIVISION

Time of first class westward trains Marshall applies at Marshall Sub-Division junction switch.

Time at Dallas shown for information only.

Time at Grand Prairie and Arlington applies at Station.

Time arrival and departure Nos. 501 and 502 Ft. Worth (Passenger Station) applies at G.C.&S.F. Passenger Station.

Time of departure Lancaster Yard and arrival Ft. Worth Nos. 2 and 8 shown for information only.

Time of departure Ft. Worth and arrival Lancaster Yard Nos. 1 and 7 shown for information only.

Mineola Yard is train order office for Second and inferior class trains only.

No. 501 and westward trains originating at Dallas (Union Terminal) must secure clearance card at Dallas (Union Terminal) train order office.

Ft. Worth (Passenger Station) is a train order office for first-class trains and all other trains originating at that point; other trains may leave that station without clearance card.

Marshall register station for Nos. 21, 22, 54 and 55 only.

Longview register station for Nos. 221, 222, 231, 232, 237, 238, 265, 266 and 267 only.

Mineola Yard register station for second class and inferior trains only.

All trains will register at T&P Jct. by register ticket.

Dallas (Union Terminal) register station for Nos. 501 and 502 only.

Ft. Worth (Passenger Station) is a register station for first-class trains and trains originating or terminating at that station.

Between St.L.-S.W. Ry. crossing, Bonham Sub-Division connection with K.C.S. Ry. near Compress, and Texarkana Passenger station, ALL TRAINS AND ENGINES must move at REDUCED SPEED and will not exceed a maximum speed of ten (10) miles per hour.

First Class trains must run at REDUCED SPEED between East switch Water Track and Fredonia Street Longview; and between the east end siding Ft. Worth and Ft. Worth (Passenger station).

All Trains and Engines must approach St.L.-S.W. Ry. and Bonham Sub-Division connections, Texarkana, prepared to STOP unless the switches and signals are right and the track clear.

Second class and inferior trains, yard and other engines may run ahead of overdue EASTWARD first class trains between Mile Post 250, Lancaster Yard, and Crossovers, Mile Post 245.6 just east of interlocking limits Fort Worth, without train order authority, but will not occupy the main track within these limits when it is known a first class train will be delayed.

Second class and inferior trains may run ahead of overdue WESTWARD First-class trains between Crossovers Mile Post 245.6, just east of interlocking limits, Fort Worth, and Mile Post 250, Lancaster Yard, without train order authority.

Yard and other engines may run ahead of overdue WESTWARD first class trains between Crossovers Mile Post 245.6, just east of interlocking limits, Fort Worth and Mile Post 250, Lancaster Yard, without train order authority, but will not occupy the main track within these limits when it is known a first-class train will be delayed.

Electric Locked Hand-throw Switches: Main track hand-throw switches at east end Drill Track Greggton and all main track hand-throw switches between this location and east end siding Big Sandy are electrically locked. Electric lock on switch at west end Drill Track Greggton is manually controlled by Operator Marshall; all other electric locks are automatically controlled.

Employees of the FW&DC, GC&SF, I-GN, KCS, M-K-T, StLSF&T and T&NO Railways are subject to the Rules, Time-Table and special Instructions of the Texas and Pacific Railway while occupying its tracks.

Between U. T. Jct. and T&P Jct. employees of the Texas and Pacific Railway are subject to the Rules, Time Table and Special Instructions of the T&NO RR and to Rules and Special Instructions of the Union Terminal Co., Dallas while occupying their tracks.

Standard Clocks: Texarkana, Marshall, Longview, Mineola Yard, Dallas Yard, Dallas Union Terminal, Ft. Worth (Passenger station).

OTHER PASSENGER TRAIN FLAG STOPS

Train	Stations
No. 1.....	Atlanta: to receive passengers for Dallas and beyond. Jefferson and Mineola: to discharge passengers from Texarkana and beyond and receive passengers for Dallas and beyond. Grand Saline: to discharge passengers from St. Louis and beyond. Terrell and Grand Prairie: to discharge passengers from Texarkana and beyond.
No. 2.....	Grand Prairie: to receive passengers for Texarkana and beyond. Terrell: to discharge passengers from El Paso and beyond and receive passengers for Texarkana and beyond. Grand Saline: to receive passengers for St. Louis and beyond. Mineola and Jefferson: to discharge passengers from Dallas and beyond and receive passengers for Texarkana and beyond. Atlanta: to discharge passengers from Dallas and beyond and to receive passengers for north of Texarkana.
No. 4.....	Edgewood to discharge passengers from Dallas and beyond and to receive passengers for Marshall and beyond. Hawkins: to discharge passengers from El Paso and beyond and to receive passengers for St. Louis, Memphis and beyond. Angler: to discharge passengers from Dallas and beyond. Queen City: to discharge passengers from Longview and points west.
No. 7.....	Hallsville: to receive passengers for west of Longview. Jarvis College: to receive or discharge passengers to or from Texarkana, Shreveport, Dallas and beyond. Angler: On Saturdays, Sundays and Mondays to receive passengers for Dallas and beyond. Mesquite: on Thursdays for mail. Grand Prairie to discharge passengers from Texarkana and east or from Shreveport and east.
No. 8.....	Grand Prairie: to discharge passengers from Abilene and beyond. Terrell, Wills Point and Mineola: to discharge passengers and to receive passengers destined points scheduled to stop. Jefferson: to discharge passengers from west of Ft. Worth and to receive passengers for Texarkana and points beyond.
No. 21.....	Hawkins: to discharge passengers from New Orleans and beyond and to receive passengers for El Paso and beyond. Angler: Mondays only to receive passengers Dallas and beyond. Grand Saline: to discharge passengers from Shreveport and beyond and to receive passengers for Dallas and beyond. Forney: to discharge passengers from Shreveport and beyond and to receive passengers for Fort Worth and beyond. Arlington: to discharge passengers from Shreveport and beyond, and to receive passengers for points west of Ft. Worth. Grand Prairie: to receive passengers destined beyond Ft. Worth and to discharge passengers from Shreveport and east.
No. 15.....	Stop on flag at all points between Texarkana and Dallas to discharge passengers from Texarkana, Shreveport and beyond. Atlanta, Big Sandy and Grand Saline: to receive passengers for Dallas and beyond. Grand Prairie: to discharge passengers from points east of Dallas and from connections at Dallas. Arlington: to discharge passengers ticketed to Arlington from connecting lines and originating Texarkana and Shreveport and points east thereof.
No. 22.....	Forney and Hawkins: to discharge passengers and to receive passengers destined to points scheduled to stop or flag. Grand Saline: to discharge passengers from Dallas and beyond and to receive passengers for Marshall and beyond where scheduled to stop. Big Sandy: to receive passengers for Shreveport and beyond.
No. 231.....	Atlanta and Jefferson: to discharge passengers from points north of Texarkana and pick up passengers for Marshall, Longview and I-GN points.
No. 232.....	Atlanta: to receive passengers for points north of Texarkana and to discharge passengers from I-GN points south of Longview.
No. 237.....	Lodi and Domino: to receive and discharge passengers. Queen City, Elvins, Kildare, and Lodi: to load or unload mail, parcel post or express.
No. 238.....	Hallsville: to discharge passengers from points on I-GN south of Longview and to receive passengers for points north of Marshall. Lodi and Domino: to receive and discharge passengers. Lodi, Kildare, Elvins and Queen City: to load or unload mail, parcel post or express.

Special Instructions

ALL SUB-DIVISIONS

MARS OSCILLATING SIGNAL LIGHT

T&P passenger diesel engines 2000 to 2007, inclusive, and Mo. Pac. passenger diesel engines 7005 to 7013, inclusive, are equipped with Mars Oscillating Signal Light just above the standard headlight, and arranged to display either an oscillating white or red light.

The following will govern the use of the oscillating signal light:

Mars oscillating signal light will be displayed between hours of sunset and sunrise and during daylight hours when weather conditions, such as fog, rain, snow, sand, etc. would impair vision and obscure the observance of an approaching train. Oscillating white light will be displayed except when the display of oscillating red light is required by these special instructions.

When a train becomes disabled or makes a sudden stop due to unusual occurrence, or when an adjacent track is obstructed, or there is possibility of adjacent track being obstructed, if oscillating red light is not displayed automatically, enginemen must immediately display it by manual operation, and then extinguish standard headlight.

A train on adjacent track must stop before passing red oscillating light, ascertain the cause and be governed by conditions.

When protection of front of train is required, enginemen will immediately display oscillating red light, then extinguish standard headlight.

When occupying main track in meeting an opposing train, oscillating red light will be displayed and the standard headlight will be extinguished. Oscillating red light may be extinguished after, or when the switch has been set for the opposing train to enter siding. When the oscillating red light is extinguished, standard headlight must be displayed dim as required by Rule 17, paragraph (b).

Enginemen finding oscillating red light displayed by an opposing train must stop before passing red light, ascertain the cause and be governed by conditions.

Display of red oscillating light does not relieve enginemen or trainmen from protecting front of train when required by Rule 99, nor from the protection of adjacent tracks when required by Rule 102.

If red oscillating light has been displayed automatically and the necessity for its display no longer exists, enginemen must extinguish it.

When standing at terminals and use of oscillating red light is not required, it must be extinguished.

FIRE PROTECTION

1. Loose fire-bricks removed from fire pan must be retained in the boot underneath the fire pan while engine is running and when removed must be cooled to avoid fire.

2. Engines standing without fire must have safety valve in oil tank closed and oil not allowed to run into the pan or underneath the engine.

STRUCTURES THAT WILL NOT CLEAR A MAN ON TOP OR

SIDE OF CAR

Sub-Division	Location	Structure
Dallas	M.P. 66.31	Overhead—Road
Dallas	M.P. 66.40	Overhead—Road
Dallas	Dallas U. T.	Oak Cliff Viaduct
Dallas	Ft. Worth	Street Car Viaduct
D. & P. S. R. R.	Passenger Station	Shed over platforms between tracks
	Denison:	
	Texas St.	Overhead Bridge
	Hull St.	Overhead Bridge
	M-K-T Crossing	Overhead Bridge
	Munson St.	Overhead Bridge

All employees are cautioned when switching cotton platforms, station platforms and industry tracks as a number of platforms and buildings at various places will not clear a man on top or side of cars.

SAFETY RULES GOVERNING EMPLOYEES IN TRAIN, ENGINE AND YARD SERVICE

The Company requires that every precaution be taken to prevent injuries to employees or others

The following is prohibited:

- (1) Going between moving cars or engines to couple, uncouple or adjust air hose, stop air leaks, or operate knuckle lock pins.
- (2) Lining or adjusting draw bars or opening draw bar knuckles with hand or foot while cars or engine are in motion.
- (3) Alighting from or boarding a moving engine or car from a position between the rails, or a rapidly moving train or engine.
- (4) Riding on foot board of engine between engine and cars when pushing cars, or when coupling engine to cars.
- (5) Riding on ends or inside of cars containing loads which are liable to shift from impact when coupling is made or during ordinary train movement.
- (6) Riding on draw bars, ladders, hand holds, or any other appurtenance on the facing ends of cars when such cars are being pushed.
- (7) (a) Giving signal to move an engine or cars and then crossing track in front of movement.
(b) Giving signal to move an engine or cars without first placing switch in proper position.
(c) Throwing or attempting to throw switch too short a distance ahead of an approaching train or engine.
(d) Enginemen drifting down too close to switches that are to be thrown.
- (8) Staking or poling out cars when practicable to avoid it. When done, employe should follow the push pole.
- (9) Permitting any car with a defective or missing hand hold to be moved or set out without first notifying all employes on the train and making wire report to the Superintendent.
- (10) Pushing cars or backing engines over public crossing at grade without signal from member of crew on leading car, rear of engine tank, or on crossing. Crossings must be approached prepared to stop.
- (11) Leaving cars standing on tracks too near street or highway crossings. Cars must be left at least sixty (60) feet away from crossings where possible.
- (12) Hanging dope pails on hand holds, door guides, or side or end ladders of cars.
- (13) Hanging squirt hose over or through locomotive hand holds, or in gangways between engine and tender, except where brackets have been provided to retain in such a position it will not be mistaken for a hand hold.
- (14) Tightening packing nuts on lubricator glasses or water gauge glasses while there is any pressure within the glasses.
- (15) Opening blow off or cylinder cocks near a building, street, highway, or in any location where escaping steam and water may cause injury or inconvenience to persons or damage to property. Starting and shutting off injectors on engines which have overflow pipes outside of ash pan without first ascertaining that no one is near or liable to injury.
- (16) Riding on locomotive (footboards, pilots, or elsewhere) or on cars or trains in yards by employes whose duties do not require them to do so unless authorized by proper authority.
- (17) Throwing any object from a train or engine without first ascertaining whether any person is nearby who might be struck and injured.