

SOUTHERN PACIFIC COMPANY

(PACIFIC LINES)

TIME TABLE FOR THE COAST DIVISION

148



To Take Effect Sunday, June 29, 1941, at 12:01 A. M.

PACIFIC STANDARD TIME (120th MERIDIAN)

For the government and information of employes only.

L. B. McDONALD,
General Manager.

C. F. DONNATIN,
Assistant General Manager.

W. B. KIRKLAND,
Superintendent of Transportation.

J. J. JORDAN,
Superintendent.

EASTWARD

SAN FRANCISCO SUBDIVISION.

FIRST CLASS

Capacity of sidings and spurs in car lengths	FIRST CLASS																			Distance from San Francisco		
	124	170	120	168	166	116	164	96	162	114	112	174	34	98	72	250	110	108	106			
	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Noon Daylight	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Morning Daylight	Passenger	Passenger	Passenger	Passenger		Passenger	
	Leave Daily Ex. Sundays and Holidays	Leave Saturdays only	Leave Daily	Leave Saturdays only	Leave Saturdays only	Leave Daily Ex. Sundays and Holidays	Leave Daily	Leave Daily	Leave Sundays and Holidays only	Leave Daily Ex. Sundays and Holidays	Leave Daily Ex. Sundays and Holidays	Leave Sundays and Holidays only	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Holidays	Leave Daily	Leave Daily			
San Francisco Yard	BKWOT YP	2.15 PM	1.35 PM	1.15 PM	1.00 PM	12.30 PM	12.15 PM	12.10 PM	12. NOON	11.15 AM	11.00 AM	9.30 AM	9.30 AM	8.17 AM	8.15 AM	7.40 AM		7.00 AM	6.00 AM	12.15 AM	0.0	
			f															f			1.9	
	P																					3.1
																						4.1
	BKWO ITP	f 2.24	1.44	f 1.24	1.09	12.39	f 12.24	12.19	12.09 PM	f 11.24	f 11.09	f 9.40	f 9.39	f 8.26	8.24	7.49		s 7.10	f 6.09	f 12.25		5.2
	P											f	f									6.5
	KIP																					6.9
																						8.6
		s 2.30	s 1.49	s 1.30	1.15	s 12.45	s 12.30			s 11.30	s 11.16	s 9.47	s 9.45	s 8.32		s 7.56		s 7.17	s 6.16	s 12.32		9.3
	Y																					10.4
P	f 2.33	s 1.52	s 1.34		f 12.48	f 12.34			f 11.33	s 11.20	s 9.51	s 9.48	s 8.35					f 7.20	s 6.20	s 12.36	11.0	
	f	f	f		f	f			f	f	f	f	f					f	f	f	12.1	
M 48 P	f	f	f		f	f		12.17	f	f	f	f	f		8.32			f	s	f	13.7	
49 Spur P	s	s	s	s	s	s			s	s	s	s	s		s 8.04			s	s	s	15.2	
65 Spur P	s 2.43	s 2.03	s 1.45	s 1.25	s 12.58	s 12.43	s 12.31		s 11.43	s 11.31	s 10.02	s 9.57	s 8.46		s 8.08			s 7.31	s 6.32	s 12.45	16.3	
M 84 WP	s 2.47	s 2.07	s 1.49	s 1.29	s 1.02	s 12.47		12.22	s 11.47	s 11.35	s 10.07	s 10.01	s 8.50	8.37	s 8.12			s 7.36	s 6.37	s 12.51	17.9	
29 Spur	f	f	f		f	f			f	f	f	f	f					f	f	f	18.9	
																					20.0	
25 Spur P	s	s	s		f	f			f	s	s	s	f								20.3	
M 47 P	s 2.57	s 2.17	s 1.58		s 1.11	s 12.57			f 11.57 AM	s 11.44	s 10.16	s 10.09	s 9.00					f 7.47	s 6.47	f 1.02	23.2	
	s 3.01	s 2.21	s 2.02	s 1.39	s 1.15	s 1.01	s 12.43		s 12.01 PM	s 11.48	s 10.21	s 10.13	s 9.04		s 8.24			s 7.52	s 6.54	s 1.10	25.4	
WIYP	3.02	2.22	2.03	1.40	1.16	1.02	12.44	12.30	12.02	11.49	10.22	10.14	9.05	8.45	8.25			7.53	6.55	1.11	26.2	
	f	f	f	s	f	f	s		f	f	f	f						f	f	f	27.8	
35 Spur P	s	s	s	s	s	s	s		f	s	s	s	s					s	s	f	28.9	
48 P	s 3.12	s 2.31	s 2.12	s 1.49	s 1.26	s 1.12	s 12.53		s 12.11	s 11.59 AM	s 10.34	s 10.24	s 9.14		s 8.33			s 8.03	s 7.08	s 1.23	30.1	
M 50 WYP	s 3.15	s 2.35	s 2.15	s 1.53 PM	s 1.30	s 1.16	s 12.56	12.36	s 12.15	s 12.03 PM	s 10.39	s 10.27	s 9.17	8.51				s 8.05	s 7.11	f 1.26	31.8	
									f												34.8	
M 49 P	s 3.21	s 2.41	s 2.21	Via Los Altos	s 1.36	s 1.22			s 12.21	s 12.11	s 10.46	s 10.33	s 9.23		s 8.42	Via Newark		s 8.13	s 7.18	f 1.34	36.1	
72 Spur P	s 3.25	s 2.46	s 2.26		s 1.41	s 1.27		12.43	s 12.26	s 12.16	s 10.51	s 10.37	s 9.27	8.58				s 8.19	s 7.22	f 1.41	38.8	
28 Spur									f		f	f									40.8	
KIP	s 3.38	s 2.55	s 2.33		s 1.48	s 1.34	1.12	12.48	s 12.33	s 12.23	s 10.59	s 10.44	s 9.35	9.03	8.53	8.45 AM		s 8.28	s 7.38	f 1.49	44.3	
San Jose Yard																					45.2	
IP	f		f		f				f	f		f									45.7	
BKWO ITP	s 3.45 PM	s 3.00 PM	s 2.40 PM		s 1.55 PM	s 1.40 PM	s 1.17 PM	s 12.53 PM	s 12.40 PM	s 12.30 PM	s 11.05 AM	s 10.50 AM	s 9.40 AM	s 9.08 AM	s 9.00 AM	s 8.50 AM		s 8.35 AM	s 7.45 AM	s 1.55 AM	46.9	
	Arrive Daily Ex. Sundays and Holidays	Arrive Saturdays only	Arrive Daily	Arrive Saturdays only	Arrive Saturdays only	Arrive Daily Ex. Sundays and Holidays	Arrive Saturdays only	Arrive Daily	Arrive Sundays and Holidays only	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays and Holidays	Arrive Sundays and Holidays only	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		Arrive Daily Ex. Sundays and Holidays	Arrive Daily	Arrive Daily		
	(1.30) 31.27	(1.25) 33.11	(1.25) 33.11	(0.53) 36.00	(1.25) 33.11	(1.25) 33.11	(1.07) 42.00	(0.53) 53.09	(1.25) 33.11	(1.30) 31.27	(1.35) 29.62	(1.20) 35.18	(1.23) 33.90	(0.53) 53.09	(1.20) 35.18	(0.05) 31.20		(1.35) 29.62	(1.45) 28.80	(1.40) 28.14		

Time Table No. 148
June 29, 1941

STATIONS		Distance from San Francisco
TO-R SAN FRANCISCO		0.0
1.9		1.9
23D STREET		3.1
1.2		
NEWCOMB AVE.		4.1
1.0		
PAUL AVE.		5.2
1.1		
BAYSHORE		6.5
1.3		
VISITACION		6.9
0.4		
R VISITACION TOWER		8.6
1.7		
BUTLER ROAD		9.3
0.7		
SO. SAN FRANCISCO		10.4
1.1		
TANFORAN WYE		11.0
0.6		
SAN BRUNO		12.1
1.1		
LOMITA PARK		13.7
1.6		
MILLBRAE		15.2
1.5		
BROADWAY		16.3
1.1		
BURLINGAME		17.9
1.6		
SAN MATEO		18.9
1.0		
HAYWARD PARK		20.0
1.1		
BAY MEADOWS		20.3
0.3		
HILLSDALE		21.9
1.6		
BELMONT		23.2
1.3		
SAN CARLOS		25.4
2.2		
REDWOOD CITY		26.2
0.8		
R REDWOOD JCT.		27.8
1.6		
ATHERTON		28.9
1.1		
MENLO PARK		30.1
1.2		
PALO ALTO		31.8
1.7		
R CALIFORNIA AVE.		34.8
3.0		
CASTRO		36.1
1.3		
MOUNTAIN VIEW		38.8
2.7		
SUNNYVALE		40.8
2.0		
LAWRENCE		44.3
3.5		
SANTA CLARA		45.2
0.9		
SAN JOSE YARD		45.7
0.5		
COLLEGE PARK		46.9
1.2		
TO-R SAN JOSE		

(46.9)
Time over District
Average Speed per Hour

NOTE.—See pages 3, 4, 5 and 6 for additional schedules between San Francisco and San Jose.

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than 10 minutes, except between limits of Fourth Street and Potrero interlocking plants, San Francisco. Freight trains must be clear of main track and insulated joints at passing points for trains 96, 97, 98 and 99.

RULE 5. Schedule time and train orders will apply at place where traffic is received or discharged at stations between San Francisco and San Jose and on Santa Clara-Newark line will apply at junction switch, Santa Clara.

No. 112 reduce speed Visitacion and Millbrae to permit safe dispatch and/or exchange of U. S. mail when not necessary to stop on flag.

No. 124 reduce speed at Atherton when not necessary to stop on flag.

San Francisco-San Jose local passenger trains except No. 110, stop on flag at any station Sundays and Holidays, except Aqua, Howest and Romac.

Additional Stations (Aqua (Spur) MP 12.9
Howest (Spur) MP 16.8
Romac (Spur) MP 19.7

Standard Clock at Santa Clara located in interlocking tower.

FIRST CLASS

Capacity of Sidings and Spurs in Car Lengths	70	152	150	148	146	144	184	142	140	138	182	136	134	180	132	32	36	176	126	Distance from San Francisco			
	Coaster	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Del Monte	Passenger	Passenger				
	Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Saturdays only	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Saturdays only	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Sundays and Holidays only	Leave Daily Ex. Sundays	Leave Daily	Leave Sundays and Holidays only	Leave Daily Ex. Sundays and Holidays				
San Francisco yard	BKWOIT YP	7.00 PM	6.20 PM	5.50 PM	5.32 PM	5.29 PM	5.26 PM	5.23 PM	5.23 PM	5.20 PM	5.17 PM	5.03 PM	5.03 PM	4.50 PM	4.45 PM	4.20 PM	4.10 PM	4.00 PM	3.30 PM	3.15 PM	0.0		
	P				s			f				f	s	s	f	f				f	1.9		
	BKWO ITP	7.09	6.29	f 5.59	5.41	5.38	5.35	f 5.33	5.32	5.29	5.26	f 5.14	5.12	s 5.01	f 4.55	s 4.31	4.19	4.09	3.39	3.24	5.2		
	P			f				f													f	6.5	
	KIP																					6.9	
	Y		s 6.35	s 6.05	s 5.47																f 3.45	s 3.30	8.6
	P		s 6.39	s 6.09	s 5.50			f 5.42					s 5.24		s 5.12	f 5.06	s 4.42				f 3.48	s 3.34	9.3
	M48 P		s	s	s			f				f	s		f	s				f	f	10.4	
	49 Spur P		s	s	s	s 5.48		s				s	s	s	s	s				s	s	11.0	
	65 Spur P	s 7.22	s 6.49	s 6.21	s 6.02		s 5.46	s 5.52				s 5.35	s 5.29	s 5.20	s 5.16	s 4.52	s 4.31			s 3.57	s 3.44	12.1	
M84 WP		s 6.53	s 6.25	s 6.06	s 5.55		s 5.56	s 5.45	5.42	5.39	s 5.39	s 5.32	s 5.24	s 5.20	s 4.57				s 4.01	s 3.48	13.7		
29 Spur		s	s	s			f	s			f			f	s				f	f	15.2		
25 Spur P		s	s	s			f				f		s	f	s		4.26		f	s	16.3		
M47 P		s 7.04	s	s	s		s 6.05	s		5.45	s 5.49		s	f 5.30	s 5.08				f 4.10	s 3.58	17.9		
Yd. Limits	WIYP	7.33	7.09	6.41	6.21	6.08	6.05	6.10	6.01	5.51	5.50	5.54	5.42	5.37	5.35	5.13	4.45	4.32	4.15	4.03	18.9		
35 Spur P		f	f	f			f		s		f	s		f	s				f	f	20.0		
48 P	s 7.40	s 7.18	s 6.50	s 6.31	s 6.17	s 6.13	s 6.19	s 6.09	s 6.01	s 5.56	s 6.05	5.51	s 5.45	s 5.42	s 5.23	s 4.50	4.37		s 4.24	s 4.14	20.3		
M50 WYP		s 7.22	s 6.54	s 6.35	s 6.21		s 6.23	s 6.12	6.04	s 6.00 PM	s 6.09	5.54	s 5.48	s 5.45	s 5.27	s 4.53			s 4.27	s 4.17	21.9		
M49 P	7.48	s 7.28	s 7.00	s 6.41		s 6.22	s 6.29		s 6.10	Via Los Altos	s 6.16	6.00	s 5.54	s 5.51	s 5.34	s 4.59	4.43		s 4.33	s 4.24	22.2		
72 Spur P		s 7.32	f 7.05	s 6.46	s 6.31		s 6.34	s 6.22	s 6.16		s 6.21	6.04	s 5.58	s 5.55	s 5.39				s 4.37	s 4.29	23.2		
28 Spur			f			f	f				f			f	f				f	f	25.4		
San Jose yard	KIP	7.58	f 7.39	f 7.13	s 6.54	f 6.38	s 6.34	s 6.42	6.29	s 6.24		s 6.30	s 6.11	6.07	f 6.03	s 5.48	5.09	4.54	s 4.44	s 4.38	26.2		
	KP																				27.8		
	IP				f			f	f			f	s	f	f					f	28.9		
	BKWO ITP	s 8.03 PM	s 7.45 PM	s 7.18 PM	s 7.00 PM	s 6.44 PM	s 6.40 PM	s 6.48 PM	s 6.35 PM	s 6.30 PM		s 6.36 PM	s 6.18 PM	s 6.12 PM	s 6.10 PM	s 5.55 PM	s 5.14 PM	s 4.59 PM	s 4.50 PM	s 4.45 PM	28.2		
Arrive Daily	Arrive Daily	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Saturdays only	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Saturdays only	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Sundays and Holidays only	Arrive Daily Ex. Sundays	Arrive Daily	Arrive Daily	Arrive Sundays and Holidays only	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays and Holidays	28.9		
	(1.03) 44.67	(1.25) 33.11	(1.28) 31.98	(1.28) 31.98	(1.15) 37.52	(1.14) 38.03	(1.25) 33.11	(1.12) 39.08	(1.10) 40.20	(0.43) 44.37	(1.33) 30.26	(1.15) 37.52	(1.22) 34.32	(1.25) 33.11	(1.35) 29.62	(1.04) 43.97	(0.59) 47.69	(1.20) 35.18	(1.30) 31.27	29.8			

Time Table No. 148

June 29, 1941

STATIONS

TO-R SAN FRANCISCO	0.0
1.9	
23D STREET	1.2
1.0	
NEWCOMB AVE.	1.0
1.1	
PAUL AVE.	1.1
1.3	
BAYSHORE	1.3
0.4	
VISITACION	0.4
1.7	
R VISITACION TOWER	1.7
0.7	
BUTLER ROAD	0.7
1.1	
SO. SAN FRANCISCO	1.1
0.6	
TANFORAN WYE	0.6
1.1	
SAN BRUNO	1.1
1.6	
LOMITA PARK	1.6
1.5	
MILLBRAE	1.5
1.1	
BROADWAY	1.1
1.6	
BURLINGAME	1.6
1.0	
SAN MATEO	1.0
1.1	
HAYWARD PARK	1.1
0.3	
BAY MEADOWS	0.3
1.6	
HILLSDALE	1.6
1.3	
BELMONT	1.3
2.2	
SAN CARLOS	2.2
0.8	
REDWOOD CITY	0.8
1.6	
R REDWOOD JOT.	1.6
1.1	
ATHERTON	1.1
1.2	
MENLO PARK	1.2
1.7	
PALO ALTO	1.7
3.0	
R CALIFORNIA AVE.	3.0
1.3	
CASTRO	1.3
2.7	
MOUNTAIN VIEW	2.7
2.0	
SUNNYVALE	2.0
3.5	
LAWRENCE	3.5
0.9	
SANTA OLARA	0.9
0.5	
SAN JOSE YARD	0.5
1.2	
COLLEGE PARK	1.2
TO-R SAN JOSE	

(46.9)

..... Time over District

..... Average Speed per Hour

NOTE.—See pages 2, 3, 5 and 6 for additional schedules between San Francisco and San Jose.

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than 10 minutes, except between limits of Fourth Street and Potrero interlocking plants, San Francisco. Freight trains must be clear of main track and insulated joints at passing points for trains 96, 97, 98 and 99.

RULE 5. Schedule time and train orders will apply at place where traffic is received or discharged at stations between San Francisco and San Jose and on Santa Clara-Newark line will apply at junction switch, Santa Clara.

No. 126 reduce speed Visitacion to permit safe dispatch and/or exchange of U. S. mail and at Lomita Park, Millbrae, Hayward Park and Atherton when not necessary to stop on flag.

San Francisco-San Jose local passenger trains stop on flag at any station Sundays and Holidays, except Aqua, Howest, Romac.

Additional Stations (Aqua (Spur) MP 12.9 Howest (Spur) MP 16.8 Romac (Spur) MP 19.7 Standard Clock at Santa Clara located in interlocking tower.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS					
Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
36	Burlingame	Receive	Gilroy		Daily
36	Palo Alto	Receive	Watsonville Jct.		Daily
70	San Mateo	Receive	Salinas		Daily

SAN FRANCISCO SUBDIVISION

WESTWARD

Time Table No. 148

June 29, 1941

FIRST CLASS

STATIONS	Distance from San Jose	FIRST CLASS																		
		173	137	139	35	39	141	143	147	149	179	151	181	37	99	255	153	155	157	71
		Passenger	Passenger	Passenger	Del Monte	Del Monte	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Morning Daylight	Passenger	Passenger	Passenger	Passenger	Passenger
		Arrive Sundays and Holidays only	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays and Holidays	Arrive Sundays and Holidays only	Arrive Daily Ex. Sundays and Holidays	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sundays and Holidays	Arrive Sundays and Holidays only	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays and Holidays	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sundays and Holidays	Arrive Daily	Arrive Daily
TO-R SAN FRANCISCO	46.9	s 10.10 AM	s 10.40 AM	s 11.05 AM	s 11.30 AM	s 11.55 AM	s 12.01 PM	s 1.25 PM	s 3.00 PM	s 4.05 PM	s* 4.05 PM	s 5.20 PM	s 5.15 PM	s 5.30 PM	s 5.45 PM		s 6.15 PM	s 7.10 PM	s 7.40 PM	s 9.10 PM
1.9 23D STREET	45.0					f			f			f	f							
1.2 NEWCOMB AVE.	43.8					f														
1.0 PAUL AVE.	42.8					f						f								
1.1 BAYSHORE	41.7	f 10.01	10.31	10.56	11.20	f 11.43	f 11.51 AM	1.16	f 2.49	f 3.55	f 3.55	f 5.08	f 5.06	5.20	5.35		6.05	f 7.00	7.30	9.00
1.3 VISITACION	40.4											f								
0.4 R VISITACION TOWER	40.0																			
1.7 BUTLER ROAD	38.3					f				f		f	f							
0.7 SO. SAN FRANCISCO	37.6	s 9.55		s 10.50	11.14	s 11.37	s 11.44	s 1.10	s 2.43	s 3.48	f 3.49	s 5.01	f 5.00				s 5.58	s 6.53	s 7.23	8.54
1.1 TANFORAN WYE	36.5																			
0.6 SAN BRUNO	35.9	f 9.52		s 10.46		f	s 11.40	s 1.06	s 2.39	s 3.43	f 3.45	s 4.53	f 4.57				f 5.54	f 6.47	s 7.18	8.51
1.1 LOMITA PARK	34.8	f		f		f	f	f	f	f	f		f					f	f	
1.6 MILLBRAE	33.2	f		f		f	f	f	f	f	f	f	f				f	f	f	
1.5 BROADWAY	31.7	s		s		s	s	s	s	s	s	s	s				s	s	s	
1.1 BURLINGAME	30.6	s 9.42	s 10.15	s 10.37	s 11.05	s 11.24	s 11.29	s 12.57	s 2.30	s 3.32	s 3.37	s 4.43	s 4.48				s 5.44	s 6.35	s 7.07	s 8.44
1.6 SAN MATEO	29.0	s 9.38	s 10.12	s 10.33		s 11.20	s 11.25	s 12.53	s 2.26	s 3.28	s 3.33	s 4.38	s 4.44	5.00	5.18		s 5.40	s 6.29	s 7.02	s 8.40
1.0 HAYWARD PARK	28.0	f		f		f	f	f	f	f	f	f	f					f	f	
1.1 BAY MEADOWS	26.9																			
0.3 HILLSDALE	26.6	f				f	f	f	f	f	f	f	f					f		
1.6 BELMONT	25.0	f	10.07	s		f	s	f	s	s	f	s	s					f	s	
1.3 SAN CARLOS	23.7	f 9.29		s 10.24		f	s 11.15	s 12.44	s 2.16	s 3.15	f 3.24	s 4.27	f 4.34					f 6.17	s 6.52	
2.2 REDWOOD CITY	21.5	s 9.25	s 10.03	s 10.20		s 11.07	s 11.11	s 12.41	s 2.12	s 3.11	s 3.21	s 4.24	s 4.30				s 5.29	s 6.13	s 6.48	s 8.30
0.8 R REDWOOD JOT.	20.7	s 9.23	s 10.01	s 10.18	10.54	11.05	11.09	12.39	2.10	3.09	3.19	4.16	4.28	4.51	5.10		5.27	6.07	6.44	8.28
1.6 ATHERTON	19.1	f		f		f	f	f	f	f	f	f	f					f	f	
1.1 MENLO PARK	18.0	f		s		f	s	s	s	s	f	s	s				s	f	s	
1.2 PALO ALTO	16.8	s 9.15	s 9.55	s 10.10	s 10.49	s 10.57	s 11.01	s 12.31	s 2.02	s 3.01	s 3.11	s 4.09	s 4.20	4.45			s 5.21	s 6.00	s 6.37	s 8.22
1.7 R CALIFORNIA AVE.	15.1	f 9.12		s 10.07		f 10.53	s 10.57	s 12.27	s 1.58	s 2.57	s 3.07	s 4.01	f 4.16	4.42			s 5.17	s 5.53	s 6.31	8.18
3.0 CASTRO	12.1					f	f					f	f					f		
1.3 MOUNTAIN VIEW	10.8	s 9.06		s 10.01		f 10.47	s 10.51	s 12.22	s 1.52	s 2.52	f 3.02	s 3.55	f 4.10	4.38	4.59	Via Newark	s 5.11	s 5.48	s 6.25	8.14
2.7 SUNNYVALE	8.1	f	9.45	s	10.40	f 10.42	s 10.47	s 12.17	s 1.47	s 2.47	f 2.57	s 3.47	f 4.05	4.35			s 5.07	s 5.43	s 6.18	8.11
2.0 LAWRENCE	6.1					f	f			f	f	f	f						f	
3.5 SANTA OLARA	2.6	f 8.55	9.40	s 9.50	10.35	f 10.35	s 10.40	s 12.10	s 1.40	s 2.40	f 2.50	s 3.40	f 3.58	4.30	4.52	4.57 PM	s 5.00	s 5.36	s 6.11	8.05
0.9 SAN JOSE YARD	1.7																			
0.5 COLLEGE PARK	1.2	f				f	f			f	f	f	f					f	f	
1.2 TO-R SAN JOSE	0.0	8.50 AM	9.35 AM	9.45 AM	10.30 AM	10.30 AM	10.35 AM	12.05 PM	1.35 PM	2.35 PM	2.45 PM	3.35 PM	3.53 PM	4.25 PM	4.47 PM	4.52 PM	4.55 PM	5.30 PM	6.06 PM	8.00 PM
(46.9)		Leave Sundays and Holidays only	Leave Daily Ex. Sundays and Holidays	Leave Daily Ex. Sundays and Holidays	Leave Daily Ex. Sundays and Holidays	Leave Sundays and Holidays only	Leave Daily Ex. Sundays and Holidays	Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Holidays	Leave Sundays and Holidays only	Leave Daily Ex. Sundays and Holidays	Leave Sundays and Holidays only	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Holidays	Leave Daily	Leave Daily
Time over District		(1.20)	(1.05)	(1.20)	(1.00)	(1.25)	(1.26)	(1.20)	(1.25)	(1.30)	(1.20)	(1.45)	(1.22)	(1.05)	(0.58)	(0.05)	(1.20)	(1.40)	(1.34)	(1.10)
Average Speed per Hour		35.18	43.29	35.18	46.90	33.11	32.72	35.18	33.11	31.27	35.18	26.80	34.32	43.29	48.52	31.20	35.18	28.14	29.9	40.20

Automatic Block System

Double Track

NOTE.—See pages 2, 3, 4 and 6 for additional schedules between San Jose and San Francisco.
 RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than 10 minutes, except between limits of Fourth Street and Potrero interlocking plants, San Francisco.
 Freight trains must be clear of main track and insulated joints at passing points for trains 96, 97, 98 and 99.
 RULE 5. Schedule time and train orders will apply at place where traffic is received or discharged at stations between San Francisco and San Jose and on Santa Clara-Newark line will apply at junction switch, Santa Clara.

Additional Stations
 (Aqua (Spur) MP 12.9
 Howest (Spur) MP 16.8
 Romac (Spur) MP 19.7
 No. 35 reduce speed at South San Francisco to dispatch U. S. Mail.
 No. 153 stop on flag at any station to detrain passengers from Salinas and east from No. 99.
 No. 157 reduce speed at Millbrae daily except Sundays and Holidays, to permit safe exchange of U. S. Mail when not necessary to stop on flag.
 No. 71 reduce speed at South San Francisco to permit U. S. Mail pouch to be thrown on. San Jose-San Francisco local passenger trains stop on flag at any station Sundays and Holidays, except Aqua, Howest, Romac.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS				
Train	At	Receive or Discharge	From (or beyond)	Frequency
71	Santa Clara Sunnyvale Mountain View Menlo Park San Carlos Broadway South San Francisco	Discharge	Beyond San Jose	Daily

Capacity of sidings and spurs in car lengths	THIRD CLASS			FIRST CLASS								Distance from San Francisco	Time Table No. 148 June 29, 1941	Distance from San Jose	FIRST CLASS			THIRD CLASS			
	472	402	408	160	158	38	76	156	74	2	374				154	97	33	159	765	401	473
	Freight	Freight	Freight	Passenger	Passenger	Passenger	Lark	Passenger	Oakland Lark	Sunset Limited	C. M. E.				Passenger	Noon Daylight	Passenger	Passenger	Freight	Freight	Freight
	Leave Daily Ex. Sunday	Leave Daily Ex. Sunday	Leave Daily Ex. Monday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sat. & Sun.	Leave Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			
BKWOIT YP				10.45 PM	9.45 PM	9.05 PM	9.00 PM	8.30 PM		8.00 PM	7.40 PM	7.20 PM	46.9	s 9.40 PM	s 10.10 PM	s 11.20 PM					
P													1.9								
BKWO IPT	9.55 PM	7.50 PM	3.00 AM	f 10.54	f 9.54	9.14	9.09	f 8.39		8.09	7.50	7.29	43.8								
P													4.1								
KIP													5.2								
Y				s 11.00	s 10.00			s 8.45					6.5								
P				s 11.03	s 10.03	9.20	9.15	s 8.49		8.15	7.57	s 7.37	6.9								
M 48 P				f	s			f				f	8.6								
49 Spur P				f	f			f				f	9.3								
65 Spur P				s	s			s				s	10.4								
M 84 WP				s 11.12	s 10.12	f 9.29	s 9.22	s 8.59		s 8.22		s 7.46	11.0								
29 Spur				s 11.16	s 10.16	f 9.33		s 9.03			8.06	s 7.49	12.1								
25 Spur P				f	f			f				f	13.7								
M 47 P				f	f			f				f	15.2								
WIYP	10.40 PM	8.25 PM	3.50 AM	s 11.24	s 10.24			s 9.12			8.13	s 7.58	16.3								
35 Spur P	Via Dumbarton	Via Dumbarton	Via Dumbarton	s 11.28	s 10.28	f 9.42		s 9.16				s 8.02	17.9								
48 P				f	f			f				f	18.9								
M 50 WYP				s 11.42	s 10.42	9.55		s 9.29			8.24	s 8.16	20.0								
M 49 P				f	f			f				f	20.3								
72 Spur P				f 11.48	f 10.48	9.59	9.47	s 9.35	Via Newark	8.47		s 8.22	21.9								
28 Spur				f 11.52	f 10.52			f 9.40			8.32	f 8.26	23.2								
KIP				f 11.59 PM	f 10.59	10.09	9.57	f 9.48	9.45 PM	8.57	8.38	f 8.34	25.4								
KP													26.2								
IP				f	f			f				f	27.8								
BKW OITPY				s 12.05 AM	s 11.05 PM	s 10.15 PM	s 10.03 PM	s 9.55 PM	s 9.50 PM	s 9.03 PM	8.45 PM	s 8.40 PM	28.9								
	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Arrive Daily Ex. Monday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sat. & Sun.	Arrive Daily	29.9								
	(0.45) 28.00	(0.35) 36.00	(0.50) 25.20	(1.20) 35.18	(1.20) 35.18	(1.10) 40.20	(1.03) 44.67	(1.25) 33.11	(0.05) 31.20	(1.03) 44.67	(1.05) 43.29	(1.20) 35.18	30.1								

STATIONS	Distance from San Francisco	Distance from San Jose
TO-R SAN FRANCISCO	0.0	46.9
23D STREET	1.9	
NEWOOMB AVE.	3.1	
PAUL AVE.	4.1	
BAYSHORE	5.2	
VISITACION	6.5	
R VISITACION TOWER	6.9	
BUTLER ROAD	8.6	
SO. SAN FRANCISCO	9.3	
TANFORAN WYE	10.4	
SAN BRUNO	11.0	
LOMITA PARK	12.1	
MILLBRAE	13.7	
BROADWAY	15.2	
BURLINGAME	16.3	
SAN MATEO	17.9	
HAYWARD PARK	18.9	
BAY MEADOWS	20.0	
HILLSDALE	20.3	
BELMONT	21.9	
SAN CARLOS	23.2	
REDWOOD CITY	25.4	
R REDWOOD JOT.	26.2	
ATHERTON	27.8	
MENLO PARK	28.9	
PALO ALTO	30.1	
R CALIFORNIA AVE.	31.8	
CASTRO	34.8	
MOUNTAIN VIEW	36.1	
SUNNYVALE	38.8	
LAWRENCE	40.8	
SANTA OLARA	44.3	
SAN JOSE YARD	45.2	
COLLEGE PARK	45.7	
TO-R SAN JOSE	46.9	0.0

Automatic Block System

Double Track

(46.9)	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
Time over District	(0.57)	(1.20)	(1.20)	(1.30)	(1.00)	(1.00)
Average Speed per Hour	49.37	35.18	35.18	30.10	21.00	21.00

NOTE.—See pages 2, 3, 4 and 5 for additional schedules between San Francisco and San Jose.

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than 10 minutes, except between limits of Fourth Street and Potrero interlocking plants, San Francisco.

Freight trains must be clear of main track and insulated joints at passing points for trains 96, 97, 98 and 99.

RULE 5. Schedule time and train orders will apply at place where traffic is received or discharged at stations between San Francisco and San Jose and on Santa Clara-Newark line will apply at Junction switch, Santa Clara.

San Francisco-San Jose local passenger trains stop on flag at any station Sundays and Holidays, except Aqua, Howest, Romac.

Additional Stations (Aqua (Spur) MP 12.9
Howest (Spur) MP 16.8
Romac (Spur) MP 19.7

Standard Clock at Santa Clara located in interlocking tower.

No. 76 reduce speed at San Mateo to 25 MPH to dispatch U. S. Mail.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS					
Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
33	Any Station	Discharge	Any Station	Beyond Los Gatos	Daily
159	College Park	Receive	Any Station	Any Station	Monday

Capacity of sidings and spurs in car lengths	FIRST CLASS									Distance from San Francisco	Time Table No. 148 June 29, 1941 Los Gatos Branch		Distance from Los Gatos	FIRST CLASS						
	196	138	32	168	34	194	192	123	31		193	185		195	197	33				
	Equipment	Passenger	Passenger	Passenger	Passenger	Equipment	Equipment	Passenger	Passenger	Equipment	Equipment	Equipment	Equipment	Passenger						
	Leave Daily	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily Ex. Sundays	Leave Saturdays only	Leave Daily	Leave Daily Ex. Sundays	Leave Daily Ex. Sundays	Leave Daily Ex. Sundays	Leave Daily Ex. Sundays	Leave Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays and Holidays	Arrive Daily Ex. Sundays	Arrive Daily Ex. Sundays	Arrive Saturdays only	Arrive Daily Ex. Sundays	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily			
San Jose yard BKWO ITYP	7.30 PM		5.18 PM		9.45 AM	7.25 AM	5.55 AM	46.9	TO-R SAN JOSE 0.7	8.9	Via Los Altos	s 8.34 AM	10.45 AM	3.21 PM	6.15 PM	7.27 PM	s 8.42 PM			
			Via Los Altos		Via Los Altos			47.6	W. P. R. R. Crossing 3.1	8.2		f								
I	7.42		f		s 9.53	7.37	6.07	50.7	CAMPBELL 2.6	5.1		f	10.34	3.09	6.04	7.15	f 8.34			
45 WP	7.50		s 5.28		f 9.58	7.45	6.15	53.3	R VASONA JUNCTION 2.5	2.5	s 6.52 AM	s 8.24	10.25	3.00	5.55	7.06	f 8.29			
P	8.00 PM		s 5.36 PM		s 10.06 AM	7.55 AM	6.25 AM	51.8	TO-R LOS GATOS 0.0	0.0	s 6.46 AM	s 8.18 AM	10.15 AM	2.50 PM	5.45 PM	6.56 PM	8.23 PM			
60 Yard Limits 17 WP	Arrive Daily	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Daily Ex. Sundays	Arrive Saturdays only	Arrive Daily	Arrive Daily Ex. Sundays	Arrive Daily Ex. Sundays and Holidays	54.3	(8.9)		Leave Daily Ex. Sundays and Holidays	Leave Daily Ex. Sundays	Leave Daily	Leave Saturdays only	Leave Daily Ex. Sundays	Leave Daily Ex. Sat., Sun. and Holidays	Leave Daily			
	(0.30) 17.80	(0.09) 16.67	(0.18) 29.66	(0.10) 15.00	(0.21) 25.43	(0.30) 17.80	(0.30) 17.80	Time over District.....		(0.06) 25.00	(0.16) 33.38	(0.30) 17.80	(0.31) 17.23	(0.30) 17.80	(0.31) 17.23	(0.19) 28.11			
								Average Speed per Hour.....											

EASTWARD		SAN FRANCISCO SUBDIVISION			WESTWARD		EASTWARD		SAN FRANCISCO SUBDIVISION			WESTWARD		EASTWARD		SAN FRANCISCO SUBDIVISION			WESTWARD			
Capacity of sidings and spurs in car lengths	FIRST CLASS		Distance from San Francisco	Time Table No. 148 June 29, 1941 Los Altos Branch		Distance from Vasona Jct.	FIRST CLASS		Distance from San Francisco	Time Table No. 148 June 29, 1941 San Francisco-San Bruno Branch		Distance from San Bruno	Capacity of sidings and spurs in car lengths	Mile Post Location	Time Table 148 June 29, 1941 Santa Cruz Branch		Distance from Olympia	Capacity of sidings and spurs in car lengths	Mile Post Location	Time Table 148 June 29, 1941 Davenport Branch		Distance from Davenport
	138	168		123	TO-R SAN FRANCISCO		TO-R WATSONVILLE JCT.	TO-R SANTA CRUZ														
	Passenger	Passenger		Los Altos Branch	Passenger		Passenger		San Francisco-San Bruno Branch					Santa Cruz Branch			Davenport Branch					
	Leave Daily Ex. Sat., Sun. and Holidays	Leave Saturdays only		STATIONS	Arrive Daily Ex. Sundays and Holidays		Arrive Daily Ex. Sundays and Holidays		STATIONS					STATIONS			STATIONS					
28 WYP	6.01 PM	1.54 PM	31.8	R CALIFORNIA AVE. 3.9	16.3	s 7.28 AM	0.0	TO-R SAN FRANCISCO 0.9	13.6	BKWO TYP Watsonville Jct. yard	99.2	TO-R WATSONVILLE JCT. 1.4	28.8	TO-R SANTA CRUZ 1.9	11.5							
11 Spur P	s 6.10	s 2.05	35.7	LOS ALTOS 1.8	12.4	s 7.20	0.9	W. P. R. R. Crossing 0.3	12.7	97.8	97.8	WATSONVILLE 2.0	27.4	ORBY 2.3	9.6							
	s	s	37.5	SPRINGER ROAD 0.7	10.6	f	1.2	O. S. Ry. Crossing 4.0	12.4	33 P	95.8	NUGA 3.3	25.4	WILDER 2.5	7.3							
	s	s	38.2	LOYOLA 1.5	9.9	f	5.2	ELKTON 1.1	8.4	12 P	92.5	ELLCOTT 5.5	22.1	GORDOLA 0.8	4.8							
65 W	f	f	39.7	SIMLA 1.3	8.4	f	6.3	OCEAN VIEW 1.1	7.3	9 P	87.0	APTOS 3.1	16.6	MAJORS 4.0	4.0							
7 Spur	s 6.20	s 2.15	41.0	MONTA VISTA 2.8	7.1	f 7.08	7.4	DALY CITY 0.7	6.2	17 P	83.9	CAPITOLA 3.5	13.5	DAVENPORT (11.5)	0.0							
12 Spur	f	f	43.8	AZULE 1.4	4.3	f	8.1	UNION PARK 0.4	5.5	5 Spur	80.4	SEABRIGHT 0.7	10.0									
5 Spur	s 6.28	s 2.22	45.2	CONGRESS JCT. 0.9	2.9	f 6.59	8.5	COOLMA 1.2	5.1	Yard Limits BKWO TYP 16	79.7	OASINO 0.5	9.3									
	f	f	46.1	SAN TOMAS 0.8	2.0	f	9.7	EMANUEL 1.7	3.9		79.2	TO-R SANTA CRUZ 1.2	8.8									
	f	f	46.9	POLLARD ROAD 0.9	1.2	f	11.4	BADEN 1.6	2.2	78.0	EBLIS 2.6	7.6										
	f	f	47.8	QUITO 0.3	0.3		13.0	TANFORAN 0.6	0.6	23 P	75.4	RINCON 2.1	5.0									
YP	f 6.37 PM	f 2.30 PM	48.1	R VASONA JCT. 0.0	0.0	6.52 AM	13.6	SAN BRUNO 0.6	0.0	73.3	BIG TREES 0.9	2.9										
	Arrive Daily Ex. Sat., Sun. and Holidays	Arrive Saturdays only	51.8	(16.3)		Leave Daily Ex. Sundays and Holidays		(13.6)		8 Yard Limits 31 WP	72.4	TO FELTON 0.3	2.0									
	(0.36) 27.17	(0.36) 27.17	Time over District.....		(0.36) 27.17				72.1	MT. HERMON 1.7	1.7										
			Average Speed per Hour.....						32 P	70.4	OLYMPIA 0.0	0.0									

Emergency water supply at Ocean View.

Water supply at Felton for emergency only.

RULES 72 and S-72. Westward trains are superior to trains of the same class in the opposite direction: Exceptions:

- No. 192 and No. 34 superior to No. 123.
- No. 194 superior to No. 31.
- No. 34 superior to No. 193.
- No. 168 superior to No. 185.
- No. 32 superior to No. 195.
- No. 138 superior to No. 197.
- No. 196 superior to No. 33.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS					
Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
123-138-168	Road Crossing 1.4 mile west of Asule	Receive or Discharge	Any Station	Any Station	Daily
123-138-168	Alta Mesa M.P. 34	Receive or Discharge	Any Station	Any Station	Daily
123-138-168	Neal M.P. 33	Receive or Discharge	Any Station	Any Station	Daily

ADDITIONAL STATIONS

Los Altos Branch
Alta Mesa M.P. 34.0
Permanente 2.42 Miles From Simla (Spur)

Los Gatos Branch
Vasona M.P. 52.9 Spur

Santa Cruz Branch
Park St. M.P. 78.4
Twin Lakes M.P. 80.9 Spur
Cliffside M.P. 81.7 Spur
New Brighton M.P. 85.1
Leonard M.P. 89.7 Spur
Cristo M.P. 90.8 Spur

Time Table No. 148
June 29, 1941

FIRST CLASS

THIRD CLASS

STATIONS		Distance from Watsonville Jct.	FIRST CLASS										THIRD CLASS	
			69 Coaster	1 Sunset Limited	373 C. M. W.	75 Lark	35 Del Monte	39 Del Monte	37 Passenger	99 Morning Daylight	71 Passenger	97 Noon Daylight	765 Freight	
TO-R	SAN JOSE 2.2	49.6	s 6.19 AM	s 6.47 AM	s 7.05 AM	s 7.33 AM	s 10.27 AM	s 10.27 AM	s 4.20 PM	s 4.43 PM	s 7.50 PM	s 8.41 PM		
	W.P.R.R. Crossing 2.3	47.4												
	LICK 7.8	45.1	6.11	6.39	6.57	7.25	10.21	10.21	4.13	4.36	7.41	8.34		
TO	COYOTE 3.2	37.3	6.03	6.30	6.49	7.17	10.13	10.13	4.05	4.29	7.33	8.27		
	PERRY 2.9	34.1	5.59	6.26		7.13								
	MADRONE 1.6	31.2												
TO	MORGANHILL 3.8	29.6	5.54	6.21	6.39	7.08	10.04	10.04	3.56	4.22	s 7.24	8.19		
	SAN MARTIN 2.4	25.8	5.49	6.16	6.34	7.03								
	RUOKER 3.7	23.4												
TO-R	GILROY 2.5	19.7	s 5.39	6.06	6.27	6.54	s 9.53	s 9.53	s 3.44	4.12	s 7.12	8.09		
	CARNADERO 3.9	17.2												
	SARGENT 1.9	13.3	5.28	5.56	6.17	6.45	9.43	9.43	3.35	4.06	7.00	8.02		
	BETABEL 2.9	11.4												
	CHITTENDEN 1.3	8.5												
	LOGAN 1.4	7.2	5.18	5.46	6.06	6.35	9.33	9.33	3.25	3.56	6.50	7.52		
	AROMAS 5.8	5.8									f			
TO-R	WATSONVILLE JCT (49.6)	0.0	5.08 AM	5.35 AM	5.55 AM	6.24 AM	9.23 AM	9.23 AM	3.15 PM	3.49 PM	6.40 PM	7.44 PM		
			Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Mondays	Leave Daily	Leave Daily Ex. Sundays and Mondays	Leave Sundays and Holidays only	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
	Time over District		(1.11)	(1.12)	(1.10)	(1.09)	(1.04)	(1.04)	(1.05)	(0.54)	(1.10)	(0.57)		
	Average Speed per Hour		41.92	41.33	42.51	43.13	46.50	46.50	45.79	55.11	42.51	52.21		
													(3.00) 16.53	

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than ten minutes. Freight trains must be clear of main track and insulated joints at meeting and passing points for trains 96, 97, 98 and 99.

RULE 5. Schedule time and train orders will apply at the end of double track at Lick, Coyote, Gilroy, Sargent and Logan, except that of eastward trains at Gilroy will apply at train-order signal.

Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
71	Any Station	Discharge		Los Angeles	Daily

Capacity of sidings and spurs in car lengths	SECOND CLASS		FIRST CLASS											Distance from San Francisco	Time Table No 148	
	768	766	38	76	374	2	70	36	96	72	98	190	June 29, 1941			
	Freight	Freight	Passenger	Lark	C. M. E.	Sunset Limited	Coaster	Del Monte	Noon Daylight	Passenger	Morning Daylight	Passenger	STATIONS			
	Leave Daily Ex. Monday	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sat., Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
Watsonville Jct. Yard BKWOTYP	10.40 AM	6.15 AM	11.49 PM	11.20 PM	10.52 PM	10.22 PM	9.27 PM	6.10 PM	1.52 PM	10.34 AM	10.07 AM	6.35 AM	100.4	TO-R WATSONVILLE JCT.		
61 P	10.53	6.28	11.57 PM	11.28	11.00	10.30	f 9.35	6.17		10.42		6.42	105.8	5.4 ELKHORN		
132 Yard Limits 43 WYP	11.03	6.38	12.03 AM	11.34	11.06	10.36	9.41	s 6.23 PM	2.05	f 10.49	10.20	s 6.48 AM	110.4	TO-R CASTROVILLE		
62 P			12.07	11.38	11.10	10.40	9.45						113.9	COOPER		
BKWOTYP	11.17	6.52	s 12.35	s 11.48	11.16	s 10.49	s 9.54		s 2.16	s 11.05	s 10.31		118.2	TO-R SALINAS		
93 YP	11.22	6.57	12.39	11.52 PM	11.19	10.52	9.57		2.19	11.09	10.33		120.3	SPRECKELS JOT.		
44 P	11.30	7.05			11.24				2.24				125.3	SPENOE		
101 WP	11.38	7.13	12.48	12.01 AM	11.29	11.01	10.07		2.28	s 11.20	10.42		129.1	TO OHUALAR		
44 P													131.9	PENVIR		
119 P	11.47	7.22	12.54	12.07	11.36	11.07	10.14		2.33	s 11.29	10.47		135.1	TO GONZALES		
41 P	11.57 AM	7.32	1.00	12.13		11.13	10.20						140.6	CAMPORA		
54 Yard Limits 156 KWP	12.03 PM	7.38	1.03	12.16	11.46	11.16	10.24		2.40	s 11.43	10.54		143.6	TO-R SOLEDAD		
70 P	12.11	7.46			11.51 PM		10.29				11.47 AM		148.3	HARLEM		
43 P	12.18	7.53							2.53	f	11.02		152.3	METZ		
76 P	12.29	8.04	1.20	12.33	12.04 AM	11.33	10.41				12.01 PM		158.9	COBURN		
76 Spur Y													161.0	ELSA		
Yard Limits 117 KWP	12.40 PM	8.20 AM	s 1.25 AM	12.39 AM	12.10 AM	11.39 PM	s 10.48 PM		3.04 PM	s 12.10 PM	11.14 AM		163.7	TO KING CITY		
	Arrive Daily Ex. Monday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sundays and Mondays	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(63.3)		
	(2.00) 31.65	(2.05) 30.38	(1.36) 39.56	(1.19) 48.08	(1.18) 48.69	(1.17) 49.32	(1.21) 46.89	(0.13) 46.15	(1.12) 52.75	(1.36) 39.56	(1.07) 56.69	(0.13) 46.15		Time over District.....		
														Average Speed per Hour.....		

RULES 72 and S-72. Westward trains are superior to trains of the same class in the opposite direction. Except No. 190 is superior to No. 35 and No. 39. No. 36 is superior to No. 191.

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than ten minutes. Freight trains must be clear of main track and insulated joints at meeting and passing points for trains 96, 97, 98 and 99.

RULE 5. Schedule time and train orders will apply at Salinas Eastward at crossover west of Signal 1185 and at Gonzales Eastward at crossover at station building.

No. 70 reduce speed Saturday to 30 MPH at Soledad, to dispatch papers.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
72	Any Station	Receive	Los Angeles	Any Station	Daily
190	Lapis	Receive or Discharge	Any Station	Any Station	Daily
"	Bardin	Receive or Discharge	Any Station	Any Station	Daily
"	Marina	Receive or Discharge	Any Station	Any Station	Daily
"	Prattco	Receive or Discharge	Any Station	Any Station	Daily

EASTWARD

SALINAS SUBDIVISION

WESTWARD

Capacity of sidings and spurs in car lengths	FIRST CLASS		Distance from San Francisco	Time Table No. 148			Distance from Lake Majella	FIRST CLASS		
	36	190		June 29, 1941				35	39	191
	Del Monte	Passenger		Monterey Branch				Del Monte	Del Monte	Passenger
	Leave Daily	Leave Daily		STATIONS			Arrive Daily Ex. Sundays and Holidays	Arrive Sundays and Holidays only	Arrive Daily	
Yard Limits 132 WYP	6.25 PM	6.50 AM	110.4	TO-R CASTROVILLE	2.0	19.6	s 9.06 AM	s 9.06 AM	s 8.55 PM	
14		f	112.4	NASHUA	1.5	17.6			f	
13 P	6.32	f 6.59	113.9	NEPONSET	5.1	16.1			f 8.46	
101 P	f		119.0	ORD	0.7	11.0	f	f		
16 P	6.43	f 7.09	119.7	GIGLING	0.7	10.3	8.51	8.51	f 8.36	
12		f	120.4	WORKFIELD	2.9	9.6			f	
9		f	123.3	SEASIDE	1.6	6.7			f 8.30	
117 P	s 6.55	s 7.20	124.9	DEL MONTE	0.8	5.1	s 8.40	s 8.40	s 8.27	
Yard Limits KWOTYP	s 6.58	s 7.23	125.7	MONTEREY	2.6	4.3	s 8.35	s 8.35	s 8.22	
27 Spur	s 7.30 PM	s 7.45 AM	128.3	TO-R PACIFIC GROVE	1.6	1.7	8.15 AM	8.15 AM	8.15 PM	
			129.9	ASILOMAR	0.1	0.1				
			130.0	LAKE MAJELLA		0.0				
	Arrive Daily	Arrive Daily		(19.6)			Leave Daily Ex. Sundays and Holidays	Leave Sundays and Holidays only	Leave Daily	
	(1.05) 18.09	(0.55) 19.53		Time over District.....			(0.51) 23.06	(0.51) 23.06	(0.40) 26.85	
				Average Speed per Hour.....						

EASTWARD SALINAS SUBDIVISION WESTWARD

Capacity of sidings and spurs in car lengths	Distance from San Francisco	Time Table No. 148		Distance from Spreckels
		June 29, 1941		
		Spreckels Branch		
		STATIONS		
Yard Limits 93 YP	120.3	SPRECKELS JOT.	2.5	
	122.8	SPRECKELS	0.0	
		(2.5)		

ADDITIONAL STATIONS

- Graves, M.P. 115.6
- Rack, M.P. 137.1 Spur
- Molus, M.P. 138.8 Spur
- Monterey Branch
- Lapis, M.P. 114.8 Spur
- Bardin, M.P. 115.4 Spur
- Marina, M.P. 117.3
- Prattco, M.P. 122.1 Spur
- Retreat, M.P. 124.3 Spur

Time Table No. 148 June 29, 1941	Distance from San Luis Obispo	FIRST CLASS											THIRD CLASS	
		69	1	373	75	35	39	37	99	71	97	191	765	Freight
		Coaster	Sunset Limited	C. M. W.	Lark	Del Monte	Del Monte	Passenger	Morning Daylight	Passenger	Noon Daylight	Passenger	Arrive Daily	Arrive Daily
STATIONS	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sundays and Mondays	Arrive Daily	Arrive Daily Ex. Sundays and Holidays	Arrive Sundays and Holidays only	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	
TO-R WATSONVILLE JCT. 5.4	151.7	s 4.58 AM	s 5.20 AM	5.45 AM	s 6.08 AM	s 9.21 AM	s 9.21 AM	s 3.10 PM	3.49 PM	s 6.28 PM	s 7.43 PM	s 9.15 PM		6.50 PM
ELKHORN 4.6	146.3	4.50		5.37						f 6.17				
TO-R CASTROVILLE 3.5	141.7	4.43	5.04	5.30	5.53	9.06 AM	9.06 AM	2.56	3.36	f 6.07	7.30	8.57 PM		6.30
COOPER 4.3	138.2	4.38	4.58	5.25	5.47			2.51		6.01				6.23
TO-R SALINAS 2.1	133.9	s 4.32	4.52	5.19	s 5.42			s 2.45	s 3.28	s 5.55	s 7.20			6.15
SPRECKELS JCT. 5.0	131.8	4.25	4.48	5.05	5.34			2.37	3.21	5.40	7.16			6.07
SPENCOE 3.8	126.8							2.32	3.17	5.35	7.11			
TO CHUALAR 1.9	123.0	4.15	4.38	4.56	5.25			2.28	3.14	s 5.31	7.07			5.52
PENVIR 3.2	120.2													
TO GONZALES 5.5	117.0	4.09	4.31	4.50	5.19			2.16	3.09	s 5.23	7.02			5.43
CAMPORA 3.0	111.5									5.15				
TO-R SOLEDAD 4.7	108.5	4.00	4.22	4.41	5.10			2.07	3.02	s 5.12	6.55			5.29
HARLEM 4.0	103.8	3.55	4.17	4.36	5.05			2.02		5.04				5.22
METZ 6.6	99.8	3.50	4.12	4.31	5.00			1.57	2.53	f 4.58	6.46			5.15
COBURN 2.1	93.2	3.43	4.05	4.24	4.53			1.50		4.51				5.03
ELSA 2.7	91.1													
TO KING CITY (63.3)	88.4	3.38 AM	3.59 AM	4.19 AM	4.48 AM			1.45 PM	2.43 PM	4.46 PM	6.36 PM			4.55 PM
		Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Mondays	Leave Daily	Leave Daily Ex. Sundays and Holidays	Leave Sundays and Holidays only	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		Leave Daily
Time over District.....		(1.20)	(1.21)	(1.26)	(1.20)	(0.15)	(0.15)	(1.25)	(1.06)	(1.42)	(1.07)	(0.18)		(1.55)
Average Speed per Hour.....		47.48	46.89	44.16	47.48	40.00	40.00	44.69	57.55	37.25	56.69	33.33		33.03

RULES 72 and S-72. Westward trains are superior to trains of the same class in the opposite direction. Except No. 190 is superior to No. 35 and No. 39. No. 36 is superior to No. 191.

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than ten minutes. Freight trains must be clear of main track and insulated joints at meeting and passing points for trains 96, 97, 98 and 99.

RULE 5. Schedule time and train orders will apply at Salinas Eastward at cross-over west of signal 1185 and at Gonzales Eastward at cross-over at station building.

Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
71	Elkhorn	Receive	San Jose	Los Angeles	Daily
71	Any Station	Discharge		Any Station	Daily
191	Lapis	Receive or Discharge	Any Station	Any Station	Daily
191	Bardin	Receive or Discharge	Any Station	Any Station	Daily
191	Marina	Receive or Discharge	Any Station	Any Station	Daily
191	Pratto	Receive or Discharge	Any Station	Any Station	Daily

EASTWARD

SALINAS SUBDIVISION

WESTWARD

Capacity of Sidings and Spurs in Car Lengths	SECOND CLASS		FIRST CLASS								Distance from San Francisco	Time Table No. 148 June 29, 1941	Distance from San Luis Obispo	FIRST CLASS								THIRD CLASS
	768	766	2	70	96	72	98	38	76	374				69	1	373	75	37	99	71	97	765
	Freight	Freight	Sunset Limited	Coaster	Noon Daylight	Passenger	Morning Daylight	Passenger	Lark	C. M. E.				Coaster	Sunset Limited	C. M. W.	Lark	Passenger	Morning Daylight	Passenger	Noon Daylight	Freight
Yard Limits 117 KWP	12.40 PM	8.20 AM	11.39 PM	10.48 PM	3.04 PM	12.10 PM	11.14 AM	1.25 AM	12.39 AM	12.10 AM	163.7	TO KING CITY 3.4	88.4	3.38 AM	3.59 AM	4.19 AM	4.48 AM	1.45 PM	2.43 PM	4.46 PM	6.36 PM	4.55 PM
75 P	12.46	8.26									167.1	WELBY 5.3	85.0									
87 P	12.56	8.36	11.48	10.58	3.12	12.23	11.22	1.35	12.48	12.19	172.4	TO SAN LUCAS 5.3	79.7	3.27	3.49	4.08	4.39	1.33	2.35	4.27	6.27	4.35
44 P		8.44									177.7	DOCAS 5.2	74.4									
122 56 WOP	1.22	8.51	11.59 PM	11.08	3.21	12.36	11.32	1.47	12.59	12.30	182.9	TO SAN ARDO 3.5	69.2	3.15	3.37	3.56	4.28	1.22	2.26	4.14	6.17	4.20
44 P											186.4	GETTY 3.3	65.7									
76 P	1.36	9.05			3.27	12.43	11.38	1.55	1.07	12.38	189.7	WUNPOST 6.2	62.4	3.07	3.29	3.48	4.21	1.15	2.19	3.58	6.10	4.10
109 P	2.12	9.17	12.15 AM	11.24	3.35	12.53	11.46	2.03	1.15	12.46	195.9	BRADLEY 5.5	56.2	2.59	3.21	3.40	4.14	1.08	2.12	3.50	6.03	3.50
69 P	2.25	9.28			3.41	1.00	11.52				201.4	NAOIMIENTO 1.4	50.7	2.52	3.14	3.33	4.07	1.00	2.06	3.41	5.57	2.59
						f		s			202.8	CAMP ROBERTS 1.0	49.3							f		
106 81 P	2.48	9.33	12.23	11.32	3.44	1.04	11.54	2.13	1.23	12.54	203.8	McKAY 3.2	48.3	2.49	3.11	3.30	4.04	12.45	2.03	3.32	5.54	2.48
37 KWP	3.00	9.41	12.27	11.36	3.47	1.11	11.58 AM	2.45		12.58	207.0	TO SAN MIGUEL 3.9	45.1	2.45	3.07	3.26	4.00	12.42	2.00	3.29	5.51	2.43
98 P	3.23	9.47	12.32	11.41	3.51	1.20	12.02 PM	2.55	1.31	1.03	210.9	WELLSONA 5.4	41.2	2.39	3.02	3.21	3.55	12.35	1.56	3.23	5.47	2.36
58 P	3.34	9.59	12.38	11.51	3.56	1.28	12.07	3.49	1.37	1.09	216.3	TO PASO ROBLES 5.5	35.8	2.32	2.55	3.14	3.49	12.29	1.51	3.17	5.42	2.27
103 P	4.02	10.10	12.44	11.58 PM	4.02	1.45	12.12	4.06	1.43	1.15	221.8	TEMPLETON 3.1	30.3	2.24	2.49	3.08	3.43	12.20	1.45	3.07	5.36	2.17
30 P							12.15				224.9	ASUNCION 1.8	27.2				12.15					
21 Spur P	4.12	10.17	12.49	12.03 AM	4.07	1.52	12.17	4.12	1.48	1.20	226.7	TO ATASCADERO 1.3	25.4	2.18	2.43	3.02	3.37	12.03 PM	1.40	3.01	5.31	2.10
37 P											228.0	HENRY 2.3	24.1									
68 P	4.20	10.25	12.54	12.11	4.11	1.56	12.21	4.18	1.53	1.25	230.3	EAGLET 3.1	21.8	2.14	2.39	2.58	3.33	11.57 AM	1.36	2.55	5.27	1.56
73 P	4.25	10.30	12.57	12.14	4.14	1.59	12.24	4.21	1.56	1.28	233.4	COUSHING 2.1	18.7	2.10	2.35	2.54	3.29	11.53	1.32	2.51	5.24	1.35
W77 BKWYP E132 Yd. Lmts.	4.45	10.50	1.12	12.26	4.18	2.10	12.28	4.30	2.07	1.42	235.5	TO-R SANTA MARGARITA 3.4	16.6	2.07	2.32	2.51	3.26	11.50	1.30	2.48	5.21	1.30
77 P	5.14	11.02	1.22	12.36	4.25	2.20	12.35	4.42	2.17	1.52	238.9	OUESTA 4.5	13.2	1.52	2.17	2.36	3.13	11.38	1.23	2.39	5.14	12.35 PM
175 WP	5.29	11.27	1.31	12.46	4.34	2.30	12.44	4.52	2.26	2.06	243.4	TO SERRANO 2.9	8.7	1.31	2.06	2.26	3.04	11.27	1.15	2.30	5.05	11.59 AM
111 P	5.44	11.42 AM	1.39	12.54		2.38		5.01	2.34	2.14	246.3	OHORRO 1.7	5.8	1.23	1.57	2.14	2.54			2.15		11.42
43 YP											248.0	GOLDTREE 2.6	4.1									
103 P			1.48		4.48	2.48	12.58	5.14	2.44		250.6	HATHAWAY 1.5	1.5	1.14	1.48	1.58	2.44	11.04	12.58	2.05	4.48	11.21
S. L. Obispo Yd. BKWOTYP	6.05 PM	12.10 PM	1.53 AM	1.10 AM	4.52 PM	2.52 PM	1.02 PM	5.20 AM	2.48 AM	2.28 AM	252.1	TO-R SAN LUIS OBISPO 1.5	0.0	1.10 AM	1.43 AM	1.53 AM	2.40 AM	11.00 AM	12.53 PM	2.00 PM	4.43 PM	11.15 AM
	Arrive Daily Ex. Monday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(88.4)	Leave Daily	Leave Daily	Leave Daily Ex. Sundays and Mondays	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
	(5.25) 16.32	(3.50) 23.06	(2.14) 39.58	(2.22) 37.35	(1.48) 49.11	(2.32) 34.89	(1.48) 49.11	(3.55) 22.57	(2.09) 41.12	2.18) 38.43		Time over District.....	(2.28) 35.84	(2.16) 39.00	(2.26) 36.33	(2.08) 41.44	(2.45) 32.15	(1.50) 48.22	(2.46) 31.95	(1.53) 46.94	(5.40) 15.60	

ADDITIONAL STATIONS:

P Thyle, M.P. 240.0 Spur

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than ten minutes. Freight trains must be clear of main track and insulated joints at meeting and passing points for trains 96, 97, 98 and 99.

RULES 5 and 105. At Santa Margarita siding located on station side of main track is EASTWARD siding. Schedule time and train orders WESTWARD will apply at west switch of this siding. East switch of EASTWARD siding will be identified as crossover switch just west of west leg of wye. That portion of track between crossover switch and extreme east switch will be used by helper engines. Siding located on opposite side of main track to

station is WESTWARD siding. Schedule time and train orders EASTWARD will apply at east switch of this siding.

RULE 5. Schedule time and train orders will apply at San Miguel westward at crossover west of station building.

Siding at Hathaway will not be used by eastward trains except on authority of Train Dispatcher.

No. 70 reduce speed Saturday to 30 MPH at San Lucas, San Ardo, Bradley and Atascadero to dispatch papers.

No. 75 reduce speed to 10 MPH at San Miguel to dispatch U. S. mail.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS					
Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
72 71 72 71	Any Station Any Station Serrano Serrano	Receive Discharge Discharge (men and supplies) Discharge (men and supplies)	Los Angeles	Los Angeles	Daily Daily Mon., Wed., Fri. Tues., Thurs., Sat.

Capacity of Sidings and Spurs in Car Lengths	SECOND CLASS		FIRST CLASS							Distance from San Francisco	Time Table No. 148 June 29, 1941	Distance from Santa Barbara	FIRST CLASS							THIRD CLASS	
	768	766	96	72	98	76	374	2	70				71	99	97	69	373	1	75	765	
	Freight	Freight	Noon Daylight	Passenger	Morning Daylight	Lark	C. M. E.	Sunset Limited	Coaster				Passenger	Morning Daylight	Noon Daylight	Coaster	C. M. W.	Sunset Limited	Lark	Freight	
S. L. Obispo yd. BKWOTYP	8.00 PM	1.20 PM	4.57 PM	3.02 PM	1.07 PM	3.00 AM	2.40 AM	2.07 AM	1.20 AM	252.1	118.6	s 1.50 PM	s 12.48 PM	s 4.38 PM	s 1.01 AM	1.20 AM	s 1.32 AM	s 2.30 AM	10.15 AM		
IP	8.15	1.35	5.08	3.13	1.18	3.12	2.51	2.19	1.31	259.1	111.6	1.35	12.37	4.27	12.49	1.06	1.18	2.15	10.00		
125 P	8.25	1.52	5.15	3.22	1.25	3.20	2.59	2.27	1.39	264.2	106.5	1.25	12.30	4.20	12.41	12.58	1.10	2.07	9.48		
36 WP	8.28	1.55	5.17	s 3.28	1.27	3.23	3.02	2.30	1.42	265.9	104.8	s 1.12	12.28	4.18	12.38	12.56	1.08	2.05	9.45		
98 P	8.40	2.03	5.22	3.34	1.32	3.28	3.07	2.35	1.47	269.9	100.8	1.04	12.23	4.13	12.33	12.51	1.03	2.00	9.36		
38 P	8.45	2.08	5.24	3.37	1.34	3.31	3.10	2.38	1.57	272.4	98.3	1.01	12.21	4.11	12.30	12.48	1.00	1.57	9.30		
Yard Limits 108 BKWP	10.00	2.15	5.28	s 3.48	1.38	3.37	3.16	2.44	s 2.25	276.5	94.2	s 12.56	12.17	4.07	s 12.24	12.42	12.54	1.52	9.20		
77 P	10.12	2.25	5.33	4.02	1.43	3.43	3.22	2.50	2.31	280.7	90.0	12.42	12.12	4.02	12.13	12.36	12.48	1.44	8.58		
46 P	10.23	2.36	5.38	4.09	1.48	3.48	3.27	2.55	2.36	284.8	85.9	12.36	12.07	3.57	12.07	12.30	12.42	1.38	8.49		
87 YP										286.5	84.2										
40 P	10.29	2.42	5.41	s 4.15	1.51	3.53	3.32	3.00	2.41	287.5	83.2	s 12.32	12.04	3.54	12.03 AM	12.26	12.38	1.34	8.42		
74 P	10.34	2.47	5.44	4.19	1.54	3.56	3.35	3.03	2.45	290.0	80.7	12.27	12.01 PM	3.51	11.59 PM	12.22	12.34	1.30	8.38		
128 P	10.41	2.53	5.47	4.23	1.57	4.02	3.39	3.09	2.49	293.2	77.5	12.23	11.57 AM	3.47	11.56	12.19	12.31	1.27	8.32		
75 P	10.59	3.02	5.51	4.29	2.01	4.08	3.44	3.15	2.54	297.2	73.5	12.18	11.53	3.42	11.50	12.13	12.25	1.22	8.25		
										301.3	69.4										
117 Yd. Limits 81 WOYP	11.15 PM 12.16 AM	3.36	5.57	s 4.48	2.07	4.16	3.50	3.23	s 3.06	302.7	68.0	s 12.10 PM	11.47	3.36	s 11.40	12.04 AM	12.16	1.13	8.10		
131 P	1.06	3.47	6.02	4.57	2.12	4.24	3.58	3.31	3.14	307.9	62.8	11.55 AM	11.41	3.29	11.28	11.57 PM	12.09 AM	1.06	7.44		
41				f						310.5	60.2	f									
43 P										312.5	58.2										
44 P	1.21	4.02	6.12	f 5.10	2.22	4.37	4.10	3.44	3.27	317.3	53.4	f 11.42	11.32	3.19	11.16	11.45	11.57 PM	12.55	7.26		
85 WP	1.28	4.09	6.16	5.15	2.26	4.43	4.15	3.52	3.32	320.8	49.9	11.37	11.28	3.15	11.11	11.40	11.52	12.49	7.18		
125 52 P	1.35	4.16	6.22	f 5.22	2.32	4.49	4.21	3.58	3.38	325.3	45.4	f 11.31	11.23	3.10	11.05	11.34	11.46	12.43	7.08		
44 P										329.8	40.9										
103 P	1.50	4.31	6.32	5.34	2.42	5.02	4.34	4.11	3.51	334.8	35.9	11.20	11.13	3.01	10.53	11.22	11.34	12.31	6.52		
78 WP	1.57	4.38	6.37	s 5.41	2.47	5.09	4.41	4.18	3.57	339.4	31.3	s 11.14	11.08	2.57	10.48	11.17	11.29	12.26	6.44		
43 P					2.51					342.6	28.1			2.51							
46 P	2.07	4.48	6.44	5.49	2.54	5.17	4.49	4.26	4.05	345.7	25.0	11.06	11.02	2.44	10.40	11.09	11.21	12.18	6.31		
102 P	2.14	4.55	6.48	5.55	2.58	5.23	4.54	4.32	4.11	349.9	20.8	11.01	10.57	2.40	10.35	11.04	11.16	12.13	6.24		
75 50 WP	2.22	5.05	6.53	f 6.01	3.03	5.30	5.00	4.39	4.18	355.0	15.7	f 10.52	10.52	2.35	10.29	10.58	11.10	12.07	6.15		
47 27 P	2.28	5.11	6.57	6.07	3.07	5.35	5.04	4.44	4.23	358.9	11.8	10.37	10.48	2.31	10.24	10.53	11.05	12.02 AM	6.08		
21										361.7	9.0										
117 P	2.34	5.19	7.02	f 6.14	3.11	5.41	5.10	4.50	4.31	362.8	7.9	f 10.33	10.45	2.28	10.19	10.49	11.01	11.58 PM	6.01		
39 P										366.5	4.2										
P	2.43	5.28	7.08	6.22	3.17	5.51	5.18	5.00	4.42	368.5	2.2	10.27	10.39	2.23	10.12	10.42	10.54	11.51	5.51		
Santa Barbara yd. BKWOTYP	2.55 AM	5.45 PM	s 7.15 PM	s 6.30 PM	s 3.24 PM	s 5.58 AM	5.25 AM	s 5.08 AM	s 4.50 AM	370.7	0.0	10.20 AM	10.33 AM	2.17 PM	10.05 PM	10.35 PM	10.47 PM	11.44 PM	5.30 AM		
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
	(6.55) 17.15	(4.25) 26.86	(2.18) 51.57	(3.28) 34.21	(2.17) 51.94	(2.58) 39.98	(2.45) 43.13	(3.01) 39.31	(3.30) 33.89			(3.30) 33.88	(2.15) 52.71	(2.21) 50.47	(2.56) 40.43	(2.45) 43.13	(2.45) 43.13	(2.46) 42.87	(4.45) 24.97		

RULES 86 and 93. Second and inferior class trains, extra trains and engines, except extra trains handling passenger equipment only, must clear the time of Nos. 96, 97, 98 and 99 not less than ten minutes. Freight trains must be clear of main track and insulated joints at meeting and passing points for trains 96, 97, 98 and 99.

No. 71 and No. 72 stop at Pismo daily.

No. 75 and No. 76 will reduce speed at Guadalupe and Surf to 25 MPH to dispatch mail.

Water supply at Oceano, Jalama, Gaviota and Lompoc for emergency use only.

ADDITIONAL STATIONS

P Edna	M.P. 257.9	Spur
Tiber	M.P. 260.0	Spur
Pismo	M.P. 262.8	Spur
San Augustine	M.P. 331.0	Spur
P Drake	M.P. 334.2	Spur
Orella	M.P. 348.6	Spur
Vilo	M.P. 357.1	
Coromar	M.P. 360.2	Spur
Oliva	M.P. 367.9	Spur

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	To (or beyond)	From (or beyond)	Frequency
71	Tangair	Men and Supplies			Thursdays
71	Any Station	Discharge			Daily
71	San Augustine M.P. 331.0	Receive or Discharge	Any Station	Any Station	Daily
71	Drake M.P. 334.2	Receive or Discharge	Any Station	Any Station	Daily
72	San Augustine M.P. 331.0	Receive or Discharge	Any Station	Any Station	Daily
72	Drake M.P. 334.2	Receive or Discharge	Any Station	Any Station	Daily
72	Any Station	Receive	Los Angeles		Daily
72	Tangair	Men and Supplies			Wednesdays

SPECIAL INSTRUCTIONS.



EASTWARD GUADALUPE SUBDIVISION WESTWARD

Capacity of Sidings and Spurs in Car Lengths	Distance from San Francisco	Time Table No. 148 June 29, 1941		Distance from White Hills	
		Lompoc-White Hills Branch			
STATIONS					
117 Yd. Limits 81 W.O.P.	302.7	TO SURF 1.1	14.0		
30	303.8	BARODA 3.8	12.9		
21	307.6	POST 2.2	9.1		
9	309.8	ACORN 2.6	6.9		
Yard Limits BKWTP	312.4	TO-R LOMPOC 0.5	4.3		
	312.9	WHITE HILLS JCT. 3.8	3.8		
	316.7	WHITE HILLS (14.0)	0.0		

ADDITIONAL STATIONS
Lompoc—White Hills Branch
Garus M.P. 308.1 spur
La Salle M.P. 308.3 spur

RULE 2. Watch Inspectors:
S. A. Pope, Manager of Time Service, 65 Market Street, San Francisco.

San Francisco I. S. Preston, Phelan Building
 Kline & Logie, 2058 Mission Street
 L. E. Brown, 709 Third Street
Bayshore Forrest E. Brown, 2442 Bayshore Ave.
San Mateo A. E. Benot, 224 B. Street
Redwood City Geo. Peterson, 2738 Broadway
San Jose Kochers, 169 So. First St.
Watsonville A. R. Jolly
Santa Cruz C. M. Pennell
Salinas Goodfriend & Traub
Pacific Grove G. H. Ehmann
King City W. V. Bolton
	San Luis Obispo
 V. C. Jerram
	Santa Barbara
 I. F. Bitterly
	Lompoc
 Walter Ziesche
	Los Gatos
 J. B. Streepey

RULE 4. Designated Holidays:
New Year's Day, January 1st.
Washington's Birthday, February 22nd.
Decoration Day, May 30th.
Independence Day, July 4th.
Labor Day, first Monday in September.
Thanksgiving Day, last Thursday in November.
Christmas Day, December 25th.

RULE 10 (J). Round yellow slow boards indicate by black figures the speed restrictions applying to trains which consist of streamlined cars with engines counterbalanced for speeds of 75 MPH or over. Speeds indicated by oval white slow boards apply to those trains unless a round yellow slow board authorizing a higher speed is displayed on same post below the oval slow board.

Slow boards located to left side of track as follows:
Governing westward trains: Governing eastward trains:
1000 feet west of M.P. 87 2000 feet east of M.P. 91
200 feet west of M.P. 117 2200 feet west of M.P. 95
1900 feet east of M.P. 195 1800 feet east of M.P. 148
500 feet east of M.P. 230 200 feet east of M.P. 211
2500 feet west of M.P. 234 1200 feet west of M.P. 228
1800 feet west of M.P. 235 1800 feet west of M.P. 294
1600 feet west of M.P. 265 700 feet east of M.P. 321
2200 feet east of M.P. 286 2000 feet west of M.P. 325
2600 feet east of M.P. 312
2500 feet west of M.P. 350

Slow boards located less than three-fourths mile from point of restriction.

Affecting westward trains:
M.P. 8.54 55 car lengths from point of restriction.
M.P. 302.4 58 car lengths from point of restriction.
Governing eastward trains:
1400 feet east of M.P. 125 (Monterey Branch)
200 feet west of M.P. 127 (Monterey Branch)
Curve warning signals placed at M.P. 262.18 for westward trains and at M.P. 260.42 for eastward trains, in advance of 10 degree curve where speed is restricted to 30 MPH for passenger trains and 25 MPH for freight trains, remain at caution position at all times.

RULE 12 (H). Display of a lighted fusee from an interlocking tower or crossing watchman's tower will be regarded as a stop signal within the meaning of Rule 12 (H). Expect to find crossing in the vicinity blocked.

RULE 14 (d). As specified below, _____ o will be indication that flagman may return from west as prescribed by Rule 99.

Redwood Junction, Santa Clara—Trains on Western division.
Vasona Jct.—Trains on Los Altos line.

RULE 14 (e). As specified below, _____ will be indication that flagman may return from east as prescribed by Rule 99.

Watsonville Jct.—Trains on Santa Cruz Branch.
Redwood Junction, Santa Clara—Trains on Western division.
California Ave.—Trains Castroville—Trains on Pacific
on Los Altos line. Grove line.
San Jose—Trains on Campbell line. Santa Cruz—Trains on Daven-
Carnadero—Trains on Tres Pinos port line.
line. Surf—Trains on Lompoc line.

RULE 14 (k). Also sound signal when passing rear of train, to be acknowledged by trainman by signal 12 (c).

RULE 14 (l). Eastward trains will sound crossing whistle just before entering Tunnel 6 east of Santa Cruz.

RULE 17. Eastward passenger trains at Santa Margarita will extinguish headlight when helper engines are being coupled to train.

RULES 17 and 19. Night signals will be displayed through tunnels.

RULE 17 (C). For identification purposes, head light may be dimmed when passing the head end and rear end of trains on adjoining tracks, except when near street or highway crossings.

RULE 21 (C). Engines of passenger trains may display indicators between Mission Bay roundhouse and Third Street station, San Francisco, and from San Jose and San Luis Obispo passenger stations to roundhouse. They must be removed on arrival delivery track at roundhouse.

RULE 28. In double track territory, signals will be placed to right of track according to direction of movement of train to be flagged. Trains in opposite direction will not be required to observe signals so placed.

RULE D-71. Trains and engines may move between San Francisco and San Bruno via Bayshore, and between Santa Clara and College Park interlocking plants, with current of traffic irrespective of timetable superiority. They will accept proceed indication of interlocking signal or verbal authority of signal operator in charge of route to be used as authority to enter main track, but will otherwise be governed by Rules 93 and 99.

Second and inferior class trains, extra trains and engines moving between these points must avoid delaying first-class trains, also other movements when so instructed by signal operator.

RULE S-72. Westward trains are superior to trains of the same class in opposite direction, except as noted on pages 7, 10 and 11.

RULE 83. Identification may be made at San Jose or between Lick and Coyote—Gilroy and Sargent—Logan and Watsonville Junction—San Luis Obispo and Hadley Tower—West Santa Barbara and Santa Barbara, to be applied at the end of double track. Trains approaching each other between these stations must reduce speed sufficiently to permit identification and must comply with Rule 14(k).

RULE 83 (A). At the following stations, only trains originating or terminating will register:

Visitacion Tower	Los Gatos	Santa Margarita
Redwood Junction	Salinas	Guadalupe
Gilroy	Soledad	

San Jose—Westward Coast Division freight trains moving from San Jose will register at Santa Clara tower.

Western Division trains originating or terminating San Jose yard will register at Santa Clara tower.

California Ave.—Scheduled trains via Los Altos and trains originating or terminating.

Castroville—Trains originating or terminating, and trains on Monterey Branch.

Santa Cruz—Extra trains will register.

RULE 83 (B). Visitacion Tower—Eastward trains originating at Bayshore yard may obtain clearance from mast located at Visitacion tower. Westward trains terminating at Bayshore yard will register by ticket.

Redwood Junction—Trains to or from Western Division may register by ticket, and receive clearance from mast located near tower.

San Jose—Receptacles are located on station platform at end post of umbrella sheds from which through passenger trains may obtain clearance and may register by ticket. When no clearance received or when irregularities noted, conductor will report to train-order office.

No. 374, Coast Division freight trains and light engines operating between Watsonville Junction and San Jose will register by ticket at San Jose passenger station.

Eastward Coast Division freight trains arriving San Jose will register by ticket at Santa Clara tower.

Train-order mast located on freight lead, San Jose passenger station, where eastward Coast Division freight trains and No. 374 will receive clearance.

Gilroy—Attachment applied to base of train-order signal for holding train-order hoops for eastward and westward trains.

Watsonville Junction—Attachment applied to base of electrolier for holding train-order hoop, located in front of train-order office between eastward and westward main tracks.

Watsonville Junction—Nos. 96, 97, 98, 99, 36, 35 and 39 will register by ticket.

King City—Train-order mast located between main track and station, for holding train-order hoops for eastward and westward trains.

Santa Barbara—Train-order office is located at the freight station.

Crews of westward first-class trains and passenger extras receiving train orders and instructions at freight station will deliver them to relieving crews at passenger station.

RULE 83 (D). First-class trains to Western Division at Santa Clara must obtain two clearances at San Jose, one endorsed "Coast Division" and one endorsed "Western Division" and receive their train orders applying to Western Division at San Jose.

Trains No. 39 and No. 191 will not comply with Rule 83 (D) at Pacific Grove.

RULE 83 (E). A train may check the register against an extra when authorized by train order in the following form: "... may check register at _____ against Extra _____ on order No.". A train so authorized to check the register must also register.

An extra when instructed by train order in the following form: "Extra _____ register at _____ on order No." will register, and place this order number and date in column captioned "Signals."

RULES 86 (b) and (c). Extra trains handling passenger equipment only may run ahead of first-class trains between San Francisco and San Jose.

RULE 93. Second and third paragraphs of Rule 93 apply to all tracks within yard limits.

Yard limits in which the provisions of Rule 93 will apply are established at the following points:

San Francisco	Castroville	San Luis Obispo	Santa Cruz
Redwood Jct.	Salinas	Guadalupe	Pacific Grove
San Jose	Soledad	Surf	Los Gatos
Gilroy	King City	Santa Barbara	Lompoc
Watsonville Jct.	Santa Margarita	Felton	

LOCATION OF YARD LIMIT SIGNS

San Francisco—From terminal building to M.P. 11.5 East of San Bruno, including San Bruno Branch.

Redwood Junction—From M.P. 24.5 to M.P. 27.2 and to M.P. 28.2 on Western Division.

San Jose—From M.P. 43.5 to M.P. 56.0 including Lick Branch, to M.P. 51.5 on Los Gatos Branch, including Campbell, to M.P. 44.8 on Milpitas line and to M.P. 43.7 on Agnew line.

Gilroy—From M.P. 79.4 to M.P. 82.4.

Watsonville Junction—From M.P. 96.1 to M.P. 101.25 and to M.P. 96.2 on Santa Cruz Branch.

Castroville—From M.P. 109.6 to M.P. 111.7 and to M.P. 111.5 on Monterey Branch.

Salinas—From M.P. 113.5 to M.P. 121.5 including Spreckles Branch.

Soledad—From M.P. 142.4 to M.P. 144.7.

King City—From M.P. 162.2 to M.P. 165.1.

Santa Margarita—From M.P. 233.9 to M.P. 237.0.

San Luis Obispo—From M.P. 249.6 to M.P. 254.0.

Guadalupe—From M.P. 275.2 to M.P. 277.3.

Surf—From M.P. 301.7 to M.P. 303.7 and to M.P. 303.8 on Lompoc-White Hills Branch.

Santa Barbara—From M.P. 369.20 to M.P. 373.33.

Los Gatos—From M.P. 52.7 to M.P. 54.6.

Felton—From M.P. 72.0 to M.P. 73.4.

Santa Cruz—From M.P. 77.1 to M.P. 80.5 and to M.P. 81.7 on Davenport Branch.

Pacific Grove—From M.P. 127.7 to M.P. 129.9.

Lompoc—M.P. 310.6 to end of branch at White Hills.

RULE 95. Orders issued under Form F by Western Division dispatchers reading to or from Santa Clara will apply over the Coast Division into and out of San Jose.

RULE 97. Extra trains must not run via Los Gatos or Los Altos Branches unless train order so specifies.

RULE D-97 (A). Will apply between San Francisco and San Jose.

RULE 98. RAILROAD CROSSINGS AT GRADE NOT INTERLOCKED:

Western Pacific R. R. at Valbrick (San Jose yard) "Stop."

After stopping and trains, engines or motors are approaching on Western Pacific R. R. tracks within such distance that they are liable to conflict with movement over crossing, such movement must not be made until movement on intersecting route has stopped.

RULE 99. Trains moving on siding Hathaway, Rule 93 will govern and Rule 99 must be complied with against first-class trains. Speed on siding must not be in excess of 25 MPH for passenger trains and 18 MPH for freight trains.

Granite Rock Co. will do the switching within switches at Logan; Southern Pacific Co. trains will protect.

Pacific Coast Aggregates Co. will do the switching at Lapis; Southern Pacific Co. trains will protect.

Permanente Corporation will do all switching at Permanente, east of east derail; Southern Pacific trains will protect.

First-class trains will move with caution between Signal Bridge 466 west of San Jose passenger station and Signal 473 east of San Jose passenger station. Trains or engines standing on either main track between Signal Bridge 466 and Signal 473 need not protect against first-class trains, but will comply with Rule 99 (A).

MOVEMENT BETWEEN BAYSHORE AND UNION STOCK YARD

When making movements from Bayshore to Union Stock Yard, it will be handled from westward main track through switch located 300 feet west of west portal Tunnel 3 and following instructions will govern:

INBOUND: Necessary flag protection will be provided on westward main track while switches are being lined and until movement is clear of main track. All members of the crew will accompany yard engine to stock corrals.

OUTBOUND: When ready to make the movement, flagman will immediately proceed to telephone located at east portal Tunnel 3 and communicate by telephone with other member of crew at Newcomb Ave., indicating that proper protection has been provided on westward main track. In the meantime foreman will obtain by telephone a line-up of trains and other movements from signal operator at Bayshore. When conditions are such that cross-over can be made, the switches will be lined as follows:

First derail, then cross-over switch in eastward main track, then cross-over in westward main track and last switch from main track to stock track. After cross-over movement has been made, line switches in normal position, closing cross-over switch to eastward main track last, after which flagman may be recalled.

On double indicator, located near derail on stock track, eastward indicator will indicate "block occupied" after a westward train has passed the center of Tunnel 4 and remain so until the train has passed Signal 31 at the east end of viaduct at Newcomb Ave. Westward indicator will indicate "block occupied" after an eastward train has passed Signal 22 at west end of viaduct and remain so until the train has passed Signal 38, located 500 feet east of east portal of Tunnel 3.

None of the switches above referred to must be changed from the normal position if one or both indicators indicate "block occupied."

When these tracks are operated by Santa Fe, Southern Pacific crews must make movements to stock yards under flag protection.

RULE 103 (A). In general, highway crossing signals are so designed that they will not operate for trains or engines making a reverse movement after having passed over the crossing. Trains or engines making such reverse movement must protect the crossing unless it is known that signals are operating.

Between Seventh St. and 17th and Harrison Sts., San Francisco, trains or yard engines via Ocean View must protect street crossings when no flagman is on duty. East of 17th and Harrison Sts., unprotected crossings must be protected by member of crew at all times.

Movements over 9th Ave. crossing on center siding, San Mateo, do not actuate crossing signal, therefore care should be used in making such movements and in case view be obscured or automobiles are closely approaching, stop should be made before fouling crossing.

No train, motor, engine or car must enter crossing over Bayshore Highway on Chestnut Street, Redwood Harbor spur, at speed greater than 10 MPH and must clear crossing as quickly as practicable.

First Street crossing, Watsonville, is protected by crossing flagman only from September 1st to December 15th each year. At other times all switching movements must be protected by member of the crew acting as flagman on the crossing.

Cars spotted in this vicinity will be left as far as practicable from the street crossing, in order that an open view may obtain.

Spur Tracks Nos. 3 and 4, leading off siding at Ord, crossing State Highway at M.P. 118.9 and M.P. 119.5, no train, engine, motor or car, will move over these crossings, unless brought to a stop at "stop" sign and after crossing signals have operated for a period of not less than 20 seconds, movement may be made across highway. It will not be necessary to manually operate spring derail when moving into Fort Ord. When coming out of Fort Ord it will be necessary to manually operate spring derail which will start crossing signals operating and after signals have operated for a period of not less than 20 seconds, train may proceed across highway. In making forward movement into Fort Ord, trailing the spring derail, care should be used not to make a reverse movement without manually operating spring derail.

Movements over county road crossing on spur and siding at Chualar and over H Street crossing Lompoc, must be protected by a flagman.

Speed on Del Monte Ice Co.'s spur, Castroville, must not be in excess of 10 MPH over county road unless protected by flagman.

Trains and engines using spur to government tracks, Camp Roberts, crossing Highway No. 101 near station McKay, must stop, and traffic on highway protected by flagman.

Track leading from siding Goldtree into Camp San Luis Obispo crosses State Highway 4850 feet from switch of east leg of wye at Goldtree, no train, engine, motor or car will move over this crossing unless brought to a stop and traffic on highway protected by flagman.

RULE 104. THE NORMAL POSITION OF SWITCHES AT THE END OF DOUBLE TRACK AND AT JUNCTIONS, WILL BE AS FOLLOWS:

- San Bruno.....San Bruno Branch, for eastward main track.
- California Ave.,.....Los Altos Branch, for eastward main track.
- Redwood Jct.....Newark line, end of double track, for westward track.
- San Jose yard.....(San Pedro St.) for freight lead.
- Lick.....Lick Branch, for eastward main track.
- Lick.....End of double track, for eastward main track.
- Coyote.....End of double track, for westward main track.
- Gilroy.....End of double track, for eastward main track.
- Carnadero.....Tres Pinos Branch, for westward main track.
- Sargent.....End of double track, for westward main track.
- Logan.....End of double track, for eastward main track.
- Watsonville Jct.....End of double track, for westward main track.
- Watsonville Jct.....Santa Cruz Branch, for west leg of wye.

- Castroville.....Monterey Branch, for main track Salinas line.
- Spreckels Jct.....Spreckels Branch, for main track Salinas line.
- San Luis Obispo.....End of double track, for eastward main track.
- Hadley Tower.....End of double track, for westward main track.
- Surf.....Lompoc-White Hills Branch, for main track Surf line.
- West Santa Barbara.....End of double track, for eastward main track.
- Vasona Jct.....For Los Gatos-Campbell line.
- Santa Cruz.....Davenport Branch, for Santa Cruz Branch line.
- Olympia.....Inside crossover switch for storage track.
- Permanente.....Junction switch for track No. 1.
- White Hills Jct.....For Lompoc-White Hills line.

RULE 107. STATION TRAIN INDICATORS LOCATED AS FOLLOWS:

San Bruno—Westward track 2000 feet east of station indicates if a train on eastward main track between Linden Ave. and San Bruno Ave.

Broadway—Eastward track 2200 feet west of station indicates if a train on westward main track between 2400 feet east of station and Broadway crossing.

Burlingame—Eastward track 2200 feet west of station indicates if a train on westward main track between Villa Terrace Ave. and station.

San Mateo—Eastward track 2300 feet west of station indicates if a train on westward track between 9th Ave. and First Ave.

Redwood City—Eastward track 2100 feet west of station indicates if a train on westward main track between Chestnut St. and west side of Broadway St.

When passenger trains are standing at Santa Margarita station, trains and engines must not move between station and trains unless the movement be properly safeguarded.

RULE D-152. Cross-overs are located between San Francisco and San Jose as follows:

San Francisco located 100 feet west of west portal Tunnel 3, 1740 feet west of Tunnel 4, South San Francisco, Tanforan Wye, San Bruno, Millbrae, Broadway, Burlingame, Howest, San Mateo, Hayward Park, Hillsdale, Belmont, San Carlos, Redwood Jct., Atherton, Menlo Park, Palo Alto, California Ave., Mountain View, Sunnyvale, Libby McNeill and Libby's Spur (Sunnyvale), Lawrence.

Tanforan Wye—Cross-over is located between eastward Signal 102, and westward Signal 111, and switches are numbered 1, 2, 3 and 4.

When passing from third track to eastward or westward main track, switches should be thrown in the following order: No. 1, No. 3, No. 2, No. 4.

Cross-over between Tunnels 3 and 4, switches are numbered No. 1, No. 2, No. 3, No. 4, No. 5, No. 6.

When moving from Carroll Ave. to main track, line switches in following order: No. 3, No. 4, No. 1, No. 2.

From industrial district to eastward main track line switches as follows: No. 5, No. 6.

From eastward to westward main track as follows: No. 3, No. 4, No. 5, No. 6.

Switches to cross-over just east of Bayshore highway subway are numbered No. 7, No. 8, No. 9, No. 10, No. 11, No. 12.

Movement east on eastward main track or parallel drill track to westward main track, thence to South San Francisco drill, line switches as follows: No. 12, No. 7, No. 8, No. 9.

Movement from east drill track to west drill track, line switches as follows: No. 12, No. 11, No. 10, No. 8, No. 9.

Movement from drill track, adjacent to westward main track, to westward main track, line switches as follows: No. 8, No. 9, and if movement continued to eastward main track, No. 7, No. 8, No. 9.

After movement is completed switches may be restored to normal position in most convenient manner.

RULE 206 (A). It will not be necessary for Nos. 250 and 74 to obtain clearance at Santa Clara tower.

RULE 221. All trains, except westward Coast Division freight trains, must obtain clearance before leaving San Jose.

Westward Coast Division freight trains must obtain clearance at Santa Clara tower.

Western Division trains originating San Jose yard must obtain clearance at Santa Clara tower.

Trains must obtain clearance before leaving Los Gatos, Santa Cruz, Pacific Grove, Monterey and Lompoc when operator on duty. This does not supersede Rule 83 (D).

Light will not be displayed in train-order signals at Felton or Los Gatos except when train orders are to be delivered.

SPECIAL INSTRUCTIONS

RULE 825. When cars are left on grade not protected with derails they must be chained to rail.

Outfit cars must not be left next to oil or gasoline loading or unloading locations, warehouses, storehouses, lumber yards, or other buildings.

Cars must not be stored within 150 feet of crossings over Monterey Road at Watsonville Junction.

When freight trains are tied up in Watsonville Jct. yard, trainmen will set hand brakes on the rear cars of westward trains and on the head cars of eastward trains.

Cars must not be left on storage track between Spreckels Junction and Spreckels, within 100 feet of Hunter Lane crossing, M.P. 121.8 and Harkins Road crossing, M.P. 122.2.

RULE 834. Tank cars, or open-top cars loaded with rail, pipe, structural steel, lumber, poles or mounted wheels, when lading projects above sides and end walls of car, must not be placed in train next to cab of AC class engines.

RULE 848. Applies to deadhead diners handled on rear of trains. Doors must be locked before cars are set out.

RULE 869. In addition to trainmen on freight trains being on top of their trains when descending steep grades, they must ride on top of trains through yards as follows:

Between Bayshore and Tunnel 5.

Western Division trains through interlocking plant at Redwood Junction.

San Jose, between the west limits Santa Clara interlocking plant and 4th Street, San Jose and between San Jose yard and Western Pacific R. R. crossing.

Watsonville Junction, San Luis Obispo and Santa Barbara, entering or leaving yard.

Santa Barbara, trainmen must remain with their portion of train until it stops on designated track in yard.

At points other than those designated when in judgment of conductor it is considered necessary.

RULE 883. Engines under steam must not be stored or left unattended on tracks that are not protected by derails against entry to main track. When chains or blocking available, wheels must be blocked.

TRAIN INSPECTION

Freight trains descending grade will stop for inspection and to permit heat of wheels to equalize at Serrano.

With above exception maximum distance freight trains may run without stopping for inspection is 55 miles except when conditions are favorable and in judgment of conductor and engineer it is safe to do so, may run in either direction between Surf and Santa Barbara, San Luis Obispo and Concepcion, Santa Margarita and King City and King City and Watsonville Jct. without stopping for inspection, except that trains handling carload shipments of T.N.T., bombs, loaded projectiles and other such articles of a highly sensitive nature, is loaded in excess of 65 percent of its marked capacity, will stop at intervals of not to exceed 40 to 50 miles for inspection.

Trains Nos. 373 and 374 will not be required to stop for inspection.

AIR BRAKE RULES

RULE 24. Rear end test on freight trains must be made immediately prior to leaving:

Location
 Santa Margarita... Eastward freight trains.
 Permanente... (Interchange tracks) All freight trains.
 Rear end test will be made by Nos. 373 and 374 as per Rule 24 and other rules pertaining to freight trains.

Applies to yard drags between points where air brakes are used, except in San Francisco Terminal will only be required on yard drags for movements over main tracks between San Francisco and San Bruno and between San Bruno and 16th Street.

RULE 39. Running test on passenger trains must be made at:

Location
 San Francisco... After rear of train has passed Fourth St., except trains of over 8 cars must straighten out on Seventh St. before test is made. } Eastward trains

San Jose... After rear of train has passed over } Eastward trains
 spring switch from freight lead.

Tunnel 6 between Cuesta and Thyle immediately after } All trains
 passing summit.

When making running tests at points where rails may be slippery from oil and water at water or oil columns, or engines standing on trains, test must not be made until rear of train has passed such point.

FREIGHT TRAINS

RULE 33. One operative retainer for the amount of M's shown below must be turned up:

120 M's per Operative Brake
 Eastward from summit in Tunnel 6 between Cuesta and Thyle to west switch Hathaway.
 Westward from summit in Tunnel 6 to Santa Margarita.
 Westward from Olympia to M.P. 72 and from Rincon to M.P. 78.
 Permanente. (Interchange tracks) to Simla.
 Goldtree and Camp San Luis Obispo.

All Between White Hills and White Hills Jct.
 When helper engines remain cut in train, three additional retainers to be used for each helper engine.

Eastward freight trains reduce speed to 10 MPH from one-half mile west of west switch, to east switch Hathaway to give trainmen an opportunity to turn down retainers, except when train consists of over 45 cars, retainers on 15 head end cars will be left in retaining position into San Luis Obispo.

When eastward freight trains consist of 30 to 50 cars, ten retainers, 50 to 75 cars, fifteen retainers, over 75 cars, twenty retainers must be turned up solid just behind engine, from end of double track West Santa Barbara until train has stopped in Santa Barbara yard, when they must be turned down. Trains will reduce speed to 20 MPH approaching West Santa Barbara to enable trainmen to turn up retainers.

The tonnage of freight trains between San Luis Obispo and Santa Margarita; between Goldtree and Camp San Luis Obispo; between Olympia and Santa Cruz and between Permanente interchange tracks and Simla must not exceed 120 M's per operative brake.

PASSENGER TRAINS

RULE 46. Retainers will be used between San Luis Obispo and Santa Margarita and between Olympia and Santa Cruz as follows:

Eastward from summit in Tunnel 6 to west switch Hathaway when more than four head-end cars, on which retainers are not accessible while running, stop will be made at Serrano, where such retainers must be turned up, unless an operating stop is made at Hathaway, the inaccessible retainers will be allowed to operate into San Luis Obispo. On any train, unless there are at least as many cars with retainers accessible as there are with retainers inaccessible, train must stop at Serrano to turn up retainers, or when over one-third of the total equipment in train consists of head-end cars on which retainers are not accessible, stop will be made after running test has been made leaving Santa Margarita before reaching summit, where such retainers must be turned up.

Accessible... Westward from summit in Tunnel 6 to distant block signal, east of Santa Margarita.

Goldtree and Camp San Luis Obispo, over 5 cars, one retainer for each two cars, to be turned up from head end of train.

Olympia to M.P. 72 and Rincon to M.P. 78, 6 cars, three retainers; 8 cars, four retainers; 10 cars, five retainers; 12 cars, seven retainers to be turned up from head end of train.

When streamlined trains are controlled on descending grades with electro-pneumatic brake, retaining valves will not be used.

AUTOMATIC BLOCK SYSTEM

RULE 509. When making a reverse movement on main track after movement out of siding or other track, in block system limits, train or engine will, unless movement be completed beyond the governing signal, proceed as if signal be in stop position.

Main tracks within automatic block system not protected by signals:
 San Jose—From Signal 467 at Third St. to signal located 50 feet west of spring switch at junction with roundhouse lead or wye.

Santa Cruz—From station building to Signal 791.

The following block signals, equipped with triangular number plate displaying the letter "P", have included in their control limits some

special protective device. When these signals indicate "stop", in addition to complying with Rule 509, careful inspection must be made of track or structure as indicated below, and it must be known that they are safe for passage of train before proceeding.

Signal No.	Special Protective Device	Track or Structure Location
P- 275	Spring switch	End double track, Redwood Jct.
P- 514	Spring switch	Lick
P- 634	Spring switch	Coyote
P- 635	Spring switch	Coyote
P- 804	Spring switch	Gilroy
P- 805	Spring switch	Gilroy
P- 866	Spring switch	Sargent
P- 867	Spring switch	Sargent
P- 924	Earthquake detector	Pajaro River Bridge (Chittenden)
	Slide detector fence	Logan
P- 930	Spring switch	Logan
	Slide detector fence	Logan
P- 931	Spring switch	Logan
	Earthquake detector	Pajaro River Bridge (Chittenden)
P-1008	Spring switch	Watsonville Junction
P-1009	Spring switch	Watsonville Junction
P-1518	Spring switch	East end Metz
P-1523	Spring switch	East end Metz
P-2382	Spring switch	East end Cuesta
P-2390	Fire Detector	Tunnel 6
P-2391	Spring switch	East end Cuesta
P-2401	Fire Detector	Tunnel 6
P-2421	Spring switch	West end Serrano
P-2422	Spring switch	West end Serrano
P-2423	Spring switch	West end Serrano
P-2436	Spring switch	East end Serrano
P-2438	Spring switch	East end Serrano
P-2439	Spring switch	East end Serrano
P-2466	Rock slide detector fence	East end Chorro
P-2476	Fire Detector	Steiner Creek Bridge
P-2477	Rock slide detector fence	East end Chorro
P-2481	Rock slide detector fence	East end Chorro
P-2484	Fire Detector	Steiner Creek Bridge
P-2493	Fire Detector	Steiner Creek Bridge
P-2500	Spring switch	Hathaway
P-2511	Spring switch	Hathaway
P-2518	Spring switch	San Luis Obispo
P-2519	Spring switch	San Luis Obispo
P-2604	Flood detector	Second Villa Creek Bridge (Tiber)
P-2623	Flood detector	Second Villa Creek Bridge (Tiber)
P-3104	Slide detector	M.P. 311.65
P-3123	Slide detector	M.P. 311.65
P-3424	Spring switch	West end Lento
P-3427	Spring switch	West end Lento
P-3686	Spring switch	West Santa Barbara

Rules 509, 512 and 512-A:

Signals at clearance points governing movements to main track under automatic block system rules, are located at the following points:

Bay Meadows	Signal 199
California Ave.	Signal 319
East of Mountain View, Air Base	Signal 367
West end Coyote	Signal 621
East end Coyote	Signal 628
West end Gilroy	Signal 811
East end Gilroy	Signal 822
Carnadero	Signal 831
West end Watsonville Junction	Signal 991
West end Watsonville Junction	Signal 987
West end McKay	Signal 2043
East end McKay	Signal 2052
West end Goldtree	Signal 2477
East end Goldtree	Signal 2484
East end San Luis Obispo	Signal 2532

RULE 512 (A). Where switch indicators and dwarf signals are used, movements to main track will be as follows: If indicator indicates "block unoccupied," switches may be lined. When first switch or derail is lined, signal will indicate "stop." When second switch or derail is lined, signal will indicate "proceed" if block is unoccupied. When signal indicates "stop" after proper lineup has been made, a train must not move to main track except as prescribed by Rules 509 and 99.

Redwood City—Hayes derail on west end of drill track at Jefferson Street has in conjunction therewith an illuminated sign installed on pole 100 feet east of derail, reading, "DERAIL 100 FEET" in lieu of a red light

and target account of stand having to be located between drill track and westward main track. This sign is approach lighted on drill track only.

California Ave.—Junction switch No. 2 and eastward main track switch No. 3 are equipped with electric switch locks.

Instructions pertaining to operation of switches and locks are posted inside of switch boxes located adjacent to switches.

After switches have been lined for cross-over and Signal 319 indicates "stop", cross-over movement must be made under flag protection.

Locks No. 2 and No. 3 affected by approaching trains on eastward main track within limits of approach circuit, marker for which is located by overlap post 2000 feet west of Signal 312.

Lock No. 3 is also affected by approaching trains on westward main track within limits of approach circuit, marker for which is located by overlap post 2000 feet east of Signal 325.

Trains and engines should avoid passing overlap marker post when first-class trains, which normally should move in advance in order to maintain schedule, are due at California Ave., from Los Altos Branch.

San Jose—When Signal 467, governing movements from San Jose via Milpitas indicates "stop", train must be stopped clear of San Pedro Street until flagman has preceded train from block signal as required by Rule 509 in order to avoid blocking street crossings.

Do not pass Signal 465 in stop position without proceed signal from yardman at The Alameda.

Signal 464 on Signal Bridge 466 will govern entrance to tracks Nos. 1, 2 and 3 from the westward main track. Eastward trains and engines moving against the current of traffic on westward main track must not pass Signal 464 in stop position without signal from yardman at The Alameda.

Signal 466 on Signal Bridge 466, west of The Alameda subway, San Jose, has diverging route signal which will govern entrance into station tracks Nos. 1, 2 and 3 from eastward main track.

Trains and engines encountering Signals 465, 466 and 467 at The Alameda subway in stop position will not pass signals without signal from yardman, green flag by day, green light by night, except during hours 1.50 p.m. to 2.30 p.m. and 10.30 p.m. to 5.50 a.m., during above periods Rule 509 will govern.

Trains and engines encountering Signals 470 and 473 at Park Ave. subway in stop position will not pass signals without a signal from yardman, green flag by day, green light by night.

End of block signal protection at station tracks Nos. 1, 2 and 3 is at clearance point on west end of these tracks and movement east of clearance point must be made with caution.

Starting indicators for westward trains at San Jose passenger station on tracks Nos. 1, 2 and 3 are controlled by yardman at The Alameda and will indicate as follows:

Red—Do not pass indicators.

Yellow—Proceed with caution to Signal 465 at clearance point of westward main track.

Carnadero—In moving from eastward main track to Tres Pinos line, first throw cross-over switch in eastward main track, then other switches as most convenient. From Tres Pinos line to westward main track, first throw derail switch, then junction switch.

Vasona Jct.—The normal position of Signal 516 is "stop" and should indicate "proceed" after switch has been lined for Los Altos-Los Gatos line. The normal position of Signal 532 is "proceed" and should indicate "stop" when the switch has been lined for the same route.

Double switch indicator located at switch-point derail on west leg of wye entering main track on San Jose-Los Gatos line. Wye track switches on Los Altos and Los Gatos branches will be normally lined for main track. Do not exceed 15 MPH on wye track.

Watsonville Jct.—Following will govern the handling of freight trains entering Watsonville Jct. yard:

West End: If Signal 986 is in proceed position for diverging route which governs entrance to yard at cross-overs Nos. 1, 2 or 3 trains must receive signal from yardman, green flag by day, green light by night before entering yard. If Signal 986 is in stop position, must remain at the signal, until given a proceed signal by yardman, green flag by day, green light by night.

East End: If Signal 1001 is in stop position, after stopping, train may proceed on westward track to Horrigan crossing at yard office, but will not pass that point nor make cross-over movement until proceed signal is received from yardman. If Signal 1001 is in proceed position for diverging route, freight train may proceed on westward track to Horrigan crossing at yard office, but will not move beyond that point nor through cross-overs until a proceed signal is received from yardman.

End of double track: Eastward trains leaving end of double track from westward main track will be governed by Signal P-1008.

Approach clear Signals 1932 and 1943, west and east of Bradley curve, govern the speed approaching thereto:

Approach caution Signal 1924, located 4000 feet in advance of Signal 1932 and Signal 1949, located 3450 feet in advance of Signal 1943.

Speed circuits located 1500 feet west of and in advance of Signal 1932 and 1500 feet east of and in advance of Signal 1943.

Signals 1924 and 1949 will normally indicate "caution".

Signals 1932 and 1943 will normally indicate "stop" and will clear provided the speed of train is reduced to 40 MPH or less.

Serrano—Trains using siding to allow train on main track to pass, must not enter approach circuit, which will be indicated by sign 500 feet from dwarf light signal at either end of siding.

If two trains in the same direction encounter main track Signal 2421 and dwarf light Signal 2423 at west end of siding, or main track Signal 2438 and dwarf light Signal 2436 at east end of siding at "stop", it will be necessary for member of crew to use push button, which is located in time release box at dwarf Signal 2423 at west end of siding and in time release box at main track Signal 2438 at east end of siding, as follows:

For westward trains, if it is desired that train on main track is to proceed first, use push button No. 2421 and hold same until pilot light, which is adjacent to button, is illuminated. Same procedure is followed if train on siding is to proceed first, using push button No. 2423.

At east end of siding for eastward trains, same procedure is followed using push button No. 2438, which is located in time release box at Signal 2438 for trains on main track, and push button No. 2436 for trains on siding.

After button has been operated, time element will allow signal to indicate "proceed" after interval of two minutes, provided block is unoccupied.

If necessary for train on siding to pass approach circuit, member of crew should immediately press button No. 2421 at west end of siding for westward trains on main track, or button No. 2438 at east end of siding for eastward trains on main track, in order to avoid delays.

If signals involved do not indicate "proceed" Rule 509 will govern.

SPRING SWITCHES

When a block signal in advance of a facing point spring switch indicates "stop", careful examination of switch must be made before passing over it. When making trailing point movement and train is stopped on switch, a reverse movement must not be made, nor the slack taken until the switch has been manually operated. When movement has been completed through switch, reverse movement must not be made until point closes.

Running switches are prohibited and sand, blow-off cocks and injectors must not be used nor boosters started, while passing over these switches.

Spring switches are located as follows and speed indicated must not be exceeded when passing over such switches:

Redwood Junction	Trailing eastward 25 MPH.
(Dumbarton line)	Facing westward 25 MPH.
San Jose	Main line —trailing eastward 30 MPH.
(Freight lead)	Freight lead—trailing eastward 20 MPH.
	Freight lead—facing westward 20 MPH.
San Jose	Facing eastward 15 MPH.
(Milpitas "Y" switch)	Trailing westward 15 MPH.
Lick	Trailing westward 35 MPH.
(Facing point lock)	
Coyote	Trailing eastward 25 MPH.
(Facing point lock)	
Gilroy	Trailing westward 25 MPH.
(Facing point lock)	
Sargent	Trailing eastward 25 MPH.
(Facing point lock)	
Logan	Trailing westward 30 MPH.
(Facing point lock)	Facing eastward 25 MPH.
Watsonville Junction	Trailing eastward 25 MPH.
(Facing point lock)	
Metz	Trailing eastward 10 MPH.
(Facing point lock)	
Serrano—West End	Trailing westward { Passenger 25 MPH.
(Facing point lock)	from siding { Freight 18 MPH.
Serrano—East End	Trailing eastward { Passenger 25 MPH.
(Facing point lock)	from siding { Freight 18 MPH.
Hathaway	Trailing westward { Passenger 25 MPH.
(Facing point lock)	from siding { Freight 18 MPH.
San Luis Obispo	Trailing westward 15 MPH.
(Facing point lock)	Facing eastward 15 MPH.
San Luis Obispo	Trailing westward must not be split when
(West leg of wye)	lined from reverse position.
Hadley Tower	Trailing eastward 25 MPH.
	Facing westward 25 MPH.
	Trailing westward 10 MPH.
Lento	
(Facing point lock)	
West Santa Barbara	Trailing westward 35 MPH.
	Facing eastward 25 MPH.

Spring switch Lick equipped with facing point lock. When interlocking signal governing westward movement indicates "stop" and permission obtained from signal operator to pass signal, switch must be manually operated before and after movement has been made.

Spring switches at Coyote, Gilroy, Sargent, Logan, Watsonville Jct. and east and west end of Serrano are equipped with facing point locks. When signal governing the trailing movement through spring switch at any of the above locations, indicates "stop," switch must be manually operated before and after movement has been made.

At San Luis Obispo trains and engines may pass Signal 2518 with caution when in stop position, on proceed signal from yardman or trainman in attendance at spring switch, who must know that points are in proper position before giving signal.

Spring switch at San Luis Obispo, equipped with facing point lock. When interlocking signal governing westward movement indicates "stop" and permission obtained from signal operator to pass signal, switch must be manually operated before and after movement has been made.

When switch is manually operated, before movement is made, to insure conductor and enginemen, after movement has been made, that switch is again manually operated, member of train or engine crew must remain at switch until movement completed, to line switch to normal position.

Spring switch derails at Permanente located in spur 200 feet west of interchange yard and in west end of No. 1 interchange track, are normally set to derail descending-grade movements. Eastward or ascending-grade movements may trail through these switches; they must be manually operated for westward or descending-grade movements.

RULE 516. Overlap posts:

Chittenden.....	Affecting eastward trains
Spreckels Junction.....	Affecting westward trains
Cushing.....	Affecting eastward trains
Grover.....	Affecting westward trains
West Casmlia.....	Affecting eastward and westward trains

INTERLOCKING

o ——— sounds of whistle is signal for Coast Division main track.

Movements governed by short-arm or dwarf signals must be made with caution and position of switches observed, as such signals govern movements for various routes.

When interlocking signal has been cleared for train or engine and to use the route is not desired sound whistle signal o o ——— o o, for information of signal operator.

FOURTH STREET—San Francisco

Limits extend from point where main tracks intersect King Street to terminal station and include main tracks, leads and certain switches adjacent.

Trains or engines from train sheds, may proceed to first signal eastward.

One sound of siren on tower requires that trains and engines within limits of plant must stop.

As detector circuits control switches, cars or engines must not be left standing on them.

Tracks and switches within this plant are numbered. Yardmen and signal operator when arranging movements will use track, or switch numbers to avoid misunderstanding. Telephone instructions must be carefully given and repeated.

POTRERO—San Francisco

Limits extend from signal 650 feet east of east portal of Tunnel 1, on westward main track to signal 600 feet west of tower on eastward main track.

Telephone located in shelter shed at 23rd Avenue for trains and engines to communicate with tower when interlocking signal at east portal Tunnel 1 is in stop position.

Whistle signals governing routes as follows:

For Mission Bay yard, ——— o ———.	
For Roundhouse, o o o ——— o.	
For Track No. 2, o ——— o o o.	
For Track No. 3, o ——— o o.	
For track adjacent and parallel to eastward main track.....	} o o ——— o o.

SPECIAL INSTRUCTIONS

To facilitate movement, engines and drags when ready to leave San Francisco or Bayshore, will use following whistle signals for route desired at Bayshore.

- For outbound yard, o o o.
For inbound yard, o o o.
For movement into yard, Bayshore, through either 5 or 7 switch just east of westward cross-over which is 300 feet east of Bayshore station building, o o o.

Signal operator Potrero tower will notify signal operator Bayshore tower where engines and drags desire to go on their arrival at Bayshore.

When there is a possibility of delaying passenger trains by engines or yard drags, signal operator will consult yardmaster and be governed by his instructions, making memorandum of verbal instructions which will be filed for future reference.

BAYSHORE

Limits extend from signal 330 feet east of east portal Tunnel 4, on eastward main track to signal 1850 feet east of east portal Tunnel 4 on westward main track.

Whistle signals governing routes as follows:

- For outbound yard, o o o.
For inbound yard, o o o.
For movement into yard through either 5 or 7 switch located just east of westward cross-over 300 feet east of Bayshore station, o o o.
For car repair yard, o o o.
For drill Track No. 1, o o o.
For drill Track No. 2, o o o.
For lead No. 3, o o o.

To facilitate movement, engines and drags when ready to leave for San Francisco, will use following whistle signals:

- For Mission Bay yard, o o o.
For Track No. 2, o o o.
For Track No. 3, o o o.

Signal operator Bayshore tower will notify signal operator Potrero tower where engines and drags leaving Bayshore desire to go on their arrival at San Francisco.

Switches must not be lined for movement from Garbage spur to westward main track without first obtaining permission from signal operator Bayshore. This movement must be made under flag protection, as switch is not connected with interlocking plant.

When there is a possibility of delaying passenger trains by engines or yard drags, signal operator will consult yardmaster and be governed by his instructions, making memorandum of verbal instructions which will be filed for future reference.

VISITACION TOWER

The limits extend from signal 935 feet east of tower on eastward main track to signal bridge 780 feet west of tower.

Whistle signals governing routes as follows:

- For inbound track, o o o.
For Tunnel 5 spur, o o o.
For outbound track, o o o.

NINTH and DIVISION STREETS—San Francisco

Limits of Coast Division tracks extend from signal 250 feet west of tower to signal 600 feet east of tower.

Whistle signals governing routes as follows:

- For Chemical Works, o o o.
For Upper Stone yard, o o o.
For Lower Stone yard, o o o.
Portland Cement Co.'s track, o o o.
For Dunham, Carrigan and Hayden spur, o o o.
For old eastward track, o o o.

REDWOOD JUNCTION

Limits extend from signal bridge 740 feet west of tower to signal bridge 870 feet east of tower on Coast Division, and to signal 950 feet east of tower on Western Division.

Whistle signals governing routes as follows:

- To Western Division eastward, o o o.
To Western Division westward, o o o.
Movement against current of traffic, o o o.
For siding, o o o.
For drill track westward, o o o.
For Harbor spur, o o o.
For Pratt-Lowe Co.'s spur, o o o.

SANTA CLARA

Limits extend from signal 2150 feet east of tower on Coast Division westward main track to signal 1675 feet west of tower on Coast Division eastward main track, and on Newark line to signal 1650 feet west of tower.

One sound of siren in tower requires that all trains and engines within the limits of the plant must stop.

Whistle signals govern routes as follows:

- For Newark line, o o o.
For Yard, o o o.
Yard to roundhouse, o o o.
Yard to San Jose passenger station, o o o.
Yard to Santa Clara drill track, o o o.
Yard to drill track, o o o.
Yard to old team track, o o o.

COLLEGE PARK

Limits extend from Signal Bridge 455 to 466 inclusive on eastward and westward main tracks; from Signal Bridge 466 to signal located just west of spring switch at junction of Milpitas line and roundhouse lead; and from dwarf light signal located 800 feet east of Newhall Street to Signal Bridge 464 on freight lead.

Track between San Jose passenger station and College Park facing San Francisco will be designated as follows:

- Track on extreme left, Freight Lead.
Track next adjacent, Eastward Main Track.
Track next adjacent, Westward Main Track.

Trains may operate in either direction on any of these tracks on proper signal indication. Speed against current of traffic on eastward and westward main tracks and both directions on freight lead restricted to 20 MPH.

Derails on tracks Nos. 404, 411, 412, 416 and 515 within these limits are equipped with electric locks under control of signal operator at College Park tower. Permission of signal operator must be obtained to unlock derails. Release of lock will be authority to proceed. When entering main track, derail must be thrown first, then main track switch. Restore derail and electric lock to normal position when not in use. Instructions on operation of electric lock are posted inside door of lock box.

Switches on spur tracks Nos. 405, 406 and 409 leading off freight lead are manually operated. Engines must not foul freight lead without permission from signal operator.

Cross-over between track 51 and drill track at Stockton St., equipped with electric switch lock, permission must be obtained from signal operator. Telephone in box on post 60 feet west of west end of cross-over. Release of electric lock will be authority to proceed.

The main track switch and derail leading to round house opposite roundhouse office and all cross-over switches are power operated. Interlocking signals govern the movement only to the derail and not to the fouling point of track 51. The switch at west end of wye is a spring switch, normally lined for Milpitas line main track.

Trains stopped by signals call signal operator on the telephone. If authority obtained to move against "stop" indication, a careful examination of switches must be made before passing over them. French type telephones located in boxes on signal bridges or in close proximity of interlocking signals or locked derails, and direct communication may be had with signal operator at College Park. Button on ear phone should be pressed while in use.

Whistle signals governing routes as follows:

- For westward movement to train yard via drill track, o o o.
For track 51 to train yard, o o o.
For San Jose freight yard, o o o.
For Freight Lead, o o o.
For Santa Clara, drill track, o o o.
For roundhouse, o o o.
For Milpitas line, o o o.

Bell cord communicating signal between San Jose roundhouse and signal operator to be used in lieu of telephone when requesting authority to make movements from roundhouse to main track.

Following code of signals for routes to be used:

- Roundhouse to passenger station; one pull of cord.
Roundhouse to College Park; two pulls of cord.
For movements in roundhouse yard when necessary to foul westward main track, three pulls of cord.

SAN JOSE-LOS GATOS LINE—(Western Pacific R. R. Crossing)

Limits extend from signal 486 feet west of tower to signal 604 feet east of tower.

No signal operators on duty. Signals, switches and derails in position for Southern Pacific main track movements and against Western Pacific movements.

Speed on main track must not exceed 30 MPH through limits of plant.

When signals indicate "stop", Rule 663 (c) will govern.

Interlocking derail switches on drill tracks are manually operated and movements over Western Pacific tracks on these tracks must be made under provisions of Rule 663 (c).

WILLOW GLEN (San Jose Yard)—(Western Pacific R. R. Crossing)

Limits extend from signal located 700 feet west of crossing to signal 700 feet east of crossing.

No signal operators on duty. Signals, switches and derails in position for Southern Pacific movements and against Western Pacific movements.

When signals indicate "stop", Rule 663 (c) will govern.

SAN LUIS OBISPO (WYE)—(Pacific Coast Ry. Crossing)

Wye track crossings with Pacific Coast Ry. are protected by electrically locked derails located in the Southern Pacific tracks 50 feet from the crossings, and by signals on Pacific Coast Ry. track. Employees turning engines on this wye will be governed as follows when making movements over these crossings:

If switch indicators indicate "block clear" and no Pacific Coast Ry. trains are seen approaching, derails, which are pipe connected and operated from a single switch stand, may be lined for movement over crossing. After movement is made, derails must be returned to derailing position.

If a Pacific Coast Ry. train or engine is approaching or occupying the circuits either side of or between the two crossings the indicators will indicate "block occupied" and the derails will be electrically locked. Should it be necessary to move over crossing while Pacific Coast Ry. trains or engines are standing on approach circuits, outside home signal limits, movement over crossing may be made by operating time release located at crossing. Operation of this release will place signals on Pacific Coast Ry. at "stop" and after three minutes, lock will be released.

Electric lock cannot be released while Pacific Coast Ry. trains or engines are occupying track between the two home signals.

Instructions for handling electric lock and time release are posted at each crossing.

HADLEY TOWER

Limits extend from signal 2591SA east of tower to interlocking signal located 1050 feet west of tower.

Signal 2591SA governs movements west on westward main track. Interlocking signal located 1050 feet west of tower governs movements from eastward main track to single track.

Dwarf light signal, located west of tower will remain in its most restrictive position and movements against the current of traffic will be made under flag protection.

Signal operators not on duty except between the hours of 7.00 a.m. and 11.30 a.m. and 12.30 p.m. and 4.00 p.m. daily except Sunday.

When no signal operator on duty, signals, switches and derails will be in position for Southern Pacific main track movements and against Pacific Coast Ry. movements. When signals indicate "stop", Rule 663 (c) will govern.

CENTRALIZED TRAFFIC CONTROL SYSTEM

(Authorized Abbreviation C. T. C. S.)

Movements within C. T. C. S. limits are governed by interlocking signals under control of signal operator, except some of the intermediate signals are automatic.

Interlocking rules will govern and supersede time-table and train-order superiority.

Within C. T. C. S. limits Rule 509 will govern when automatic block signals are encountered in stop position.

When for any reason proceed indication of an interlocking signal cannot be acted upon at once, signal operator must be notified immediately.

When an interlocking signal indicates "stop" signal operator must be consulted by phone as quickly as possible after stopping. When authorized to proceed against the stop indication, careful examination of switch must be made after which train may proceed as per Rule 663.

Trains authorized to proceed in C. T. C. S. territory must not make movement in reverse direction without the proper interlocking signal or permission from signal operator.

C.T.C.S. limits between San Jose and Lick as follows:

At Lick—Westward from light signal 700 feet east of end of double track. Eastward to light signal at clearance point of Gilroy line double track.

On Lick Branch, to dwarf signal at clearance point of main track. At San Jose—From and to dwarf signals on eastward and westward main tracks located 1500 feet west of end of double track east of passenger yard, and on freight lead between signal bridge 464 and junction with eastward main track at a point 1250 feet west of end of double track.

From Los Gatos Branch, movements governed by westward C.T.C.S. Signals 11-W located 30 feet east of cross-over between freight lead and Los Gatos Branch. Upper signal governs to westward main track and station tracks. Lower signal governs to freight lead. When both signals indicate "stop" and it is desired to use connecting link to spur track

No. 829, California Packing Corporation, after stopping and if cross-over switches are lined normally, and the track is seen to be clear to westward automatic signal 474.5 located at clearance point 250 feet west of Signal 11-W, proceed without authority from signal operator at San Jose station.

A westward dwarf C.T.C.S. signal located opposite Signal 471 at Park Avenue subway. This signal will display three aspects, red, yellow or green. Signal will be normally dark until lineup is made. Westward movements from Los Gatos line to freight lead must first be authorized by signal operator. Cross-over switches must not be lined for such movement without first obtaining permission from signal operator by telephone. After permission is received, cross-over switches lined, and if C.T.C.S. signal indicates "proceed", movement may be made.

To Los Gatos Branch from eastward main track governed by lower signal of two-indication signal located east of station and from freight lead governed by lower signal of two indication signal located 400 feet west of junction switch.

Eastward dwarf signal 474.5 on seven-foot mast will display RED or GREEN aspect.

RED—Stop. To enter block comply with Rule 509.

GREEN—Proceed to next Signal 474.

Switch at end of double track, east end passenger yard San Jose is power operated over which speed is restricted to 35 MPH in either direction for trains operating through turnout.

Movements from Valbrick (San Jose yard) connection to main track must first be authorized by signal operator. Derail and main track switches must not be lined for such movement without first obtaining permission from signal operator by telephone. After permission is received, switch lined, and if Signal 495 indicates "proceed," movement may be made.

Telephones and instructions located in small box on signal on bridges or closely adjacent to signals involved.

C.T.C.S. limits between Hathaway and San Luis Obispo as follows:

At San Luis Obispo—Westward from interlocking signal located 280 feet east of west switch on westward main track and interlocking dwarf light signal located 280 feet east of west switch on eastward main track.

At Hathaway—Eastward from interlocking signal located 280 feet west of east switch on main track and interlocking dwarf light signal located 280 feet west of east switch on siding.

Signal 2511SA, located 65 feet east of east switch Hathaway, top arm governs movement westward on main track and lower arm governs movement westward on siding.

Switch at east end of siding Hathaway is power operated. If signals indicate "stop", communicate with signal operator by phone located in booth adjacent to switch. If instructed to manually operate switch, follow instructions located in telephone booth.

The member of crew manually operating switch, after receiving permission from signal operator, must notify rear member of his crew in order that switch will be returned to former position, or remain at switch and return it to former position, unless otherwise instructed by signal operator.

Telephones are located at west switch San Luis Obispo, at spur 200 feet west of distant Signal 2516 and booth adjacent to east switch of siding Hathaway.

TAKE-SIDING INDICATORS

RULES 705, 706, 707, 708 and 709.

Coyote—Take-siding indicators located on Signal 637 east of Coyote. When letter "M" is displayed it will authorize westward trains to continue on main track to end of double track at Lick, irrespective of superiority. When letter "S" is displayed trains will take siding on center siding Coyote. Indicator located on Signal 621 at west end of center siding, when letter "M" is displayed, it will authorize trains to enter and continue on westward main track to end of double track at Lick, irrespective of superiority.

King City—Take-siding indicators located on distant Signals 1622 and 1645, west and east of King City. When letter "M" is displayed in indicator on Signal 1622 it will authorize eastward trains to continue on main track to train-order signal at King City, irrespective of superiority. When letter "S" is displayed trains will take siding at west switch of siding. When letter "M" is displayed on Signal 1645 it will authorize westward trains to continue on main track to train-order signal at King City, irrespective of superiority. When letter "S" is displayed trains will take siding at east switch of siding.

MISCELLANEOUS

1. Engines with tenders less than 9,000 gallon capacity must have full tank of water San Luis Obispo westward and Santa Margarita eastward.

4. In helper service.

(a) No helper engine will be placed behind wooden underframe cars.

(b) Engines weighing more than 235,000 pounds on the drivers will not be placed behind steel underframe cabooses.

(c) In no case will more than one helper engine be placed behind steel underframe cabooses.

(d) Helper engines will not be placed behind caboose of eastward freight trains from Santa Margarita.

(e) Helper engines must not be placed on rear of 5000 class engines in the direction of caboose when latter engines are being operated backwards.

Pushing trains out of yards.

(f) No engine will be placed behind a wooden underframe caboose or other wooden frame equipment.

(g) Engines weighing more than 235,000 pounds on the drivers will not be placed behind steel underframe cabooses.

(h) Air will not be coupled through the pusher engine.

(i) Yard engines regularly so used will be equipped with Russell-Jordan device to hold the coupler pin from dropping, thus making it unnecessary for employes to uncouple the pusher engine when cutting off.

(j) In no case shall the knuckle be removed, or closed, or cutting lever temporarily fastened in release position on a pusher engine.

(k) Unless local conditions require, it will not be necessary to stop trains to detach pusher engines.

7. Capacity of sidings between clearance points is based on an average car length of 49 feet not including engines and caboose.

10. Freight trains or engines with freight cars are not permitted to operate over tracks 2, 3, 4 or 5 San Jose passenger yard.

Engines equipped with pilot plows are prohibited from moving over tracks adjacent to station platforms at San Jose and San Francisco.

GS class engines entering stub-end tracks in passenger station San Francisco must stop fifty feet from bulkhead or bumping post.

No cars or engines are to be left on Serrano siding at any time except trains meeting or being passed by other trains.

Following engines cannot run on branches under which listed:

SAN FRANCISCO—SAN BRUNO BRANCH

E, A, P, Mk, F, AC, AM, Mt, GS, SP class engines must not be operated from west end Dolores Street bridge M.P. 3.00 to east end of 30th Street bridge, M.P. 3.4.

LOS ALTOS, LOS GATOS AND MONTEREY BRANCHES

E, A, P, Mk, F, AC, AM, Mt, GS, SP class. In cases of emergency passenger engines P and Mt class may be run California Ave., to San Jose via Vasona Jct., speed, however, to be restricted to 15 MPH.

F-1 and Mk class may be used on Los Altos and Los Gatos Branches, and between Castroville and Monterey, speed however, to be restricted to 15 MPH.

P-1, P-3 and P-5 class may be used on Monterey Branch when weight on drivers does not exceed 141,000 lbs. but must not exceed 15 MPH where slow boards restrict to 25-18.

TRES PINOS, LOMPOC AND WHITE HILLS BRANCHES

A, P, Mk, F, AC, AM, Mt, GS, SP class. Except between Surf and Baroda, Mk and F class may be used.

LICK BRANCH

E, P, A, Mk, F, AC, AM, Mt, GS, SP class.

LOS GATOS BRANCH

E, A, P, Mk, F, AC, AM, Mt, GS, SP, except P-1 and P-3 class may be used between Vasona Junction and Los Gatos.

SANTA CRUZ AND DAVENPORT BRANCHES

E, A, T-40 (2371), Mk, F, AC, AM, Mt, GS, SP, P class.

SPRECKELS BRANCH

AC, AM, Mt, GS, SP class.

On account of light rail and sharp curvature, 3200 series and heavier engines must not be operated over following tracks:

Aqua, spur.

Millbrae, dairy and pottery spurs.

Broadway, oil spur.

Burlingame, Cahalan spur.

Howest, San Mateo Feed & Fuel and H. E. Casey spurs.

San Mateo, Wisnom spur, P. G. & E. spur, Pullman spur.

Hayward Park, salt spur.

Romac, spur.

San Carlos, industry spurs on bay side of main track, house track west of freight shed.

Redwood City, corral track, team track, Pratt-Low, Cullen spurs; Redwood Harbor track and spurs; all spurs off Dumbarton line.

Menlo Park, Peninsular Bldg. Matl. Co. spur and wood spur, house track west of freight shed.

Palo Alto, all spurs leading off drill track.

Mountain View, Minton, Shell Oil and beet spurs.

Sunnyvale, Libby spur; all spurs off both drill tracks, except Schuckl and Berry Growers spurs.

Santa Clara, all industry spurs.

San Jose, all industry spurs.

Lick, corral track.

Coyote, Pacific Coast Aggregates spur Bayside, Gravel spur.

Morganhill, Standard Oil and dried fruit spur.

Lonoke, spur.

Gilroy, track 111 cannot be used between switch leading to track 115 and 9th Street.

Castroville, all industry and spur tracks.

Salinas, leads 4, 35, 55, 57, 200, 210, 250; lead 133 cannot be used east of girder rail crossing; all industry spurs.

Spreckels Jct., east leg of wye. May be used by engines not larger than 2-10-2 class. Speed restricted to 5 MPH.

Gonzales, Gibson spur.

Camphora, beet spur.

Thyle, spur.

East end Tunnel 9, spur.

Hathaway, Shell Oil, Standard Oil and Richfield Oil spurs.

San Luis Obispo, vegetable spur, west end of team track.

West Casmalia, wye tracks.

Casmite spur, engines must not operate beyond spot one on loading rack.

Surf, oil spur; short leg of wye.

Honda Notches, M.P. 306.45 work track can be used to clearance point only.

Jalama, spur.

Goleta, Walnut spur.

MONTEREY BRANCH

Castroville, water track, may use 600 feet on west end only.

Nashua, siding.

Lapis, Bay Development Co., spur.

Bardin, spur.

Seaside, siding.

Retreat, spur.

Del Monte, hotel spur.

Del Monte-Monterey, siding between two stations.

Monterey, house and team tracks, corral track, Army spur, San Carlos Canning Co. spur, F. Mimmick, warehouse spurs.

20. Handling of head end cars on rear of passenger trains is not permitted unless so constructed that trainmen can pass through in an emergency, except that between San Francisco and San Jose such cars may be handled on rear provided retaining valve be on head end of car to enable compliance with air brake Rule 39 when making running air test.

Handling of freight cars in trains behind passenger cars is prohibited except passenger equipment may be placed in head end of mixed trains when carrying personnel and equipment in connection with military and naval movements. This does not refer to a baggage, express, or mail car, or a caboose.

21. Western Division westward main track between Middlefield road crossing and home interlocking signal, located just east of Redwood Junction tower, will accommodate a train of approximately 39 cars, without interference with movements within the interlocking limits. Western Division westward trains consisting of over 39 cars with no set-out should pass Middlefield road crossing only when distant Signal D-269 is found to be in proceed position.

When train known as "MM" (Monterey Merchandise), operating between Watsonville Jct., Salinas, Pacific Grove and Santa Cruz, is entirely made up of steel wheel box cars and caboose, passenger train speed may be made, observing other restrictions as to class of engine.

When train known as "CCM" (Central California Merchandise), operating between San Francisco and Oakland, is entirely made up of steel wheel box cars and caboose, speed of 50 MPH may be maintained between east portal Tunnel 1 and Redwood Junction, subject to other restrictions. This speed must not be exceeded and trainmen will keep a close watch on equipment enroute.

Two GS class engines should not be coupled together eastward between Cuesta and San Luis Obispo.

Not more than two light engines will be coupled for any road movement.

Engines operated coupled tender to tender must not exceed speed same engines running backward.

SPECIAL INSTRUCTIONS

Trains and engines must not exceed 10 MPH through cross-overs, turnouts and on sidings except controlled sidings in C.T.C.S. limits unless otherwise specified and not exceed 15 MPH San Luis Obispo yard.

Maximum speed for engines and motors backing is 30 MPH except where track conditions require lower speed and not exceed 25 MPH on curves and approaching grade crossings.

Trains and engines via Newark line must not exceed speed of 35 MPH Redwood Jct. to end of Coast Division M.P. 27.59.

Trains and engines must not exceed speed of 20 MPH from Division point on Milpitas line to 1st Street and 15 MPH from 1st Street to junction of westward main track at San Jose.

Trains and engines must not exceed speed of 12 MPH between Goldtree and Camp San Luis Obispo.

AC-6, AC-7 and AC-8 class engines must not exceed 25 MPH over Refugio Canon bridge 348.02 near Orella.

When tenders of engines have water capacity of 7000 gallons or less, except 70-R-1 and 70-SC-1, maximum speed 50 MPH. Tenders having water capacity in excess of 7000 gallons and including classes 70-R-1 and 70-SC-1, same as engine speeds.

DIVISION MILEAGE

First Main Track			
San Francisco 3rd St. to Santa Barbara	{ S. P. R. R. Co. 354.72		365.09
	{ S. P. Co. 10.37		
End Western Division to San Jose	{ C. P. Ry. 1.51		2.22
	{ S. P. R. R. Co. 0.71		
End Western Division to Santa Clara	{ S. P. Co. 1.24		1.28
	{ S. P. R. R. Co. .04		
End Western Division to Redwood Junction	C. P. Ry. 1.37		
College Park to San Jose	S. P. Co. 1.31		
Total First Main Track			371.27
Second Main Track			
San Francisco to Santa Barbara	{ S. P. R. R. Co. 66.83		77.20
	{ S. P. Co. 10.37		
Redwood Jct. to Sweeney	C. P. Ry. 1.32		
Total Second Main Track			78.52
Total 1st and 2nd Main Track			449.79
Branches			
San Francisco to San Bruno	S. P. R. R. Co. 13.18		
Baden to San Bruno via South San Francisco	{ S. P. R. R. Co. 1.60		2.89
	{ S. P. Co. 1.29		
California Ave. Palo Alto to Vasona Junction	{ S. P. R. R. Co. 0.01		16.26
	{ S. P. Co. 16.25		
San Jose to Los Gatos	S. P. Co. 8.92		
Olympia to Santa Cruz	S. P. Co. 9.36		
Lick to Alamitos	S. P. R. R. Co. 3.83		
Carnadero to Tres Pinos	S. P. R. R. Co. 18.45		
Santa Cruz to Davenport	S. P. R. R. Co. 11.91		
Watsonville Junction to Santa Cruz	S. P. R. R. Co. 20.19		
Castroville to Lake Majella	S. P. R. R. Co. 19.60		
Spreckels Junction to Spreckels	S. P. R. R. Co. 2.82		
Surf to White Hills	{ S. P. R. R. Co. 10.35		14.31
	{ S. P. Co. 3.96		
Total Branches			141.72
Total All Tracks Coast Division			591.51

Disabled engines (except Switch engines Class S and SE) hauled in trains or running under own steam:

	MPH
With all rods on, hauled in trains	30
When main rod only is removed	30
When side rod only is removed	30
When both main and side rods are removed	20
When all weight removed from any one pair drivers	20
When all weight removed from only one wheel any pair drivers	30
When engine truck is removed	20
Class S and SE engines under all conditions	20

SP 5000 class engines when inside main rod has been removed account middle cylinder disabled, must not exceed 30 MPH whether running under its own steam or towed in train.

SPEED RESTRICTIONS
 Maximum speed of any passenger train must not exceed 50 MPH except as otherwise provided for.
 Maximum speed of any freight or mixed train must not exceed 35 MPH except as otherwise provided for.
 Speed Restrictions in Miles Per Hour, Will Apply as Follows:

Page Nos.	TERRITORY	STREAMLINED CARS with GS, Mt and P Cross-Counter-balanced Engines	PASSENGER Other Than Streamlined				FREIGHT Freight and Mixed Maximum	Engines and Motors Backing	Switch Engines S-SE Class	LIGHT ENGINES RUNNING FORWARD			
			With E, T-26, 32, 37, 40, P. A, Mt GS Engines and Motors	With C-15, C-17 TW, Mk, 2, 3, 4, 10 AC-1, 2, 3, Engines	With F-1, 3, 4, 5 C-2 to 10 incl., C-18, 19, SP-1, 2, 3 AC-4, 5, 6, AM-2 Engines	With M, T-1, 8, 9, T-23, 28, 31, T-36, 57, 58 Mk-5, 6, 7, 8, 9 Engines				P, A, Mt-1, 2, 3, 4, 5, GS 1, 2, 3	T-26, 32, 37, 40, F-1, 3, 4, 5, Cross Counter-balanced	C-15, 17, Mk-2, 4, 10, TW, AC-1, 2, 3, AC-4, 5, 6, 7, 8 AM-2 DES	T-1 to 58 incl., C-2 to 10 incl., C-18, 19, Mk-5, 6, 7, 8, 9, F-1, 3, 4, 5, SP-1, 2, 3, M
2, 3, 4, 5, 6	San Francisco, Third St. Station—East Portal Tunnel 1—1.8 miles	25	25	25	25	25	15	20	25	25	25	25	
2, 3, 4, 5, 6	East Portal Tunnel 1—Bayshore	50	50	40	45	50	30	20	45	40	30	35	
2, 3, 4, 5, 6	Bayshore—M.P. 19.0	60	60	40	45	50	30	20	45	40	30	35	
2, 3, 4, 5, 6	M.P. 19.0—24.6	75	65	40	45	50	30	20	45	40	30	35	
2, 3, 4, 5, 6	M.P. 24.6—32.0	60	60	40	45	50	30	20	45	40	30	35	
2, 3, 4, 5, 6	M.P. 32.0—45.0	75	65	40	45	50	30	20	45	40	30	35	
2, 3, 4, 5, 6	M.P. 45.0—College Park	60	60	40	45	50	30	20	45	40	30	35	
2, 3, 4, 5, 6	College Park—Signal Bridge 464	45	45	40	45	45	30	20	30	30	30	30	
2, 3, 4, 5, 6	Signal Bridge 464—End of double track (M.P. 47.55)—San Jose	30	30	30	30	30	30	20	20	20	20	20	
8, 9	End of double track (M.P. 47.55) San Jose—Willow Glen, (M.P. 49)	50	50	40	40	40	35	20	45	40	30	35	
8, 9	Willow Glen (M.P. 49)—M.P. 86.0	75	65	40	45	50	30	20	45	40	30	35	
8, 9	M.P. 86.0—End double track Sargent	60	60	40	45	50	30	20	45	40	30	35	
8, 9	End double track Sargent—M.P. 94.5	50	50	40	45	50	35	20	45	40	30	35	
8, 9	M.P. 94.5—West Switch Watsonville Jct. Yard	75	65	40	45	50	40	20	45	40	30	35	
8, 9	West Switch Watsonville Jct. Yard—Yard Office	45	45	40	45	45	30	20	30	30	30	30	
8, 9, 10, 11	Watsonville Jct. Yard Office—East end double track (Eastward)	30	30	30	30	30	30	20	30	30	30	30	
	(Westward)	45	45	40	45	45	30	20	30	30	30	30	
10, 11	Watsonville Jct. East end double track—M.P. 109.0	50	50	40	45	50	35	20	45	40	30	35	
10, 11	M.P. 109.0—112.5	60	60	40	45	50	40	20	45	40	30	35	
10, 11	M.P. 112.5—147.5	75	65	40	45	50	40	20	45	40	30	35	
10, 11	M.P. 147.5—155.0	60	60	40	45	50	40	20	45	40	30	35	
10, 11, 12	M.P. 155.0—188.0	75	65	40	45	50	40	20	45	40	30	35	
11, 12	M.P. 188.0—236.7	60	60	40	45	50	40	20	45	40	30	35	
12	M.P. 236.7—Goldtree	30	30	30	30	30	18	15	22	22	22	22	
12	Goldtree—San Luis Obispo	35	35	35	35	35	18	15	22	22	22	22	
13	San Luis Obispo—M.P. 259.0	60	60	40	45	50	40	20	45	40	30	35	
13	M.P. 259.0—262.3	50	50	40	45	50	35	20	45	40	30	35	
13	M.P. 262.3—283.0	75	65	40	45	50	40	20	45	40	30	35	
13	M.P. 283.0—291.3	55	55	40	45	50	40	20	45	40	30	35	
13	M.P. 291.3—295.8	75	65	40	45	50	40	20	45	40	30	35	
13	M.P. 295.8—300.2	55	55	40	45	50	40	20	45	40	30	35	
13	M.P. 300.2—309.0	60	60	40	45	50	40	20	45	40	30	35	
13	M.P. 309.0—312.0	50	50	40	45	50	35	20	45	40	30	35	
13	M.P. 312.0—318.0	75	65	40	45	50	40	20	45	40	30	35	
13	M.P. 318.0—323.0	50	50	40	45	50	35	20	45	40	30	35	
13	M.P. 323.0—368.0	75	65	40	45	50	40	20	45	40	30	35	
13	M.P. 368.0—Santa Barbara	50	50	40	45	50	35	20	45	40	30	35	

Following engines have been cross counter-balanced for speed of 75 MPH with passenger streamlined cars only:

All GS-1, 2, 3, Mt-1, 2, 3, 4, 5.

P-7, 8, 10, 12 class—2461, 2462, 2463, 2464, 2465, 2467, 2469, 2471, 2472, 2473, 2474, 2475, 2476, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 3120, 3121, 3122, 3123, 3124, 3126, 3127, 3128, 3129.

Following engines have been cross counter-balanced for speed of 55 MPH handling passenger trains:

F-1, 3, 4, 5 class—3619, 3625, 3634, 3636, 3652, 3656, 3658, 3665, 3666, 3676, 3677, 3681, 3685, 3687, 3692, 3706, 3709, 3711, 3716, 3727, 3728, 3732, 3737, 3742, 3752, 3765.

AC-4, 5 class—4100, 4101, 4102, 4103, 4104, 4105, 4107, 4109, 4110, 4111, 4112, 4113, 4114, 4115, 4116, 4117, 4118, 4119, 4120, 4121, 4122, 4123, 4124, 4125.

All AC-7-8 class.

SPEED RESTRICTIONS—BRANCHES
 Maximum speed of passenger, freight and mixed trains is as shown below:

Page No.	TERRITORY	PASSENGER	FREIGHT	Engines and Motors Backing	Switch Engines S-SE Class	LIGHT ENGINES RUNNING FORWARD
		Maximum	Freight and Mixed Maximum			Maximum
7	Valencia St.—San Bruno via Tanforan	15	15	12	15	15
7	California Ave.—Vasona Jct.	35	30	20	20	30
7	San Jose—Vasona Jct.	40	30	20	20	30
7	Vasona Jct.—Los Gatos	30	18	15	20	25
7	M.P. 69.78—Santa Cruz	25	18	15	20	25
7	Davenport—Santa Cruz	20	20	20	20	20
7	Santa Cruz—Watsonville Jct.	30	25	15	20	25
8	Lick—Alamitos	..	10	..	10	..
8	Carnadero—Hollister	30	25	15	20	30
8	Carnadero—Tres Pinos	20	20	15	20	20
10	Castroville—Monterey	40	30	15	20	30
10	Monterey—Pacific Grove	25	18	15	20	20
10	Pacific Grove—Asilomar	15	15	10	15	15
10	Spreckels Jct.—Spreckels	..	15	10	15	15
14	Surf—Lompoc	20	20	15	20	20
14	Lompoc—White Hills	15	15	10	10	10

When roadway machines (ditchers, pile drivers, power shovels, crane and derrick cars, also air dump cars), are operated on double track or on tracks immediately adjacent to main track, or off track adjacent to main tracks, boom or other parts of the machine must not be operated to foul main track, without proper flag protection. Such equipment must be at rest and clear of main track when trains are passing.

Flag protection must be provided on adjacent main tracks when closely parallel track on which ballast or other material is being loaded or unloaded. Operations must be stopped when trains on main track are passing.

Whenever practicable, locomotive cranes, or cranes of similar type, should be handled in trains with heavy end forward. These instructions do not apply to commercial cranes nor to caterpillar or other types loaded on flat cars, but do apply to all locomotive cranes moving on their own wheels.

SPEED RESTRICTIONS

(Unless otherwise further restricted by time table, slow board, or train order)

PAGE	CLASS OF ENGINE—TERRITORY—STRUCTURE—LADING, ETC.	MPH
2-3-4	Trains handling wooden pile-drivers; locomotive cranes with boom disconnected and heavy end forward; steam shovels and ditchers, transported on their own wheels.	35
5-6	On tangent main tracks except SPMW 404.	25
All	On tangent branch tracks	25
All	On all curves... 5 MPH less than speed authorized. Where slow boards in place 5 MPH less than shown on slow boards, except when speed indicated is 15 MPH or less be governed by slow boards.	
2-3-4	Trains handling locomotive cranes with boom disconnected and light end forward (must not be handled in this manner except in emergency):	20
All	On tangent main tracks	15
All	On curves and on branch tracks	15
2-3-4	Trains handling locomotive cranes with boom in place, either end forward (to be handled in work trains when practicable):	25
All	On tangent main tracks	15
All	On curves and on branch tracks	15
2-3-4	Trains handling steel pile-drivers may make maximum freight train speed.	35
5-6	Trains handling relief outfit with steam derrick:	25
All	On tangent main tracks	25
All	On tangent branch tracks	25
All	On all curves... 5 MPH less than speed authorized. Where slow boards in place 5 MPH less than shown on slow boards, except where speed indicated is 15 MPH or less be governed by slow boards.	
	San Francisco—San Bruno, (S-SE class engines)	20
	yard drags.....(Other class engines)	35
	Through interlocking plants with caution.	

SPEED OF TRAINS THROUGH CITY LIMITS

Pages	LOCATION	MPH
2, 3, 4, 5, 6	Burlingame trains 72, 98, 34, 32, 96 and 36 (over crossings Oak Grove Ave. to Peninsula Ave., incl.)	30
2, 3, 4, 5, 6	Redwood City	45
2, 3, 4, 5, 6, 7, 8	San Jose, unprotected grade crossings Stockton Ave. and Emery St., 10:00 P.M. to 6:00 A.M.	12
7	Santa Cruz	20
7	Watsonville	20
8, 9	Gilroy	35
8, 9	Hollister	15
10, 11	From westerly line of Main St. to easterly city limits Salinas	25
13	Santa Barbara (over all grade crossings)	20
7	San Francisco—San Bruno Line between 3rd and Valencia Streets	15

For speed restrictions over spring switches see Page 17.

Wooden equipment must not be handled in passenger trains.

Speed prescribed by train order, or bulletin, for passenger trains must not be exceeded by Trains 98, 99, 96 and 97.

Trains consisting of streamlined cars, when handled by other than GS class engines, must not exceed speed prescribed for class of power used.

Maximum speed provided for passenger trains, other than streamlined trains, will apply to Nos. 373 and 374, when those trains consist entirely of passenger equipment, or box cars with steel wheels, except maximum speed of 60 MPH must not be exceeded.

Speed of any train must not exceed 15 MPH between any point Simla and Permanente interchange yard.

Trains consisting of engine and caboose only should be considered freight trains and speed restricted accordingly.

SPEED TABLE

SPEED PER HOUR	1 MILE IN MINUTES SECONDS	SPEED PER HOUR	1 MILE IN MINUTES SECONDS	SPEED PER HOUR	1 MILE IN MINUTES SECONDS	SPEED PER HOUR	1 MILE IN MINUTES SECONDS	SPEED PER HOUR	1 MILE IN MIN. SEC.
6	10.00	24	2.30	37	1.37	50	1.12	63	0.57
8	7.30	25	2.24	38	1.34	51	1.10	64	0.56
10	6.00	26	2.18	39	1.33	52	1.09	65	0.55
12	5.00	27	2.13	40	1.30	53	1.08	67	0.54
15	4.00	28	2.08	41	1.27	54	1.06	68	0.53
16	3.45	29	2.04	42	1.25	55	1.05	69	0.52
17	3.31	30	2.00	43	1.23	56	1.04	70	0.51
18	3.20	31	1.96	44	1.21	57	1.03	72	0.50
19	3.09	32	1.92	45	1.20	58	1.02	74	0.49
20	3.00	33	1.89	46	1.18	59	1.01	75	0.48
21	2.51	34	1.85	47	1.16	60	1.00		
22	2.43	35	1.82	48	1.15	61	0.99		
23	2.36	36	1.80	49	1.13	62	0.98		

LOCATION OF OVERHEAD AND SIDE CLEARANCE STRUCTURES NOT STANDARD CLEARANCE

M. P.	EAST OF	WEST OF	DESCRIPTION
1.3	San Francisco	Bayshore	Mariposa St. Bridge
1.3	"	"	A.T. & S.F.Ry. Crossing
1.5	"	"	Tunnel 1
1.7	"	"	22nd Street Crossing
1.9	"	"	23rd Street Crossing
2.0	"	"	Tunnel 2
3.1	"	"	Oakdale Avenue
3.4	"	"	Tunnel 3
4.2	"	"	Paul Ave.
4.6	"	"	Tunnel 4
7.7	Bayshore	South San Francisco	" 5
29.7	Menlo Park	Palo Alto	San Francisquito Creek Bridge
46.9	San Jose	Passenger Station	Station Umbrella Sheds
155.1	Metz	Coburn	Tunnel 5 1/2
182.9	"	At San Ardo, siding	East water tank spout
200.6	Bradley	Nacimiento	Salinas River Bridge
207.0	"	At San Miguel, main track and siding	Water tank spout
222.0	Templeton	Asuncion	Road Crossing
239.6	Cuesta	Thyle	Tunnel 6
240.2	Thyle	Serrano	" 7
240.6	"	"	" 8
240.9	"	"	" 9
241.7	"	"	" 10
245.8	Serrano	Chorro	" 11
251.1	Hathaway	San Luis Obispo	Road Crossing
251.2	"	"	"
251.8	"	"	"
261.4	Tiber	Pismo	Villa Creek, 2nd Crossing
262.7	"	"	Villa Creek, 3rd Crossing
266.4	Oceano	Callender	Arroyo Grande River Bridge
265.9	"	At Oceano, main track	West water tank tub
279.5	Guadalupe	Waldorf	Road Crossing
302.7	"	At Surf, main track and siding	East water tank spout
302.7	"	At Surf, main track	West water tank spout
318.3	Sudden	Jalama	Tunnel 12
334.4	Drake	Sacate	" 13
335.0	Sacate	Gaviota	Overhead Bridge
339.4	"	Gaviota, main track	Water tank floor beams

M. P.	EAST OF	WEST OF	DESCRIPTION
SAN FRANCISCO—SAN BRUNO Via OCEAN VIEW			
3.0	Valencia Street	Bernal	Dolores Street Bridge
5.3	"	At Elkton, Ocean Ave.	Trolley wires
11.2	"	Leipsic	Trolley wires

SOUTH SAN FRANCISCO BELT RY.			
South San Francisco.. Stock runway			

OLYMPIA—WATSONVILLE JUNCTION			
72.3	Felton	Lime Kiln Spur	San Lorenzo River Bridge
73.1	Felton	Big Trees	Redwood tree (side clearance)
73.4	Big Trees	Rincon	San Lorenzo River Bridge
74.1	"	"	Tunnel 5
78.2	Eblis	Park Street	" 6
80.1	Santa Cruz	Seabright	San Lorenzo River Bridge

CASTROVILLE—PACIFIC GROVE			
113.5	Nashua	Neponset	Salinas River Bridge

AVERAGE TARE WEIGHTS OF PASSENGER TRAIN CARS

CLASS	NOT AIR-CONDITIONED		AIR-CONDITIONED	
	All-Steel	Steel Underframe	All-Steel Cooling Season	All-Steel Heating Season
Baggage—60 ft.	93,070			
—66 ft.	127,610			
—70 ft.	122,620			
—70 ft. (With Auto. End Door)	125,800			
—(Dynamo)	98,730			
		87,120		
Baggage & Mail—60 ft.	103,620			
—69 ft.	124,700			
—70 ft.	120,140			
—Passenger	108,675	103,590		
Express Refr.—N. P. Ry.		112,640		
—A. R. E. No. 40-154		74,000		
— " " " 153-224		78,000		
— " " " 500-506		89,000		
— " " " 1101-1175		110,000		
—P. F. E. 500-799		85,000		
Express, Horse	133,050			
Postal	112,120			
Postal Storage—40 ft.	74,530			
—60 ft.	105,120			
Assembly (ACI)			168,950	168,950
Club (ACI)	146,210	122,300	172,200	164,700
Official (NAC)	170,700	155,370		
—(ACW) Cars 107-128			182,800	182,800
—(ACW) Cars 140-141-99			195,040	195,040
Chair—60 ft. (ACI)	100,620		138,000	132,000
—72 ft. (ACI)			165,000	157,800
—72 ft. (ACW)			158,700	158,700
—Streamline—Single (ACS)			108,900	104,500
—Art. (ACS)			181,400	172,600
—74 ft. (ACI)			180,915	173,125
—74 ft. (ACS)			186,000	181,600
Coaches—60 ft. (ACI)	98,130		136,100	130,100
—70 ft. (ACI)	137,640		157,800	151,000
—70 ft. (ACW)	137,640		151,000	151,000
—72 ft. (ACI)			164,500	157,400
—72 ft. (ACW)			153,500	153,500
—73 ft. 6 in. (ACW)			163,000	163,000
—73 ft. 6 in. (ACI)			168,500	161,200
—72 ft. (Interurban)	120,000			
All-Day Lunch—Chair	105,970			
—Coach	103,875			
Cafe-Coach (ACI)		138,600	155,700	149,000*
Cafe-Lounge (ACI)	148,950	161,200	173,500	166,000
—(ACW)			156,000	156,000
Morning Daylight—(16-car train)			1,764,780	1,764,780
—Chair-Baggage (ACS)			124,250	124,250
—Art. Chair (ACW)			203,000	203,000
—Diner (Triple Unit) (ACW)			336,200	336,200
—Chair Car (ACW)			121,200	121,200
—Tavern (ACS)			129,180	129,180
—Parlor (ACS)			124,600	124,600
—Parlor-Obs. (ACW)			117,350	117,350
Noon Daylight—(16-car train)			1,768,800	1,768,800
—Chair Baggage & Parlor (ACS)			109,400	109,400
—Art. Chair (ACS)			209,300	209,300
—Art. Chair (ACW)			203,000	203,000
—Diner (Triple Unit) (ACS)			348,550	348,550
—Chair Car (ACS)			125,250	125,250
—Tavern & Parlor Obs. (ACS)			122,650	122,650
Lark—(18-car train)			2,482,000	2,274,000
—Baggage (NAC)	127,000	127,000		
—Postal (NAC)	132,000	132,000		
—Diner (Triple Unit) (ACW)			325,000	325,000
—Pullmans-Streamline (ACM)			140,000	130,000
Diner—70 ft.		135,930		
—72 ft.	155,330	146,930		
—77 ft. (Arch Roof) (ACI)	156,000		170,100	162,700
—77 ft. (") (ACW)			162,950	162,950
—77 ft. (Clere Story Roof) (ACW)		165,530	169,450	169,450
—77 ft. (") (ACM)			189,581	173,836
—79 ft. (") (NAC)	169,100			
—80 ft. (Clere Story Roof) (ACM)			201,323	184,700
Lounge (") (ACI)			189,800	181,630
(Arch Roof) (ACI)			167,500	160,300
(") (ACW)			164,980	157,780
Observation—75 ft. (ACI)	154,400		169,185	161,900
—77 ft. (ACI)			194,543	186,166
Pullman—Observation (ACI)		141,870		
— " (ACI)	160,800	153,000	177,314	169,200
— " (ACM)	160,800	153,000	192,300	176,300
— " Lounge (ACM)	171,200		194,900	178,900
— " (ACI)	171,200		187,882	179,600
—Bedroom (ACI)	167,600		183,920	176,000
— " (ACM)	167,600		195,800	179,800
—Sleeping (ACM)	163,100		191,100	175,100
— " (ACI)	163,100		180,075	171,500
—Tourist (ACM)	153,000		185,200	169,200
— " (ACI)	153,000		168,663	161,400

*Steel underframe.
 CODE:—NAC—Non-Air Conditioned.
 —ACI—Air-Conditioned—Ice System.
 —ACM—Air-Conditioned—Mechanical System.
 —ACW—Air-Conditioned—Waukesha System.
 —ACS—Air-Conditioned—Steam Ejector System.

LIST OF SURGEONS

LOCATION	NAME	TITLE
San Francisco	Dr. C. A. Walker	Chief Surgeon and Manager.
San Francisco	Dr. W. W. Washburn	Sup. of Surgical Sery., Genl. Hosp.
San Francisco	Dr. G. R. Carson	Visiting Physician Genl. Hospital.
San Francisco	Dr. H. B. Graham	Aurist.
San Francisco	Dr. Wilbert F. Swett	Oculist.
San Francisco	Dr. John C. Williams	Assistant Oculist.
Daly City	Dr. Jos. Butler	District Surgeon.
South San Francisco	Dr. Edwin I. Bartlett	District Surgeon.
South San Francisco	Dr. W. H. Musselman	District Surgeon.
Ocean View	Dr. Harry A. Derring	Emergency Surgeon.
San Bruno	Dr. Norman C. Fox	District Surgeon.
Burlingame	Dr. E. G. Gamette	District Surgeon.
San Mateo	Dr. Alan Benner	District Surgeon.
San Mateo	Dr. Benjamin H. Page	District Surgeon.
Redwood City	Dr. Harper Peddicord	District Surgeon.
California Ave.	Dr. Granville Wood	District Surgeon.
Palo Alto	Dr. Burt L. Davis, Jr.	District Surgeon.
Palo Alto	Dr. G. D. Billingsley	District Surgeon.
Los Altos	Dr. Howard Diesner	District Surgeon.
Sunnyvale	Dr. W. I. Merrill	District Surgeon.
Campbell	Dr. William R. Harder	District Surgeon.
Los Gatos	Dr. A. L. Phillips	District Examiner and Surgeon.
Santa Cruz	Dr. Samuel B. Randall	Assistant District Surgeon.
Santa Cruz	Dr. A. H. McFarlane	District Surgeon.
Mountain View	Dr. J. I. Beattie	District Surgeon.
Santa Clara	Dr. D. R. Threfall	District Examiner and Surgeon.
San Jose	Dr. R. W. King	Asst. District Examiner & Surgeon.
Morganhill	Dr. J. Allison Cary	District Surgeon.
Hollister	Dr. L. E. Smith	District Surgeon.
Watsonville	Dr. F. H. Koepke	District Examiner and Surgeon.
Watsonville	Dr. D. S. Woodard	Asso. District Examiner & Surgeon.
Watsonville	Dr. L. M. Liles	District Examiner and Surgeon.
Watsonville	Dr. M. F. Bettencourt	Oculist and Aurist.
Monterey	Dr. Mast Wolfson	District Surgeon.
Pacific Grove	Dr. H. S. Hoyt	District Surgeon.
Salinas	Dr. E. Wiley Reeves	District Examiner and Surgeon.
Salinas	Dr. Rollin Reeves	District Examiner and Surgeon.
Castroville	Dr. A. J. Trinkle	District Surgeon.
Gonzales	Dr. L. P. Davlin	Emergency Surgeon.
King City	Dr. C. T. Bullard	District Surgeon.
San Miguel	Dr. C. R. Kennedy	District Surgeon.
Paso Robles	Dr. G. L. Sobey	District Examiner and Surgeon.
Atascadero	Dr. H. McGarvey	Emergency Surgeon.
Santa Margarita	Dr. Harry J. Coventry	Emergency Surgeon.
San Luis Obispo	Dr. F. R. Mugler	District Examiner and Surgeon.
San Luis Obispo	Dr. J. B. V. Butler	Asst. District Examiner & Surgeon.
San Luis Obispo	Dr. Geo. B. Kelker	Oculist and Aurist.
Santa Maria	Dr. W. D. Sink	District Surgeon.
Santa Maria	Dr. W. C. Conser	Assistant District Surgeon.
Santa Maria	Dr. M. E. Mesirov	Oculist and Aurist.
Guadalupe	Dr. John W. Needles	District Surgeon.
Lompoc	Dr. L. E. Heiges	District Examiner and Surgeon.
Lompoc	Dr. L. E. Heiges, Jr.	Asso. District Examiner & Surgeon.
Santa Barbara	Dr. C. S. Stevens	District Examiner and Surgeon.
Santa Barbara	Dr. K. R. Wilson	District Examiner and Surgeon.
Santa Barbara	Dr. A. B. Steele	Asso. District Examiner & Surgeon.
Santa Barbara	Dr. William J. Mellinger	Aurist.
Santa Barbara	Dr. William H. Johnston	Oculist.

Emergency Surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

HOSPITALS

- GENERAL HOSPITAL.....San Francisco
- EMERGENCY HOSPITAL, 3d and Townsend Sts., San Francisco
- EMERGENCY.....Bayshore

TRAINMASTERS

- J. M. CARDWELL.....San Francisco
- H. W. HALL.....Watsonville Jct.
- B. S. BAUMAN.....San Luis Obispo

TERMINAL TRAINMASTER

- J. G. SELDEN.....San Francisco

RATING OF LOCOMOTIVES—COAST DIVISION—In Ms of 1000 lbs. Back of Tender.

NOMINAL CLASS	OFFICIAL CLASS	ENGINE NUMBERS	Boiler Pressure	San Francisco to Morganhill Watsonville Jct. to Morganhill San Jose to Santa Margarita to Watsonville Jct.	Morganhill to Watsonville Jct.	Watsonville Jct. to Santa Margarita	Santa Margarita to San Luis Obispo	San Luis Obispo to Santa Margarita	San Luis Obispo and Santa Barbara
M-4	M-63 20/28 126, 135-S	1617 to 1713.....	190	2950	6500	2550	780	700	1750
M-6, 8	M-63 21/28 150-S, 159-SF	1721 to 1803, 1823 to 1825.....	200	3650	7500	3150	990	890	2150
M-9	M-63 21/28 150-S, 162-SF	1804 to 1822, 1826 to 1830, 1836....	210	3850	8000	3350	1050	950	2250
M-11	M-63 22/28 153-S, 162-SF	1832 to 1835.....	200						
T-28, 31	T-63 22/28 162-S	2311 to 2362.....	210	4200	9000	3650	1150	1050	2500
T-32, 40	T-69 23/28 174-S, 197-SF	2363 to 2384.....	210	4300	9000	3750	1150	1050	2550
P-1, 3, 5	P-77 22/28 141-S	2400 to 2452, 2459, 2460.....	210	3500	7000	3050	860	770	2000
P-4	P-77 23/28 155/B-58-SF	2400 to 2437.....	210	4000	8000	3450	1000	860	2400
P-6	P-77 25/28 172-S	2453 to 2458.....	200	4300	9000	3750	1100	970	2500
P-7	P-73 25/28 171-S	2476, 2477.....	200	4350	9000	3800	1150	1050	2550
P-8, 10	P-73 25/30 181-SF	2461 to 2474, 2478 to 2483.....	200	4600	10000	4000	1200	1050	2650
P-8, 10	P-73 25/30 183/B-63-SF	2475, 2484 to 2491.....	200	4800	10000	4150	1250	1150	2900
P-11	P-68 24/26 157-S	3100 to 3109.....	180	3700	7000	3200	900	800	2100
P-12	P-73 26/28 189-SF	3120 to 3129.....	205	5050	10000	4400	1250	1150	2900
C-8, 9, 10	C-57 22/30 192-S, 200-SF	2513 to 2599, 2624 to 2860.....	210	4600	10000	3950	1300	1150	2700
C-5	C-57 22/30 185-S, 187-S....								
TW-1	TW-54 22/26 147	2900 to 2913.....	180	3500	7500	3050	950	850	2050
TW-8	TW-54 21/32 161-S	2914 to 2921, 2923.....	190	3900	9000	3200	1050	950	2250
A-3	A-81 20/28 112-S	3025 to 3071.....	210	2800	5500	2400	630	550	1550
A-3	A-81 20/28 120/B-64-SF	3025 to 3071.....	210	2900	6000	2500	630	550	1700
Mk-2, 4	Mk-57 23 1/2/30 206-S, 230-SF	3200 to 3240.....	210	5400	10000	4650	1500	1350	3200
Mk-5, 6	Mk-63 26/28 210-S, 233-SF	3241 to 3277.....	210	5850	12000	5150	1600	1450	3500
Mk-7, 8, 9	Mk-63 29/30 247-S, 257-SF	3300 to 3324.....	176 205	6350	12000	5550	1750	1600	3750
Mk-7, 8, 9	Mk-63 27/30 247-S, 257-SF								
F-1	F-63 27 1/2/32 273-S, 282-SF	3611 to 3652.....	200	6700	12000	5800	1900	1700	3900
F-3	F-63 29 1/2/32 297-S, 300-SF	3653 to 3667.....	200	7600	12000	6600	2100	1900	4500
F-4, 5	F-63 29 1/2/32 306/B-61-SF	3668 to 3769.....	200	8000	12000	7000	2350	1900	4750
F-5	F-63 29 1/2/32 306/B-62-SF								
AC-4, 5	AC-63 24 1/2/32 475-SF, 483-SF	4100 to 4125.....	235	11900	16000	10400	3150	2950	6900
AC-6, 7	AC-63 24 1/2/32 517-SF, 515-SF	4126 to 4176.....	250	12500	17000	11000	3300	3100	7300
AC-8	AC-63 24 1/2/32 532-SF	4177 to 4204.....							
Mt-1, 3, 4, 5	Mt-73 28/30 246/B-60-SF	4300 to 4376.....	210	6600	12000	5750	1700	1500	4000
GS-1	GS-73 27/30 262/B-104-SF	4400 to 4409.....	250	7000	12000	6100	1750	1550	4200
GS-2	GS-73 27/30 266/B-104-SF	4410 to 4415.....							
GS-3	GS-80 26/32 267/B-109-SF	4416 to 4429.....							
GS-4	GS-80 25 1/2/32 276/B-118-SF	4430 to 4449.....							
SP-1	SP-63 25 1/2/32 316/B-60-SF	5000 to 5049.....	225	8000	12000	7900	2600	2100	5300
SP-2, 3	SP-63 25 1/2/32 317/B-61-SF								

Allowance for Empty and Underloaded Cars—M's	(Less than 40 M's.....)	6	6	6	3	3	3
	40 M's to 50 M's.....	3	3	3	0	0	0
	(More than 50 M's.....)	0	0	0	0	0	0

These ratings include the total weight of train, exclusive of engine and tender, which the different class of locomotives will haul in each direction between the stations shown.

ASSISTANT TRAINMASTERS

- W. T. HABERLY.....Salinas
- J. A. MCKINNON.....San Luis Obispo
- G. P. McNAMARA.....San Luis Obispo

ROAD FOREMAN OF ENGINES

- W. G. FIFIELD.....San Francisco
- M. E. KETCHUM.....San Luis Obispo

- I. J. ONYON, Chief Train Dispatcher.....San Francisco
- A. S. BRAINARD, Chief Train Dispatcher.....San Luis Obispo
- J. W. DEARDORF, Asst. Chief Train Dispatcher.....San Francisco
- O. T. SPAULDING, Asst. Chief Train Dispatcher....San Francisco
- J. L. EMERY, Asst. Chief Train Dispatcher.....San Luis Obispo
- D. B. SAUNDERS, Asst. Chief Train Dispatcher...San Luis Obispo

E. C. PEARCE, Assistant Superintendent



SCALE OF MILES
1:25,000
OCTOBER, 1885

SOUTHERN PACIFIC CO. COAST DIVISION

OF THE
N.Y.P.C.




ADJACENT TERRITORY
AND
SAN FRANCISCO

SAN FRANCISCO

AND
ADJACENT TERRITORY

SCALE OF MILES
0 5 10




MAP OF THE COAST DIVISION SOUTHERN PACIFIC CO.

OCTOBER, 1922.
J.F.M.

SCALE OF MILES
0 5 10 20 30 40

REVISED: 70 JAN 1, 1921



SANTA CRUZ AND VICINITY

SCALE OF MILES
0 5 10