
SAFETY IS EVERYBODY'S BUSINESS

TRAINMASTERS

G. M. JOYCE.....Ogden
R. S. BUNTING.....Carlin
J. F. McCUISTION.....Sparks
J. J. HENDERSON.....Sparks

ROAD FOREMEN OF ENGINES

E. O. FINK.....Ogden
A. C. EVERETT.....Sparks

**TRAINMASTER—ROAD FOREMAN
OF ENGINES**

B. E. EAGER.....Susanville

ASST. ROAD FOREMEN OF ENGINES

O. S. YOUNG.....Ogden
J. D. BROWN.....Ogden
J. M. STOUT.....Sparks
M. R. FRIBERG.....Sparks
K. E. GREEN.....Susanville

ASSISTANT TRAINMASTERS

C. E. NAPPER.....Ogden
H. R. MADISON.....Montello
L. J. McHUGH.....Imlay
J. W. OSMUN.....Imlay
G. N. HUEY.....Sparks

CHIEF TRAIN DISPATCHERS

F. W. SMITH.....Ogden
L. R. NORRIS.....Sparks

D. W. TANNER
Assistant Superintendent, Ogden

SOUTHERN PACIFIC COMPANY



SALT LAKE DIVISION TIMETABLE

72

EFFECTIVE SUNDAY, SEPTEMBER 27, 1953

AT 12:01 A. M.

PACIFIC STANDARD TIME

**FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYEES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS**

R. E. HALLAWELL,
General Manager.

E. D. MOODY,
W. D. LAMPRECHT,
Assistant General Managers.

C. H. GRANT,
General Superintendent of Transportation.

V. E. ANDERSON,
Superintendent of Transportation.

D. P. BOYKIN,
Superintendent.

HOSPITAL DEPARTMENT SURGEONS

LOCATION	NAME	TITLE
San Francisco	Dr. W. W. Washburn	Chief Surgeon
Ogden	Dr. K. A. Stratford	Division Physician and Surgeon
Ogden	Dr. L. S. Sycamore	District Physician and Surgeon
Ogden	Dr. W. F. Loomis	District Physician and Surgeon
Ogden	Dr. Harold DeMars	Aurist
Ogden	Dr. Ralph Pugmire	Oculist
Montello	Nurse in attendance	
Wells	Dr. W. E. Kuhn	Emergency Surgeon
Elko	Dr. A. J. Hood	District Physician and Surgeon
Elko	Dr. Geo. A. Collett	District Physician and Surgeon
Elko	Dr. Dale Hadfield	Asst. Dist. Physician and Surgeon
Elko	Dr. Thomas Hood	Asst. Dist. Physician and Surgeon
Elko	Dr. L. A. Moren	Asst. Dist. Physician and Surgeon
Carlin	Dr. C. W. Eastman	District Physician and Surgeon
Battle Mountain	Dr. Chas. C. Hyde	District Physician and Surgeon
Winnemucca	Dr. Kurt L. Hartoch	District Physician and Surgeon
Lovelock	Dr. J. M. Presti	District Physician and Surgeon
Sparks	Dr. A. J. Roche	District Physician and Surgeon
Sparks	Dr. H. Earl Belnap	Asst. Dist. Physician and Surgeon
Reno	Dr. Elwood Reno	Division Surgeon
Reno	Dr. Leo Corvino	District Physician and Surgeon
Reno	Dr. L. E. Lombardi	District Physician and Surgeon
Reno	Dr. L. D. Nannini	Asst. Dist. Physician and Surgeon
Reno	Dr. Geo. R. Magee	Oculist
Reno	Dr. J. C. Elia	Aurist
Fallon	Dr. H. W. Sawyer	District Physician and Surgeon
Fallon	Dr. A. J. Dingacci	Associate Dist. Physician & Surgeon
Susanville	Dr. J. W. Crever	District Physician and Surgeon
Hawthorne-Babbitt	Dr. E. F. Hanson	Emergency Physician and Surgeon
Yerrington	Dr. Stanley Tebbe	Emergency Surgeon
Alturas	Dr. J. Paul McKenney	District Physician and Surgeon
Alturas	Dr. Phillip W. McKenney	Asst. Dist. Physician and Surgeon

Note.—Emergency Surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to, or await arrival of, Division or District Surgeon.

HOSPITALS

GENERAL HOSPITAL	SAN FRANCISCO
DIVISION HOSPITAL—DEE HOSPITAL	OGDEN
EMERGENCY HOSPITAL	OGDEN
EMERGENCY HOSPITAL	SPARKS

WATCH INSPECTORS

San Francisco, C. D. Fabrin, Manager of Time Service, 65 Market St.	
Sparks	W. R. Adams & Son
Winnemucca	Bosch & Son
Elko	W. N. Blohm
Elko	C. E. Cox
Ogden	Chas. D. Anderson
Ogden	E. E. Dahlin
Alturas	Virgil Pratt
Lakeview	A. E. Rugg
Susanville	Chas. H. Courvoisier

LOCATION OF STANDARD CLOCKS

Alturas	Train-order Office	Ogden	Roundhouse
Carlin	Train-order Office	Sparks	Train-order Office
Carlin	Roundhouse	Sparks	Train Dispatcher's Office
Imlay	Train-order Office	Sparks	Roundhouse
Likely	Train-order Office	Susanville	Train-order Office
Mina	Train-order Office	Wells	Train-order Office
Montello	Train-order Office	Wells	Roundhouse
Ogden	Train-order Office	Wendel	Train-order Office
Ogden	Train Dispatcher's Office	Wendel	Roundhouse
Ogden	OUR&D Yard Train-order Office	Westwood	Train-order Office

AVERAGE WEIGHTS (IN TONS) OF PASSENGER CARS

INITIALS	KIND OF CAR	Inside Length	NON AIR CONDITONED		AIR CONDITIONED															
			Steel	Under-Frame	COOLING SEASON			NON-COOLING SEASON												
					ACI	ACM	ACW	ACS	AGE	ACI	ACM	ACW	ACS	AGE						
	Conventional Equipment:																			
SP	Box—Baggage	41'	24																	
SP	Baggage	60'	48																	
SP	Baggage	61'	45																	
SP	Baggage	66'	65																	
SP	Baggage	70'	63																	
SP	Baggage and Mail	60'	56																	
SP	Baggage and Mail	66'	68																	
SP	Baggage and Mail	69'	64																	
SP	Baggage and Mail	70'	66																	
SP	Baggage and Psgr.	60'	51																	
SP	Baggage and Psgr.	61'	58																	
SP	Baggage—Horse	70'	67																	
SP	Baggage—Horse	80'	75																	
SP	Postal	40'	42																	
SP	Postal	60'	59																	
SP	Postal—Storage	60'	54																	
SP	Postal—Storage	61'	61																	
SP	Club	75'	83																	
SP	Club	77'	100																	
SP	Chair	60'	70																	
SP	Chair	72'	82																	
SP	Chair	73'	78																	
SP	Chair	74'	90																	
SP	Coach	60'	67																	
SP	Coach	70'	78																	
SP	Coach	72'	81																	
SP	Coach	74'	87																	
SP	All Day Lunch	60'	63																	
SP	Cafe—Lounge	72'	86																	
SP	Diner	73'	79																	
SP	Diner	77'	100																	
SP	Diner	79'	105																	
SP	Diner	80'	85																	
SP	Lounge	75'	95																	
SP	Lounge	80'	85																	
SP	Observation—Lounge	75'	78																	
SP	Observation—Smoking	69'	83																	
SP	Observation—Smoking	72'	88																	
SP	Observation—Smoking	74'	89																	
SP	Official	Var.	79																	
Pull	Standard Sleeper	"	92																	
Pull	Tourist	"	86																	
Pull	Lounge	"	90																	
Pull	Troop Sleeper	"	38																	
Pull	Troop Kitchen	"	39																	
USA	Kitchen	"	40																	
USA	Ward	"	90																	
USA	Dressing	"	86																	
USA	Mortuary	"	79																	
USA	Hospital (89200-01)	"	84																	
USA	Hospital (89340-52)	"	78																	

CODE: ACI: Air Conditioned—Ice System ACW: Air Conditioned—Waukesha System ACE: Air Conditioned—Evaporative System
 ACM: Air Conditioned—Mechanical System ACS: Air Conditioned—Steam Ejector System

SPARKS SUBDIVISION

EASTWARD

FIRST CLASS

Capacity of sidings	FIRST CLASS					Mile Post Location
	606	28	22	24	102	
	Mixed Leave Daily Ex. Sunday	San Francisco Overland Leave Daily	Mail Leave Daily	Gold Coast (c) Leave Daily	City of San Francisco Leave Daily	
Sparks yard BKWDOTYP						246.2
P						249.1
118 P	f 10.39					253.1
116 P	f 10.47					257.3
114 P	f 10.55					262.1
126 P	f 11.03					266.7
116 P	f 11.11					271.4
274 WYP	s 11.21		c			276.1
116 P						280.4
123 P						284.4
130 124 WP	s 11.45 PM	7.51	s 7.40	f 4.50		288.1
116 122 P		7.55	7.46	4.56	12.54	292.5
96 P			7.51	5.01		297.4
118 P		8.04	7.55	5.06	1.02	302.0
96 P				5.11		306.8
118 P		8.13	8.04	5.17		311.7
95 P			8.09	5.21	1.13	316.1
118 P		8.21	8.14	5.25	1.16	320.0
96 P			8.19	5.29		324.2
119 P		8.29	8.24	5.38	1.23	328.4
98 P			8.28	5.43		331.8
99 P		8.36	8.32	5.48		336.4
P			8.36	5.53	1.33	340.5
W 130 E 120 WP		8.44	s 8.46	s 6.05	c	344.3
P		8.57	9.01	6.21	1.50	357.8
M 125 P		9.06	9.10	6.32	1.57	366.0
P		9.16	9.21	6.44		377.0
Yard Limits BKOWYP		f 9.25 PM	s 9.30 AM	s 6.53 AM	2.12 AM	384.1
		Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	
		(1.20) 31.42	(2.23) 57.86	(2.45) 50.14	(3.03) 45.20	(2.02) 67.81

Timetable No. 72
September 27, 1953

Distance from Sparks

STATIONS

TO-R	SPARKS	} CTC Centralized Traffic Control	0.0
	2.9 VISTA		2.9
	4.0 HAFED		6.9
	4.2 PATRICK		11.1
	4.8 CLARK		15.9
	4.6 THISBE		20.5
	4.7 GILPIN		25.2
	4.7 FERNLEY		29.9
	4.3 ARGO		34.2
	4.0 DARWIN		38.2
	3.7 HAZEN		41.9
	4.4 MASSIE		46.3
	4.9 FALAIS		51.2
	4.6 UPSAL	55.8	
	4.8 DESERT	60.6	
TO	4.9 PARRAN	65.5	
	4.4 HUXLEY	69.9	
	3.9 OCALA	73.8	
	4.2 MIRIAM	78.0	
TO	4.2 TOY	82.2	
	3.4 TOULON	85.6	
	4.6 GRANITE POINT	90.2	
	4.1 PERTH	94.3	
TO	3.8 LOVELOCK	98.1	
	13.5 OREANA	111.6	
	8.2 RYE PATCH	119.8	
	11.0 HUMBOLDT	130.8	
TO-R	7.1 IMLAY	137.9	
	(137.9)		
	Time over District.....		
	Average Speed per Hour.....		

Automatic Block Signal System

Double Track

RULE 5. Schedule time and train-order time at Perth apply at end of double track.
Schedule time and train-order time at Lovelock apply at passenger station.

RULE S-72. Exception: No. 102 is superior to Nos. 27, 21 and 23 except within Centralized Traffic Control.

Trains operate by CTC between Vista and Massie, but at stations where time is shown must not depart ahead of time.

ADDITIONAL STATIONS			
Station Number	NAME	Mile Post	Capacity
13002	Kodak (Spur)	348.7	13 P
13005	Colado (Spur)	350.1	53-81 P
13007	Woolsey (Spur)	352.8	24 P
13027	Valery (Spur)	372.8	8

SPARKS SUBDIVISION

Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Imlay	WESTWARD									
				FIRST CLASS					SECOND CLASS				
				27	605	21	23	101	561	563	565	567	
				San Francisco Overland	Mixed	Mall	Gold Coast (C)	City of San Francisco	Freight	Freight	Freight	Freight	
Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily					
246.2	TO-R SPARKS 2.9	11455	138.1	AM 7.15	PM 5.40	PM 5.20	PM 8.50	AM 2.00		AM 3.35	AM 11.30	PM 3.05	PM 8.35
249.1	VISTA 4.0	12903	135.2	6.56	5.30	4.59	8.30	1.53					
253.1	HAFED 4.2	12907	131.2		f 5.24								
257.3	PATRICK 4.8	12911	127.0		f 5.17								
262.1	CLARK 4.6	12916	122.2		f 5.10								
266.7	THISBE 4.7	12921	117.6		f 5.03								
271.4	GILPIN 4.7	12925	112.9		f 4.56								
276.1	FERNLEY 4.3	12930	108.2		s 4.50	4.20							
280.4	ARGO 4.0	12934	103.9										
284.4	DARWIN 3.7	12938	99.9										
288.1	HAZEN 4.4	12942	96.2			4.35 PM	4.07 f 7.28						
292.5	MASSIE 4.9	12946	91.8	6.12		4.01	7.23	1.10	2.33	10.28	2.03	7.33	
297.4	FALAIS 4.6	12951	86.9	6.07		3.55	7.18	1.06	2.27	10.22	1.57	7.27	
302.0	UPSAL 4.8	12956	82.3	6.03		3.50	7.13	1.02	2.21	10.16	1.51	7.21	
306.8	DESERT 4.9	12961	77.5	5.59		3.45	7.08		2.15	10.10	1.45	7.15	
311.7	TO PARRAN 4.4	12966	72.6	5.54		3.40	7.02	12.49	2.09	10.04	1.39	7.09	
316.1	HUXLEY 3.9	12970	68.2	5.50		3.35	6.56		2.04	9.59	1.34	7.04	
320.0	OCALA 4.2	12974	64.3	5.46		3.30	6.52	12.42	1.59	9.54	1.29	6.59	
324.2	MIRIAM 4.2	12978	60.1	5.42		3.25	6.47		1.54	9.49	1.24	6.54	
328.4	TO TOY 3.4	12982	55.9	5.38		3.20	6.42	12.35	1.49	9.44	1.19	6.49	
331.8	TOULON 4.6	12986	52.5	5.35		3.15	6.37		1.45	9.40	1.15	6.45	
336.4	GRANITE POINT 4.1	12990	47.9	5.31		3.10	6.32		1.40	9.35	1.10	6.40	
340.5	PERTH 3.8	12994	43.8	5.27		3.05	6.27	12.23	1.35	9.30	1.05	6.35	
344.3	TO LOVELOCK 13.5	12998	40.0	5.22		s 2.59	s 6.18	c 12.19					
357.8	OREANA 8.2	13012	26.5	5.10		2.45	5.59						
366.0	RYE PATCH 11.2	13020	18.3	5.02		2.36	5.50	12.02 AM					
377.0	HUMBOLDT 7.1	13031	7.1	4.52		2.25	5.38						
384.1	TO-R IMLAY	13038	0.0	4.43 AM		2.15 PM	5.28 PM	11.47 PM	12.45 AM	8.40 AM	12.15 PM	5.45 PM	
	(138.1)			Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	
	Time over District			(2.32)	(1.05)	(3.05)	(3.22)	(2.13)	(2.50)	(2.50)	(2.50)	(2.50)	
	Average Speed per Hour			54.51	38.67	44.78	41.01	62.30	48.74	48.74	48.74	48.74	

RULE 5. Schedule time and train-order time at Perth apply at end of double track.
Schedule time and train-order time at Lovelock apply at passenger station.

RULE S-72. Exception: No. 102 is superior to Nos. 27, 21 and 23 except within Centralized Traffic Control.

Trains operate by CTC between Massie and Vista, but at stations where time is shown must not depart ahead of time.

Except in emergency the following tracks must be left clear of cars, to be used for meeting or passing trains when instructed by train dispatcher:

	Capacity
Falais.....North of main track.....	46
Desert.....North of main track.....	41
Parran.....South of main track.....	46
Huxley.....South of main track.....	46
Ocala.....North of main track.....	46
Miriam.....North of main track.....	45

WINNEMUCCA SUBDIVISION

EASTWARD

FIRST CLASS

Capacity of sidings					28	22	24	102	Mile Post Location	Timetable No. 72 September 27, 1953	Distance from Imlay		
					San Francisco Overland	Mail	Gold Coast (c)	City of San Francisco					
Yard Limits BKWOYP					Leave Daily	Leave Daily	Leave Daily	Leave Daily		STATIONS			
					PM 9.25	AM 9.31	AM 6.55	AM 2.12	384.1		Automatic Block Signal System	TO-R IMLAY	0.0
	P				9.31	9.37	7.01		388.7	4.6		MILL CITY	Double Track
M 126	P				9.40	9.47	7.10	2.22	397.0	8.3	COSGRAVE	12.9	
	P				9.50	9.58	7.19	2.30	406.6	9.6	TO ROSE CREEK	22.5	
	P					10.03			406.8	5.3	BENIN	27.8	
94	P								412.1	5.2	TO WINNEMUCCA	33.0	
E 96	WP				c 10.02	s 10.14	s 7.39	2.39	417.3	3.6	TO-R WESO (WP Conn.)	36.6	
W 90	IP				10.08 PM	10.22 AM	7.47 AM	2.44 AM	420.9	2.4	TULE	39.0	
98	P								423.3	10.7	TO GOLCONDA	49.7	
109	P								434.0	5.3	PREBLE (WP Conn.)	55.0	
	P								439.3	8.8	IRON POINT	63.8	
117	P								448.1	13.2	VALMY	77.0	
68	WP				Be governed by current timetable, bulletins and rules of WPRR, on WPRR track between Weso and Carlin.					461.3	5.0	MOTE	82.0
97	P								466.3	9.5	TO BATTLE MOUNTAIN	91.5	
68	P								475.8	6.2	ROSNY	97.7	
68	P								482.0	10.9	MOSEL	108.6	
98	P								492.9	15.3	TO BEOWAWE (WP Conn.)	123.9	
95	P				On SP tracks between Carlin and Weso Automatic Block Signal System governs westward movement only, except between Carlin and west portal Tunnel No. 1, Palisade, signals govern movements in both directions.					508.2	12.1	BARTH (WP Conn.)	136.0
	P								520.3	5.4	PALISADE	141.4	
	P								525.7	5.5	TYROL	146.9	
79	P								531.2	3.3	TO-R CARLIN (WP Conn.)	150.2	
Carlin yard BKWDOTP									534.5	(150.2)			
					Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			Time over District		
					(0.43) 51.07	(0.51) 43.05	(0.52) 42.23	(0.32) 68.62			Average Speed per Hour		

RULE 5. Schedule time and train-order time at Rose Creek apply at end of double track.

RULE S-72. Exception: No. 102 is superior to Nos. 27, 21 and 23.

WINNEMUCCA SUBDIVISION

Timetable No. 72 September 27, 1953		Distance from Carlin	WESTWARD										
			FIRST CLASS										
			27	17	21	1	23	101					
		San Francisco Overland	West. Pac. California Zephyr	Mail	West. Pac. Zephyrette	Gold Coast (c)	City of San Francisco						
STATIONS		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Sun. Wed. & Fri.	Arrive Daily	Arrive Daily						
384.1	TO-R IMLAY 4.6	150.2	AM f 4.43		PM f 2.15		PM s 5.25	PM 11.47					
388.7	MILL CITY 8.3	145.6	4.37		2.09		5.15						
397.0	COSGRAVE 9.6	137.3	4.29		2.02		5.06	11.37					
406.6 406.8	TO ROSE CREEK 5.3	127.7	4.20		1.54		4.56	11.29					
412.1	BENIN 5.2	122.4			1.49		4.50						
417.3	TO WINNEMUCCA 3.6	117.2	c 4.08		1.44		s 4.43						
420.9	TO-R WESO (WP Conn.) 2.4	113.6	4.03	AM 4.12	1.39	PM 3.50	4.33	11.15					
423.3	TULE 10.7	111.2			1.36	3.46	4.30						
434.0	TO GOLCONDA 5.3	100.5	3.51	4.01	1.27	f 3.36	4.18	11.04					
439.3	PREBLE (WP Conn.) 8.8	95.2											
448.1	IRON POINT 13.2	86.4	3.38	3.50	1.15	3.22	3.59	10.53					
461.3	VALMY 5.0	73.2	3.26	3.39	1.02	3.10	3.44	10.43					
466.3	MOTE 9.5	68.2			12.57		3.38						
475.8	TO BATTLE MOUNTAIN 6.2	58.7	3.13	3.27	12.47	s 2.54	s 3.26	10.31					
482.0	ROSNY 10.9	52.5				2.46	3.14						
492.9	MOSEL 15.3	41.6	2.57	3.14	12.31	2.36	3.01	10.18					
508.2	TO BEOWAWE (WP Conn.) 12.1	26.3	2.44	3.02	12.17	f 2.20	2.42	10.05					
520.3	BARTH (WP Conn.) 5.4	14.2			12.04 PM		2.27						
525.7	PALISADE 5.5	8.8	2.24	2.46	11.57 AM	1.58	2.20	9.49					
531.2	TYROL 3.3	3.3											
534.5	TO-R CARLIN (WP Conn.)	0.0	2.13 AM	2.36 AM	11.45 AM	1.45 PM	2.05 PM	9.39 PM					
(150.2)			Leave Daily	Leave Daily	Leave Daily	Leave Sun. Wed. & Fri.	Leave Daily	Leave Daily					
.....Time over District.....			(2.30)	(1.36)	(2.30)	(2.05)	(3.20)	(2.08)					
.....Average Speed per Hour.....			60.08	71.00	60.08	54.52	45.06	70.40					

RULE 5. Schedule time and train-order time at Rose Creek apply at end of double track.

RULE S-72. Exception: No. 102 is superior to Nos. 27, 21 and 23.

WINNEMUCCA SUBDIVISION

Capacity of sidings	Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Carlin	WESTWARD							
					SECOND CLASS							
					571	573	575	577				
					Freight	Freight	Freight	Freight				
					Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily				
					AM 3.17	AM 10.16	PM 3.22	PM 9.37				
Yard Limits BKWOYP	384.1		13038	150.2								
P	388.7	TO-R	IMLAY 4.6	13043	145.6							
M 126	397.0		MILL CITY 8.3	13051	137.3							
P	406.6		COSGRAVE 9.6	13060	127.7	2.51	9.50	2.56	9.11			
P	406.8	TO	ROSE CREEK 5.3	13066	122.4	2.45	9.44	2.50	9.05			
94	412.1		BENIN 5.2	13071	117.2	2.39	9.38	2.44	8.59			
E 96	417.3	TO	WINNEMUCCA 3.6	13075	113.6	2.35	9.34	2.40	8.55			
W 90	420.9	TO-R	WESO (WP Conn.) 2.4	13502	111.2							
IP	423.3		TULE 10.7	13513	100.5	2.19	9.18	2.24	8.39			
98	434.0	TO	GOLCONDA 5.3	13518	95.2							
P	439.3		PREBLE (WP Conn.) 8.8	13527	86.4							
117	448.1		IRON POINT 13.2	13540	73.2	1.47	8.46	1.52	8.07			
P	461.3		VALMY 5.0	13545	68.2							
68	466.3		MOTE 9.5	13555	58.7	1.30	8.29	1.35	7.50			
97	475.8	TO	BATTLE MOUNTAIN 6.2	13561	52.5							
P	482.0		ROSNY 10.9	13572	41.6							
68	482.0		MOSEL 15.3	13587	26.3	12.50	7.49	12.55	7.10			
98	492.9	TO	BEOVAWE (WP Conn.) 12.1	13599	14.2							
P	508.2		BARTH (WP Conn.) 5.4	13605	8.8	12.26	7.25	12.31	6.46			
95	520.3		PALISADE 5.5	13610	3.3							
P	525.7		TYROL 3.3	13614	0.0	12.10 AM	7.09 AM	12.15 PM	6.30 PM			
79	531.2	TO-R	CARLIN (WP Conn.)			Leave Daily	Leave Daily	Leave Daily	Leave Daily			
Carlin yard BKWDOTP	534.5		(150.2)			(3.07) 48.19	(3.07) 48.19	(3.07) 48.19	(3.07) 48.19			
			Time over District.....									
			Average Speed per Hour.....									

RULE 5. Schedule time and train-order time at Rose Creek apply at end of double track.

ADDITIONAL STATIONS			
Station Number	NAME	Mile Post	Capacity
13508	Eglon.....(Spur)	428.7	20 P
13532	Herrin.....(Spur)	452.7	20 P
13550	Plute.....(Spur)	470.4	27 P
13567	Argenta.....(Spur)	487.7	57 P
13578	Shoshone.....(Spur)	498.5	23 P
13592	Cluro.....(Spur)	512.7	20 P
13596	Harney.....(Spur)	517.0	22 P
13601	Gerald.....(Spur)	521.3	25 P

ELKO SUBDIVISION

EASTWARD

FIRST CLASS

Capacity of sidings					22	24	102	28	Mile Post Location	Timetable No. 72 September 27, 1953	Distance from Carlin
					Mail	Gold Coast (c)	City of San Francisco	San Francisco Overland			
					Leave Daily	Leave Daily	Leave Daily	Leave Daily			
Carlin yard BKWDOTP									534.5		
78 P					Be governed by current timetable, bulletins and rules of WPRR, on WPRR track between Carlin and Alazon.				537.5		
67 P					On SP tracks between Alazon and Carlin Automatic Block Signal System governs westward movements only, except from Carlin to Signal 5389, Signal 5396 at west portal Tunnel No. 2 to Signal 5439 at west switch Moleen, and from Signal 5666 at west portal Tunnel No. 3 to Signal 5727 at west switch Elburz, signals govern movements in both directions.				554.3		
79 P									556.0		
84 P									560.5		
96 P									573.4		
78 P									576.7		
108 P									581.2		
									589.6		
118 P									591.1		
									599.1		
IP					PM 1.55	AM 11.55	AM 5.30	AM 1.20	603.6		
W 100 Yard Limite E 118 BKWDYP					s 2.07	s PM 12.15	5.36	1.26	607.5		
E 98 Yard Limite YP					2.28	12.37	5.50	1.43	616.4		
94 P					2.36	12.43		1.49	620.1		
117 P					2.42	12.50	5.59	1.53	624.1		
111 P					2.47	12.56	6.03	1.57	627.5		
117 P					2.52	1.02	6.07	2.02	631.8		
108 P					2.58	1.08	6.13	2.08	636.8		
Yard Limits W 117 WYP					3.03	1.13	6.17	2.12	640.6		
61 P									644.8		
M 94 P					3.14	1.28	6.26	2.23	649.8		
Yard Limits BKWOYP					s 3.30 PM	s 1.46 PM	f 6.39 AM	f 2.39 AM	661.9		
					Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			
					(1.35) 36.82	(1.51) 31.51	(1.09) 50.69	(1.19) 44.27			

STATIONS

TO-R	CARLIN (WP Conn.)	0.0
	3.0	
	VIVIAN	3.0
	16.8	
TO-R	WEST ELKO (WP Conn.)	19.8
	1.7	
TO-R	ELKO	21.5
	4.5	
	COIN	26.0
	12.9	
TO-R	ELBURZ (WP Conn.)	38.9
	3.3	
	HALLECK	42.2
	4.5	
	RASID	46.7
	8.4	
TO	DEETH	55.1
	1.5	
	WPRR Connection	56.6
	8.0	
	TULASCO	64.6
	4.5	
TO-R	ALAZON (WP Conn.)	69.1
	3.9	
TO-R	WELLS	73.0
	8.9	
TO	MOOR	81.9
	3.7	
	ANTHONY	85.6
	4.0	
	HOLBORN	89.6
	3.4	
TO	FENELON	93.0
	4.3	
	PEQUOP	97.3
	5.0	
	ICARUS	102.3
	3.8	
TO	VALLEY PASS	106.1
	4.2	
	COBRE	110.3
	5.0	
	LORAY	115.3
TO-R	MONTELLO	127.4
	12.1	
	(127.4)	

Automatic Block Signal System

ABS West Only

RULE 5. Schedule time and train-order time at Moor and Valley Pass apply at end of double track.

RULE S-72. Exception: No. 102 is superior to Nos. 27, 21 and 23.

Except in emergency the following tracks must be left clear of cars, to be used for meeting or passing trains when instructed by train dispatcher:

Anthony	South of main track	Capacity 46
Fenelon	North of main track	Capacity 46

Except in emergency the following track must be left clear of cars, to be used to clear passing trains or when instructed by train dispatcher:

Moor	North of main track	Capacity 113
------	---------------------	--------------

ELKO SUBDIVISION

Capacity of sidings	Mile Post Location	Timetable No. 72 September 27, 1953	Distance from Montello	WESTWARD								
				FIRST CLASS								
				17	21	1	23	101	27			
				West Pac. California Zephyr	Mail	West Pac. Zephyrette	Gold Coast (C)	City of San Francisco	San Francisco Overland			
				Arrive Daily	Arrive Daily	Arrive Sun. Wed. & Fri.	Arrive Daily	Arrive Daily	Arrive Daily			
		STATIONS										
Carlin yard BKWDOTP	534.5	TO-R CARLIN (WP Conn.) 3.0	127.4	AM 2.36	AM 11.35	PM 1.45	PM 1.55	PM 9.34	AM 2.05			
78 P	537.5	VIVIAN 16.8	124.4	2.31	11.26	1.39	1.47	9.29	1.56			
	554.3	WEST ELKO (WP Conn.) 1.7	107.6			1.23	1.28		1.42			
Yd.Lmts. 67 P	556.0	TO-R ELKO 4.5	105.9	s 2.13 2.11	11.06	s 1.20 12.50	s 1.25	9.12	c 1.39			
79 P	560.5	COIN 12.9	101.4		10.59	12.44	1.09		1.32			
84 P	573.4	ELBURZ (WP Conn.) 3.3	88.5		10.47	12.29	12.54		1.20			
96 P	576.7	HALLECK 4.5	85.2	1.52	10.44	12.26	12.50	8.51	1.17			
80 P	581.2	RASID 8.4	80.7									
108 P	589.6	TO DEETH 1.5	72.3	1.42	10.33	f 12.14	12.35	8.41	1.06			
	591.1	WPRR Connection 8.0	70.8									
118 P	599.1	TULASCO 4.5	62.8	1.34	10.25	12.04 PM	12.20	8.33	12.58			
IP	603.6	TO-R ALAZON (WP Conn.) 3.9	58.3	1.30 AM	10.20	11.59 AM	12.15	8.29	12.53			
W 100 Yard Limits BKWDYP	607.5	TO-R WELLS 8.9	54.4		s 10.13		s 12.08 PM	8.26	12.48			
E 118 Yard Limits YP	616.4	TO MOOR 3.7	45.5		10.01		11.46 AM	8.16	12.36			
94 P	620.1	ANTHONY 4.0	41.8		9.57		11.41	8.12	12.31			
119 P	624.1	HOLBORN 3.4	37.8		9.52		11.36	8.08	12.26			
111 P	627.5	TO FENELON 4.3	34.4		9.47		11.31	8.04	12.21			
119 P	631.8	PEQUOP 5.0	30.1		9.42		11.26	7.59	12.15			
108 P	636.8	ICARUS 3.8	25.1		9.36		11.20	7.54	12.09			
Yard Limits W 117 WYP	640.6	TO VALLEY PASS 4.2	21.3		9.31		11.13	7.49	12.02 AM			
61 P	644.8	COBRE 5.0	17.1					7.44				
M 94 P	649.8	LORAY 12.1	12.1		9.13		10.51	7.36	11.44 PM			
Yard Limits BKWOYP	661.9	TO-R MONTELLO	0.0		8.50 AM		10.28 AM	7.20 PM	11.22 PM			
		(127.4)		Leave Daily	Leave Daily	Leave Sun. Wed. & Fri.	Leave Daily	Leave Daily	Leave Daily			
	Time over District.....		(1.06)	(2.45)	(1.46)	(3.27)	(2.14)	(2.43)			
	Average Speed per Hour.....		62.81	46.33	39.11	36.93	57.04	46.89			

RULE 5. Schedule time and train-order time at Moor and Valley Pass apply at end of double track.

RULE S-72. Exception: No. 102 is superior to Nos. 27, 21 and 23.

Except in emergency the following tracks must be left clear of cars, to be used for meeting or passing trains when instructed by train dispatcher.

Anthony	Capacity 46
Fenelon	Capacity 46
South of main track	
North of main track	

Except in emergency the following track must be left clear of cars, to be used to clear passing trains or when instructed by train dispatcher:

Moor	Capacity 113
North of main track	

ELKO SUBDIVISION

Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Montello	WESTWARD							
				SECOND CLASS							
				571	573	575	577				
				Freight	Freight	Freight	Freight				
				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily				
534.5	TO-R CARLIN (WP Conn.) 3.0	13614	127.4	AM 5.10	AM 11.25	PM 6.10	AM 12.11				
537.5	VIVIAN 16.8	13617	124.4								
554.3	WEST ELKO (WP Conn.) 1.7	...	107.6								
556.0	TO-R ELKO 4.5	13635	105.9	4.40	10.55	5.40	11.40 PM				
560.5	COIN 12.9	13640	101.4								
573.4	ELBURZ (WP Conn.) 3.3	13653	88.5								
576.7	HALLECK 4.5	13656	85.2	4.13	10.28	5.13	11.13				
581.2	RASID 8.4	13660	80.7								
589.6	TO DEETH 1.5	13669	72.3	3.57	10.12	4.57	10.57				
591.1	WPRR Connection 8.0	13670	70.8								
599.1	TULASCO 4.5	13678	62.8								
603.6	TO-R ALAZON (WP Conn.) 3.9	13252	58.3	3.40	9.55	4.40	10.40				
607.5	TO-R WELLS 8.9	13256	54.4	3.30	9.44	4.30	10.30				
616.4	TO MOOR 3.7	13265	45.5	3.00	9.15	3.59	10.00				
620.1	ANTHONY 4.0	13269	41.8	2.49	9.04	3.49	9.49				
624.1	HOLBORN 3.4	13273	37.8	2.43	8.58	3.43	9.43				
627.5	TO FENELON 4.3	13276	34.4	2.38	8.53	3.38	9.38				
631.8	PEQUOP 5.0	13280	30.1	2.32	8.47	3.32	9.32				
636.8	ICARUS 3.8	13285	25.1	2.26	8.40	3.25	9.25				
640.6	TO VALLEY PASS 4.2	13289	21.3	2.16	8.30	3.15	9.15				
644.8	COBRE 5.0	13293	17.1								
649.8	LORAY 12.1	13298	12.1								
661.9	TO-R MONTELLO	13310	0.0	1.00 AM	7.15 AM	2.00 PM	8.01 PM				
(127.4)				Leave Daily	Leave Daily	Leave Daily	Leave Daily				
.....Time over District.....				(4.10)	(4.10)	(4.10)	(4.10)				
.....Average Speed per Hour.....				30.57	30.57	30.57	30.57				

RULE 5. Schedule time and train-order time at Moor and Valley Pass apply at end of double track.

Except in emergency the following tracks must be left clear of cars, to be used for meeting or passing trains when instructed by train dispatcher:

Anthony	South of main track.....	Capacity 46
Fenelon	North of main track.....	Capacity 46

Except in emergency the following track must be left clear of cars, to be used to clear passing trains or when instructed by train dispatcher:

Moor	North of main track.....	Capacity 113
------------	--------------------------	--------------

ADDITIONAL STATIONS			
Station Number	NAME	Mile Post	Capacity
13619	Tonka..... (Spur)	540.1	10P
13624	Moleen..... (Spur)	544.5	50-11P
13629	Avenel..... (Spur)	549.9	18P
13644	Osino..... (Spur)	564.8	48P
13647	Ryndon..... (Spur)	567.8	51P
13674	Nardi..... (Spur)	594.4	32P
13301	Tioga..... (Spur)	653.4	2P

OGDEN SUBDIVISION

EASTWARD

FIRST CLASS

Capacity of sidings					22 Mail	24 Gold Coast (c)	102 City of San Francisco	28 San Francisco Overland	Mile Post Location	Timetable No. 72		Distance from Montello
										September 27, 1953		
										Leave Daily	Leave Daily	
Yard Limits BKWOYP					PM 3.31	PM 1.49	AM 6.39	AM 2.39	661.9	TO-R MONTELLO	0.0	
E 109 P					3.40	1.59	6.45	2.48	668.3	6.4 TECOMA	6.4	
Grouse W 117 P									674.3	6.0 GARTNEY	12.4	
E 117 W 159 WP					3.52	2.15	6.54	3.01	679.8	5.5 LUCIN	17.9	
115 P									684.5	4.7 PIGEON	22.6	
115 P									688.8	4.3 TECK	26.9	
115 P									693.2	4.4 JACKSON	31.3	
117 P									697.6	4.4 BEPPA	35.7	
122 117 WP					4.16	2.45	7.12	3.25	702.1	4.5 LEMAP	40.2	
117 P									706.4	4.3 NEWFOUNDLAND	44.5	
117 P									711.1	4.7 GROOME	49.2	
137 P									716.3	5.2 ALLEN	54.4	
118 P									720.7	4.4 HOGUP	58.8	
117 P									724.8	4.1 OLNEY	62.9	
117 P									729.5	4.7 STRONGKNOB	67.6	
115 P					4.50	3.36	7.37	3.59	734.6	5.1 LAKESIDE	72.7	
P									739.7	5.1 TRENDA	77.8	
137 P									741.1	1.4 ENGLA	79.2	
113 P									744.8	3.7 MIDLAKA	82.9	
85 P									750.1	5.3 COLIN	88.2	
134 P					5.44	4.26	8.08	4.43	752.9	2.8 BRIDGE	91.0	
WP									758.5	5.6 PROMONTORY POINT	96.6	
M 127 P					6.02	4.50	8.20	5.01	767.2	8.7 LITTLE MOUNTAIN	105.3	
P									776.3	9.1 WEST WEBER	114.4	
Ogden yard I BKWDOTYP					s 6.35 PM	s 5.30 PM	s 8.40 AM	s 5.25 AM	781.4	5.1 D&RGW Crossing	119.5	
					Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	782.3	TO-R OGDEN	120.4	
					(3.04) 39.26	(3.41) 32.68	(2.01) 59.70	(2.46) 43.51		(120.4)		
									Time over District.....		
									Average Speed per Hour.....		

Be governed by current timetable, bulletins and rules of Ogden Union Railway and Depot Co., in Ogden yard limits. Be familiar with their Rule 104 (S) pertaining to movement over slip switches.

Trains operate by CTC between Lucin and Bridge, but at stations where time is shown must not depart ahead of time.

OGDEN SUBDIVISION

Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Ogden	WESTWARD				FIRST CLASS			
				21	23	101	27				
				Mail	Gold Coast (c)	City of San Francisco	San Francisco Overland				
STATIONS				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily				
661.9	TO-R MONTELLO 6.4	13310	121.2	AM f 8.50	AM s 10.25	PM 7.20	PM f 11.22				
668.3	TECOMA 2.8	13317	114.8	8.42	10.16	7.14	11.14				
671.1	GROUSE 9.5	13320	112.0								
679.8	LUCIN 4.7	13328	102.5	8.28	9.55	7.03	11.00				
684.5	PIGEON 4.3	13333	97.8								
688.8	TECK 4.4	13337	93.5								
693.2	JACKSON 4.4	13342	89.1								
697.6	BEPP0 4.5	13346	84.7								
702.1	LEMAY 4.3	13351	80.2	8.07	9.25	6.46	10.39				
706.4	NEWFOUNDLAND 4.7	13355	75.9								
711.1	GROOME 5.2	13360	71.2								
716.3	ALLEN 4.4	13365	66.0								
720.7	HOGUP 4.1	13369	61.6								
724.8	OLNEY 4.7	13373	57.5								
729.5	STRONGKNOB 5.1	13379	52.8								
734.6	LAKESIDE 5.1	13383	47.7	7.29	8.40	6.21	10.09				
739.7	TRESEND 1.4	13388	42.6								
741.1	ENGL 3.7	13390	41.2								
744.8	MIDLAKE 5.3	13393	37.5								
750.1	COLIN 2.8	13399	32.2								
752.9	BRIDGE 5.6	13401	29.4	6.46	7.50	5.50	9.26				
758.5	PROMONTARY POINT 8.7	13407	23.8								
767.2	LITTLE MOUNTAIN 9.1	13416	15.1	6.31	7.28	5.38	9.11				
776.3	WEST WEBER 5.1	13425	6.0								
781.4	D&RGW Crossing 0.9	...	0.9								
782.3	TO-R OGDEN	13431	0.0	6.15 AM	7.10 AM	5.22 PM	8.55 PM				
	(121.2)			Leave Daily	Leave Daily	Leave Daily	Leave Daily				
	Time over District.....			(2.35)	(3.15)	(1.58)	(2.27)				
	Average Speed per Hour.....			46.91	37.29	61.62	49.46				

Be governed by current timetable, bulletins and rules of Ogden Union Railway and Depot Co., in Ogden yard limits. Be familiar with their Rule 104 (S) pertaining to movement over slip switches.

Trains operate by CTC between Bridge and Lucin, but at stations where time is shown must not depart ahead of time.

ADDITIONAL STATIONS			
Station Number	NAME	Mile Post	Capacity
13387	Rambo..... (Spur)	739.3	25 P
13404	Saline..... (Spur)	755.2	13 P
13412	Bagley..... (Spur)	763.7	19-19 P
13421	Reese..... (Spur)	772.5	19 P

WADSWORTH SUBDIVISION

EASTWARD			Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Wendel	WESTWARD			
SECOND CLASS							SECOND CLASS			
Capacity of sidings	552	550					STATIONS	Arrive Daily	Arrive Daily	Arrive Daily
	Freight	Freight								
	Leave Daily	Leave Daily								
Yard Limits WYP	PM 9.20	AM 8.20	276.1	TO-R FERNLEY	12930	82.6	AM 10.50	PM 6.45	AM 2.35	
WP	9.34	8.25	278.1	2.0 WADSWORTH	13702	80.6	10.40	6.35	2.25	
104 P	9.48	8.35	281.2	3.1 DODGE	13705	77.5	10.29	6.25	2.15	
52 P	10.08	8.55	290.5	9.3 NUMANA	13714	68.2	9.50	5.45	1.35	
53 P	10.29	9.15	299.4	8.9 HESLIP	13723	59.3	9.15	5.10	1.00	
108 WP	10.53	9.40	308.2	TO 8.8 SUTCLIFFE	13732	50.5	8.50	4.45	12.35	
53 P	11.13	10.01	316.6	8.4 BRISTOL	13741	42.1	8.25	4.20	12.10 AM	
24 WP	11.38	10.20	321.8	5.2 BIG CANYON	13746	36.9	8.12	4.07	11.57 PM	
109 P	PM 11.47	10.29	326.1	4.3 ZENOBIA	13750	32.6	8.02	3.57	11.47	
52 P	AM 12.05	10.49	335.6	9.5 EASTON	13759	23.1	7.40	3.35	11.25	
IP		10.52	336.4	0.8 FLANIGAN	13760	22.3	7.35	3.30	11.20	
108 P	12.28	11.12	345.2	8.8 STACY	13769	13.5	7.15	3.10	11.00	
	12.39	11.32	349.8	4.6 HERLONG	13774	8.9	6.59	2.55	10.45	
64 P	12.48	11.42	354.8	5.0 AMELEE	13779	3.9	6.50	2.45	10.35	
Yard Limits BKWOYP	AM 12.58	AM 11.50	358.7	TO-R 3.9 WENDEL	13783	0.0	6.30 AM	2.25 PM	10.15 PM	
	Arrive Daily	Arrive Daily		(82.6)			Leave Daily	Leave Daily	Leave Daily	
	(3.38)	(3.30)	Time over District.....			(4.20)	(4.20)	(4.20)	
	22.73	23.60	Average Speed per Hour.....			19.06	19.06	19.06	

ADDITIONAL STATIONS			
Station Number	Name	Mile Post	Capacity
13744	Pyramid	319.6

EASTWARD			Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Mason	WESTWARD			
SECOND CLASS							THIRD CLASS			
Capacity of sidings	546						STATIONS	Arrive Daily	Arrive Daily	Arrive Daily
	Local Freight	Leave Daily Ex. Sunday								
Yard Limits BKWOYP	AM 6.00		358.7	TO-R WENDEL	13783	48.5	PM 12.20			
51 P	6.20		367.1	TO 8.4 LITCHFIELD	14208	40.1	11.50 AM			
60 P	6.40		374.9	7.8 LEAVITT	14216	32.3	11.35			
Yard Limits YKP	7.15		381.9	TO 7.0 SUSANVILLE	14223	25.3	11.20			
58 YP	8.15		400.1	18.2 WESTWOOD JCT.	14241	7.1	10.00			
P	8.35 AM		407.2	TO-R 7.1 MASON	14249	0.0	9.30 AM			
	Arrive Daily Ex. Sunday			(48.5)			Leave Daily Ex. Sunday			
	(2.35)		Time over District.....			(2.50)			
	18.77		Average Speed per Hour.....			17.12			

ADDITIONAL STATIONS			
Station Number	Name	Mile Post	Capacity
14231	Bunnel	390.1	16P
14236	Goumaz	394.8	16WP

Be governed by current Timetable, Bulletins and Rules of Western Pacific R. R. Co. between Mason and Westwood.

		407.2	MASON	14249			
		411.3	4.1 WESTWOOD	14253			

ALTURAS SUBDIVISION

EASTWARD			Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Alturas	WESTWARD			
SECOND CLASS							SECOND CLASS			
Capacity of sidings	558 Freight	554 Freight					551 Freight	553 Freight	555 Freight	
	Leave Daily	Leave Daily					Arrive Daily	Arrive Daily	Arrive Daily	
			STATIONS							
Yard Limits BKWOYP	PM 1.55	AM 1.30	358.7	TO-R	WENDEL	13783	98.2	AM 5.31	PM 1.25	PM 9.25
64 P	2.25	2.00	365.6		6.9 VIEWLAND	13790	91.3	5.00	12.55	8.55
97 WP	2.50	2.25	374.7		9.1 KARLO	13799	82.2	4.30	12.25 PM	8.25
65 P	3.20	3.15	383.6		8.9 SECRET	13808	73.3	4.00	11.55 AM	7.55
P	3.40	3.35	388.0		4.4 HORSE LAKE	13812	68.9	3.35	11.40	7.25
Yard Limits 112 YP	4.00	3.55	392.5		4.5 CREST	13816	64.4	3.20	11.30	7.10
Yard Limits 98 WP	4.15	4.10	397.9	TO	5.4 RAVENDALE	13822	59.0	3.06	11.15	6.56
25 P	4.35	4.30	404.7		6.8 TERMO	13829	52.2	2.45	10.35	6.35
115 P	4.50	4.45	408.1		3.4 MORAN	13832	48.8	2.35	10.25	6.25
79 WYP	5.20	5.15	418.9		10.8 MADELINE	13843	38.0	2.05	9.55	5.55
Yard Limits 112 YP	5.38	5.35	423.3		4.4 SAGE HEN	13847	33.6	1.48	9.38	5.38
66 WP	6.23	6.20	434.0		10.7 INDIAN CAMP	13858	22.9	1.10	9.00	5.00
111 KWYP	6.48	6.45	438.7	TO	4.7 LIKELY	13863	18.2	12.50	8.45	4.45
P	7.08	7.05	443.6		4.9 BAYLEY	13868	13.3	12.35	8.30	4.30
P	7.18	7.15	446.4		2.8 McARTHUR	13870	10.5	12.25	8.20	4.20
Yard Limits BKWOYP	7.50 PM	7.50 AM	456.9	TO-R	10.5 ALTURAS	13881	0.0	12.01 AM	7.55 AM	3.55 PM
	Arrive Daily	Arrive Daily			(98.2)			Leave Daily	Leave Daily	Leave Daily
	(5.55) 16.59	(6.20) 15.50		Time over District.....			(5.30) 17.85	(5.30) 17.85	(5.30) 17.85
				Average Speed per Hour.....					

RULE 5. Schedule time and train-order time at Alturas apply at train-order office.

MINA SUBDIVISION

EASTWARD			Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Mina	WESTWARD	
Capacity of sidings	SECOND CLASS						THIRD CLASS	
		606 Mixed						605 Mixed
		Leave Daily Ex. Monday		Mina Branch			Arrive Daily Ex. Sunday	
				STATIONS				
Yard Limits WP	AM 12.01	288.1	TO-R	HAZEN	12942	128.9	PM 4.35	
57	f 12.51	307.0		18.9 APPIAN	13919	110.0	f 3.47	
	f 1.09	313.8		6.8 WEEKS	13926	103.2	f 3.29	
31	f 1.15	316.4		2.6 CHURCHILL	13928	100.6	f 3.23	
77 Yard Limits WP	s 2.02	328.0	TO	11.6 WABUSKA	13940	89.0	s 2.50	
	2.17	331.9		3.9 LUX	13944	85.1	f 2.32	
27	f 3.03	347.7		15.8 RESERVATION	13960	69.3	f 1.46	
58 WP	s 3.25	354.2		6.5 SCHURZ	13966	62.8	s 1.24	
57	f 4.06	367.3		13.1 GILLIS	13979	49.7	f 12.44	
	f	369.3		2.0 NOLAN	13981	47.7		
39 Yard Limits WYP	s 5.06	384.4	TO	15.1 THORNE	13996	32.6	s 12.01 PM	
	P	408.2		23.8 LUNING	14020	8.8	s 10.55 AM	
Yard Limits BKWOYP	s 7.05 AM	417.0	TO-R	8.8 MINA	14029	0.0	10.30 AM	
	Arrive Daily Ex. Monday			(128.9)			Leave Daily Ex. Sunday	
	(7.04)		Time over District.....			(6.05)	
	18.24		Average Speed per Hour.....			20.80	

When using wye at Thorne, do so under flag protection.

ADDITIONAL STATIONS			
Station Number	NAME	Mile Post	Capacity
13905	Bango ... (Spur)	292.9	12

EASTWARD			Mile Post Location	Timetable No. 72 September 27, 1953	Station Number	Distance from Fallon	WESTWARD	
Capacity of sidings	SECOND CLASS						THIRD CLASS	
		608 Mixed						607 Mixed
		Leave Daily Ex. Sunday		Fallon Branch			Arrive Daily Ex. Sunday	
				STATIONS				
Yard Limits WP	AM 7.45	288.1	TO-R	HAZEN	12942	15.8	PM 12.25	
Yard Limits WYP	s 8.25 AM	303.9	TO-R	15.8 FALLON	14116	0.0	11.45 AM	
	Arrive Daily Ex. Sunday			(15.8)			Leave Daily Ex. Sunday	
	(0.40)		Time over District.....			(0.40)	
	23.70		Average Speed per Hour.....			23.70	

CONDITIONAL FLAG STOPS, ETC., TO RECEIVE OR DISCHARGE TRAFFIC

Conditional flag stops, etc., are designated by "c" in schedule column, and are for traffic as shown below:

Train	STATION	KIND	FREQUENCY	FOR REVENUE PASSENGERS		FOR OTHER TRAFFIC
				RECEIVE TO (or beyond)	DISCHARGE FROM (or beyond)	
1	Any Station	Flag	Sun., Wed., Fri.		Salt Lake City.	
22	Fernley	10 MPH	Daily			To dispatch U. S. Mail.
23	Any station	Flag	Daily	Any station	Any station	or to receive or discharge employes, or mail, baggage or express.
24	Any station	Flag	Daily	Any station	Any station	or to receive or discharge employes, or mail, baggage or express.
27	Elko	Flag	Daily	Reno	Ogden	
27	Winnemucca	Flag	Daily	Sacramento	Ogden	
28	Winnemucca	Flag	Daily	Ogden	Sacramento	
101	Lovelock	Stop	Daily			To exchange mail clerks.
102	Lovelock	Stop	Daily			To exchange mail clerks.

SPECIAL INSTRUCTIONS—ALL SUBDIVISIONS

RULE 5. Schedule times shown in small type indicate special instructions in the timetable govern movement.

RULE S-72. Westward trains are superior to trains of the same class in the opposite direction, except as shown on pages 2, 3, 4, 5, 7 and 8.

RULE 105. Sidings designated "E" in Capacity of Sidings column are assigned for use by eastward trains; those designated "W" are assigned for use by westward trains. Those designated "M" for middle, may be used by trains in either direction.

Capacity of Sidings column indicates the number of cars of average length of 49 feet that siding will hold between fouling points, in addition to one steam engine and caboose.

SPECIAL INSTRUCTIONS—SPARKS SUBDIVISION

RULE 82-A. Trains originating at Fernley and Hazen must obtain clearance.

RULE 83. If visual identification is made between Imlay and Humboldt; or Rye Patch and Perth, it will apply at end of double track. Trains to be identified will reduce speed sufficiently to permit identification and will sound signal 14(k).

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Imlay.....First-class trains.

RULE D-97-A will apply:
Between Sparks and Vista.

RULE 105. The following are designated for use as sidings:
The track north of main track at:
Parran and Huxley.

The track south of the main track at:
Falais, Desert, Ocala and Miriam.

RULE 204. Trains of Sparks or Winnemucca Subdivision with the same conductor and engineer operating through Imlay may be issued train orders on one subdivision that affect their movement on the other, or both subdivisions.

RULE D-251. Applies as follows:
On both tracks between Sparks and Vista.

SPECIAL INSTRUCTIONS—WINNEMUCCA SUBDIVISION

RULE 83. If visual identification is made between Imlay and Rose Creek it will apply at end of double track. Trains to be identified will reduce speed sufficiently to permit identification and will sound signal 14(k).

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Carlin.....Westward WP first-class trains.

Imlay.....First-class trains.

RULE 105. The following are designated for use as sidings:

Winnemucca. First track south of main track is eastward siding; second track south of main track is westward siding, and connects with eastward siding at both ends. West switch of westward siding must be left lined for movement from westward siding and east switch of westward siding must be left lined for movement from eastward siding.

RULE 204. Trains of Sparks or Winnemucca Subdivision with the same conductor and engineer operating through Imlay may be issued train orders on one subdivision that affect their movement on the other, or both subdivisions.

SPECIAL INSTRUCTIONS—ELKO SUBDIVISION

RULE 83. If visual identification is made between Alazon and Moor it will apply at end of double track. Westward trains except first class must identify opposing trains between Cobre and Valley Pass incl., and apply such check at Valley Pass.

Trains to be identified will reduce speed sufficiently to permit identification and will sound signal 14(k).

RULE 83-A. At the following stations only the trains indicated will register.

Wells—First-class, and trains originating or terminating.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Montello First-class trains.

Wells First-class trains.

Carlin Westward WP first-class trains.

Helper engineers will register at roundhouse instead of train-order office at Wells.

RULE D-97-A will apply:

Between Alazon and Moor.

Between Valley Pass and Montello.

RULE 105. The track north of main track at Anthony, and the track south of main track at Fenelon are designated as sidings.

Moor. Track south of main track is eastward siding and must not be used by westward trains except by train-order authority.

Valley Pass. Track north of main track is westward siding and must not be used by eastward trains except by train-order authority.

RULE 204. Any train order received by helper engineer on going trip Montello to Valley Pass, or Wells to Moor, will be respected on return trip unless fulfilled, superseded or annulled, but must not be acted upon after completion of round trip unless re-issued when beginning another trip.

Trains of Elko or Ogden Subdivisions with the same conductor and engineer operating through Montello may be issued train orders on one subdivision that affect their movement on the other, or both subdivisions.

RULE 208. Third and fourth paragraphs will not apply to eastward trains at Moor, and to westward trains at Valley Pass, when train to which restricting order is addressed is entering siding.

RULE 221. At Alazon, unless otherwise instructed, operator may clear the train-order signal for westward SP trains when no orders are held for westward SP trains.

RULE D-251. Applies as follows:

On eastward track Alazon to Wells.

SPECIAL INSTRUCTIONS—OGDEN SUBDIVISION

RULE 83. Conductors of westward freight trains at Ogden will notify train dispatcher through operator at 21st St. when their train is ready to leave, but will not depart until permission received from train dispatcher, and from yardmaster or his representative.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Montello First-class trains.

RULE D-97-A will apply:

Between Montello and Lucin.

Between Bridge and Ogden.

RULE 204. Trains of Elko or Ogden Subdivisions with the same conductor and engineer operating through Montello may be issued train orders on one subdivision that affect their movement on the other, or both subdivisions.

RULE D-251. Applies on westward track Lucin to Montello; and on both tracks between Bridge and Ogden.

SPECIAL INSTRUCTIONS—WADSWORTH SUBDIVISION

RULE 82-A. Trains may leave Mason without clearance if no operator on duty.

Trains originating at Westwood, to move westward from Mason, may be given train orders at Westwood, and in such cases must receive SP clearance in addition to WP clearance at Westwood.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Mason Nos. 545 and 546.

RULE 221. Light will not be displayed in train-order signal on Westwood Branch, except when train-order operator is on duty.


SPECIAL INSTRUCTIONS—MINA SUBDIVISION

RULE 82-A. No. 607 may leave Fallon without clearance if no operator on duty.

No. 605 may leave Mina on Saturday and holidays without clearance if no operator on duty.

SPEED TABLE

TIME PER MILE	MILES PER HOUR
36"	100
37"	97.3
38"	94.7
39"	92.3
40"	90
41"	87.8
42"	85.7
43"	83.7
44"	81.8
45"	80
46"	78.3
47"	76.6
48"	75
49"	73.5
50"	72
51"	70.6
52"	69.2
53"	67.9
54"	66.7
55"	65.5
56"	64.3
57"	63.2
58"	62.1
59"	61
1'00"	60
1'01"	59
1'02"	58.1
1'03"	57.1
1'04"	56.2
1'05"	55.4
1'06"	54.5
1'07"	53.7
1'08"	52.9
1'09"	52.2
1'10"	51.4
1'11"	50.7
1'12"	50
1'13"	49.3
1'14"	48.6
1'15"	48
1'16"	47.4
1'17"	46.8
1'18"	46.2
1'19"	45.6
1'20"	45
1'25"	42.4
1'30"	40
1'35"	37.9
1'40"	36
1'45"	34.3
1'50"	32.7
1'55"	31.3
2'00"	30
2'15"	26.7
2'30"	24
2'45"	21.8
3'00"	20
3'30"	17.1
4'00"	15
5'00"	12
6'00"	10
7'00"	8.6
7'30"	8
8'00"	7.5
10'00"	6



**MAP
OF THE
SALT LAKE DIVISION
SOUTHERN PACIFIC COMPANY**

J.M.
SCALE OF MILES.
0 10 20 30 40 50 60

**WESTERN PACIFIC-SOUTHERN PACIFIC PAIRED TRACK
OPERATION**

MINUTEMAN NATL. FOR.
B. O. X. DEER
CACHIA
NATL. FOR.
NATL. FOR.